

## MATERIAL SAFETY DATA SHEET

PRODUCT NAME: ACETIC ACID, GLACIAL

CAS Number: 64-19-7

**1. IDENTIFICATION:**

**Product Code** : 90001, 90101, 90301, 90729, 91647, 94048, 98115, 999013

**Company Name** : ADVENT CHEMBIO PRIVATE LIMITED

**Address** : W-279, MIDC, TTC INDUSTRIAL AREA, THANE-BELAPUR ROAD, RABALE,  
NAVI MUMBAI - 400 701.

**E-mail** : [sales@adventchembio.com](mailto:sales@adventchembio.com)

**WEBSITE** : [www.adventchembio.com](http://www.adventchembio.com)

**Company Phone Number** : 022-27690837

**2. HAZARDS IDENTIFICATION:****Hazard classification****Physical hazards**

**Flammable liquids** : Category 3

**Corrosive to metals** : Category 1

**Health hazards**

**Acute Toxicity(Oral)** : Category 4

**Acute toxicity (Dermal)** : Category 4

**Acute toxicity  
(Inhalation - vapor)** : Category 4

**Skin corrosion/irritation** : Category 1

**Serious eye damage/eye  
irritation** : Category 1

**Toxic to reproduction** : Category 1

**Specific target organ  
toxicity - single exposure** : Category 3

**Environmental hazards**

**Acute hazards to the  
aquatic environment** : Category 4

**Labels elements**

**Hazard symbol** :  

**Signal word** : Danger

**Hazard statement** : Toxic in contact with skin.

## MATERIAL SAFETY DATA SHEET

PRODUCT NAME: ACETIC ACID, GLACIAL

CAS Number: 64-19-7

Toxic if inhaled.  
Toxic if swallowed.  
Highly flammable liquid and vapor.  
Causes skin irritation.  
Causes serious eye irritation.  
Suspected of damaging fertility or the unborn child.  
Causes damage to organs.

**Precautionary statement****Prevention**

: Obtain special instructions before use.  
Do not breathe dust/ fume/ gas/ mist/ vapors/ spray. Do not handle until all safety precautions have been read and understood.  
Wear protective gloves/ protective clothing/ eye protection/ face protection.  
Keep away from heat/ sparks/ open flames/ hot surfaces. No smoking.  
Keep container tightly closed. Ground/ bond container and receiving equipment.  
Use explosion-proof electrical/ ventilating/ lighting/ equipment.  
Use only non-sparking tools. Take precautionary measures against static discharge.

**Response**

: IF exposed or concerned: Get medical advice/ attention.  
IF ON SKIN (or hair): Take off immediately all contaminated clothing. Rinse skin with water/ shower.  
IF IN EYES: Rinse cautiously with water for several minutes. Remove contact lenses, if present and easy to do. Continue rinsing.  
IF INHALED: Remove person to fresh air and keep comfortable for breathing.  
IF SWALLOWED: Immediately call a POISON CENTER or doctor/physician.

**Storage**

: Store in a dry & well-ventilated place. Keep container tightly closed. Containers which are opened must be carefully resealed and kept upright to prevent leakage.

**Disposal**

: Dispose of contents/container to an appropriate treatment and disposal facility in accordance with applicable laws and regulations, and product characteristics at time of disposal.

**Other hazards which do not result in GHS classification**

: None

**3. COMPOSITION/ INFORMATION ON INGREDIENTS:**

Ingredient	CAS Number	Percent	Hazardous
Acetic Acid, Glacial	64-19-7	99 - 100%	Yes

**4. FIRST AID MEASURES:****General information**

: Get medical advice/attention if you feel unwell. Show this safety data sheet to the doctor in attendance.

**Ingestion**

: Call a physician or poison control center immediately. Rinse mouth. Do NOT induce vomiting. If vomiting occurs, keep head low so that stomach content doesn't get into the lungs.

## MATERIAL SAFETY DATA SHEET

Version :01

PRODUCT NAME: ACETIC ACID, GLACIAL

CAS Number: 64-19-7

<b>Inhalation</b>	:	Move to fresh air. Call a physician or poison control center immediately. If breathing stops, provide artificial respiration. If breathing is difficult, give oxygen. Get medical attention if symptoms persist.
<b>Skin contact</b>	:	Wash skin thoroughly with plenty of water for at least 15 minutes. Remove contaminated clothing and shoes. Get medical attention if symptoms occur. Wash contaminated clothing before reuse.
<b>Eye contact</b>	:	Immediately flush with plenty of water for at least 15 minutes. If easy to do, remove contact lenses. Get medical attention.
<b>Most important symptoms/effects, acute and delayed</b>	:	Toxic if inhaled. Toxic if swallowed. Toxic in contact with skin. Irritating to eyes, respiratory system and skin.
<b>Indication of immediate medical attention and special treatment needed</b>	:	Symptoms may be delayed. Treat symptomatically.

**5. FIRE FIGHTING MEASURES:**

<b>General information</b>	:	In case of fire and/or explosion do not breathe fumes. Use water spray to keep fire-exposed containers cool. Move containers from fire area if you can do so without risk. Water may be ineffective in fighting the fire. Fight fire from a protected location
<b>Suitable (and unsuitable) extinguishing media</b>	:	
<b>Suitable extinguishing media</b>	:	Water spray, foam, dry powder or carbon dioxide.
<b>Unsuitable extinguishing media</b>	:	Avoid water in straight hose stream; will scatter and spread fire.
<b>Specific hazards arising from the chemical</b>	:	Vapors may cause a flash fire or ignite explosively. Vapors may travel considerable distance to a source of ignition and flash back. Prevent buildup of vapors or gases to explosive concentrations. Vapor from the solvent may accumulate in container headspace resulting in flammability hazard. Heat may cause the containers to explode.
<b>Special protective equipment and precautions for firefighters</b>	:	
<b>Special firefighting procedures</b>	:	Use water spray to keep fire-exposed containers cool. Water may be ineffective in fighting the fire. Fight fire from a protected location. Move containers from fire area if you can do so without risk.
<b>Special protective equipment for fire-fighters</b>	:	Firefighters must use standard protective equipment including flame retardant coat, helmet with face shield, gloves, rubber boots, and in enclosed spaces, SCBA.

**6. ACCIDENTAL RELEASE MEASURES:**

<b>Personal precautions, protective equipment and emergency</b>	:	ELIMINATE all ignition sources (no smoking, flares, sparks or flames in immediate area). Avoid breathing mists or vapors. Keep upwind. Ventilate closed spaces before entering them. Do not touch damaged containers or spilled material unless wearing
---	---	---



MATERIAL SAFETY DATA SHEET

PRODUCT NAME: ACETIC ACID, GLACIAL

CAS Number: 64-19-7

<b>procedures</b>	appropriate protective clothing. Keep unauthorized personnel away.
<b>Methods and material for containment and cleaning up</b>	Eliminate all ignition sources if safe to do so. Use only non-sparking tools. Take precautionary measures against static discharges. Stop leak if possible without any risk. Absorb spill with vermiculite or other inert material, then place in a container for chemical waste. Clean surface thoroughly to remove residual contamination. Dike far ahead of larger spill for later recovery and disposal.
<b>Notification Procedures</b>	Prevent entry into waterways, sewer, basements or confined areas. Inform authorities if large amounts are involved.
<b>Environmental precautions</b>	Do not contaminate water sources or sewer. Prevent further leakage or spillage if safe to do so. Avoid discharge into drains, water courses or onto the ground.

**7. HANDLING AND STORAGE:**

<b>Precautions for safe handling</b>	Do not handle until all safety precautions have been read and understood. DO NOT handle, store or open near an open flame, sources of heat or sources of ignition. Protect material from direct sunlight. Take precautionary measures against static discharges. Ground/bond container and receiving equipment. Use explosion-proof electrical/ventilating/lighting/equipment. Use only non-sparking tools. Wear protective gloves/protective clothing/eye Protection/ face protection. Avoid contact with eyes, skin, and clothing. Do not breathe mist or vapor. Use only with adequate ventilation. Wash hands thoroughly after handling.
<b>Conditions for safe storage, including any incompatibilities</b>	Keep away from food, drink and animal feeding stuffs. Keep container tightly closed in a dry, well-ventilated place. Store in a dry place. Ground container and transfer equipment to eliminate static electric sparks. Comply with all national, state, and local codes pertaining to the storage, handling, dispensing, and disposal of flammable liquids.

**8. EXPOSURE CONTROLS PERSONAL PROTECTION:**

**Control parameters**

**Occupational exposure limits**

Chemical identity	Type	Exposure Limit values	Source
ACETIC ACID, GLACIAL	TWA	10 ppm	US. ACGIH Threshold Limit Values (2011)
	ST EL	15 ppm	US. ACGIH Threshold Limit Values (2011)
	STEL	15 ppm 37 mg/m <sup>3</sup>	US. NIOSH: Pocket Guide to Chemical Hazards (2010 ).
	REL	10 ppm 25 mg/m <sup>3</sup>	US. NIOSH: Pocket Guide to Chemical Hazards (2010 ).

## MATERIAL SAFETY DATA SHEET

Version :01

PRODUCT NAME: ACETIC ACID, GLACIAL

CAS Number: 64-19-7

PEL	10 ppm 25 mg/m <sup>3</sup>	US. OSHA Table Z-1 Limits for Air Contaminants (29 CFR 1910.1000) (02 2006)
TWA	10 ppm 25 mg/m <sup>3</sup>	US. OSHA Table Z-1-A (29 CFR 1910.1000) (1989)

**Appropriate engineering****controls** : No data available**Individual protection measures, such as personal protective equipment**

<b>General information</b>	: Good general ventilation (typically 10 air changes per hour) should be used. Ventilation rates should be matched to conditions. If applicable, use process enclosures, local exhaust ventilation, or other engineering controls to maintain airborne levels below recommended exposure limits. If exposure limits have not been established, maintain airborne levels to an acceptable level. An eye wash and safety shower must be available in the immediate work area. Use explosion-proof ventilation equipment.
<b>Eye/face protection</b>	: Wear safety glasses with side shields (or goggles).
<b>Hand protection</b>	: Chemical resistant gloves.
<b>Other</b>	: Wear suitable protective clothing.
<b>Respiratory protection</b>	: In case of inadequate ventilation use suitable respirator. Chemical respirator with organic vapor cartridge.
<b>Hygiene measures</b>	: Always observe good personal hygiene measures, such as washing after handling the material and before eating, drinking, and/or smoking. Routinely wash work clothing and protective equipment to remove contaminants. Provide eyewash station and safety shower. Avoid contact with eyes, skin, and clothing.

**9. PHYSICAL AND CHEMICAL PROPERTIES:**

<b>Appearance</b>	: Clear, colorless liquid
<b>Odor</b>	: Strong pungent vinegar-like odor.
<b>Solubility</b>	: Miscible in water.
<b>Molecular Formula</b>	: CH <sub>3</sub> COOH
<b>Molecular Weight</b>	: 60.05 g/mol
<b>Specific Gravity</b>	: 1.05 g/cm <sup>3</sup> at 20 °C
<b>pH</b>	: 2.5 at 50 g/l 20 °C
<b>% Volatiles by volume @ 21C (70F)</b>	: 100
<b>Boiling Point</b>	: 117 °C

## MATERIAL SAFETY DATA SHEET

Version :01

PRODUCT NAME: ACETIC ACID, GLACIAL

CAS Number: 64-19-7

Melting Point : 17.0 °C  
Flash Point : 39 °C  
Vapor Density (Air=1) : 2.07  
Vapor Pressure (mm Hg) : 20.79 hPa at 25 °C  
Evaporation Rate (BuAc=1) : No data available.

**10. STABILITY AND REACTIVITY:**

Reactivity : No dangerous reaction known under conditions of normal use.  
Chemical stability : Stable under recommended storage conditions.  
Possibility of hazardous reactions : Hazardous polymerization does not occur.  
Conditions to avoid : Heat, sparks, flames.  
Incompatible materials : Strong oxidizing agents. Acids.  
Hazardous decomposition products : Thermal decomposition may release oxides of carbon.

**11. TOXICOLOGICAL INFORMATION:****Information on likely routes of exposure**

Ingestion : Irritating. May cause nausea, stomach pain and vomiting.  
Inhalation : May cause irritation to the mucous membranes and upper respiratory tract. May cause drowsiness or dizziness.  
Skin contact : Harmful in contact with skin. Causes severe skin burns.  
Eye contact : Causes serious eye irritation.

**Information on toxicological effects****Acute toxicity (list all possible routes of exposure)**

Oral Product : LD 50 (Rat): 3.310 mg/kg  
Dermal Product : LD 50 (Rabbit): 1,060 mg/kg .  
Inhalation Product : LC 50 (Rat, 4 h): 2.819 mg/l .  
Repeated dose toxicity Product : No data available.  
Skin corrosion/irritation Product : Prolonged or repeated skin contact may cause drying, cracking, or irritation

## MATERIAL SAFETY DATA SHEET

PRODUCT NAME: ACETIC ACID, GLACIAL

CAS Number: 64-19-7

<b>Serious eye damage/eye irritation Product</b>	: Causes serious eye damage
<b>Respiratory or skin sensitization Product</b>	: Not a skin sensitizer.
<b>Carcinogenicity Product</b>	: This substance has no evidence of carcinogenic properties
<b>IARC Monographs on the Evaluation of Carcinogenic Risks to Humans</b>	: No carcinogenic components identified.
<b>US. National Toxicology Program (NTP) Report on Carcinogens</b>	: No carcinogenic components identified.
<b>US. OSHA Specifically Regulated Substances (29 CFR 1910.1001-1050)</b>	: No carcinogenic components identified.
<b>Germ cell mutagenicity</b>	
<b>In vitro Product</b>	: No data available.
<b>Reproductive toxicity Product</b>	: No data available.
<b>Specific target organ toxicity - single exposure Product</b>	: No data available.
<b>Specific target organ toxicity - repeated exposure Product</b>	: No data available.
<b>Aspiration hazard Product</b>	: No data available.
<b>Other effects</b>	: None known.

**12. ECOLOGICAL INFORMATION:****Ecotoxicity****Acute hazards to the aquatic environment :**

<b>Fish Product</b>	: LC 50 (Bluegill (Lepomis macrochirus), 96 h): 75 mg/l.
<b>Aquatic invertebrates Product</b>	: EC 50 (Water flea (Daphnia magna), 48 h): 65 mg/l. LC 50 (Water flea (Daphnia magna), 24 h): 800 mg/l

**Chronic hazards to the aquatic environment :**

<b>Fish Product</b>	: No data available.
<b>Aquatic invertebrates Product</b>	: No data available.

**MATERIAL SAFETY DATA SHEET**

**PRODUCT NAME: ACETIC ACID, GLACIAL**

CAS Number: 64-19-7

**Toxicity to Aquatic Plants Product:** : No data available.

**Persistence and degradability**

**Biodegradation Product** : Expected to be readily biodegradable.

**BOD/COD ratio Product** : No data available.

**Bioaccumulative potential**

**Bioconcentration factor (BCF) Product** : No data available.

**Partition coefficient n-octanol / water (log Kow) Product** : No data available.

**Specified substance(s)** : Log Kow: -0.17

**Mobility in soil** : The product is water soluble and may spread in water systems.

**Other adverse effects** : Harmful to aquatic organisms.

**13. DISPOSAL CONSIDERATION:**

**Disposal instructions** : Discharge, treatment, or disposal may be subject to national, state, or local laws.

**Contaminated packaging** : Since emptied containers retain product residue, follow label warnings even after container is emptied. Residual vapors may explode on ignition; do not cut, drill, grind, or weld on or near this container.

**14. TRANSPORT INFORMATION:**

	UN No.	UN proper shipping name	Hazard Class(es)	Packaging group	Marine Pollutant
<b>DOT</b>	UN 2789	Acetic Acid, glacial	3(8)	II	No
<b>IMDG</b>	UN 2789	Acetic Acid, glacial	3(8)	II	No
<b>IATA</b>	UN 2789	Acetic Acid, glacial	3(8)	II	No



## MATERIAL SAFETY DATA SHEET

Version :01

PRODUCT NAME: ACETIC ACID, GLACIAL

CAS Number: 64-19-7


**15. REGULATORY INFORMATION:**

This safety datasheet complies with the requirements of Regulation (EC) No. 1907/2006.

Safety, health and environmental regulations/legislation specific for the substance or mixture  
No Data Available.

**16. OTHER INFORMATION:**

NFPA Hazard ID



Hazard rating: 0 - Minimal; 1 - Slight; 2 - Moderate; 3 - Serious; 4 - Severe

Issue Date : 13/07/2023

Version : 01

**Disclaimer: This Material Safety Data Sheet (MSDS) is for guidance and is based upon information and tests believed to be reliable. ADVENT CHEMBIO PRIVATE LIMITED makes no guarantee of the accuracy or completeness of the data and shall not be liable for any damages relating thereto. The data is offered solely for your consideration, investigation, and verification. The data should not be confused with local, state, federal or insurance mandates, regulations, or requirements and CONSTITUTE NO WARRANTY. Any use of this data and information must be determined by the technical instructor in accordance with applicable local, state or federal laws and regulations. The conditions or methods of handling, storage, use and disposal of the product(s) described are beyond the control of ADVENT CHEMBIO PRIVATE LIMITED and may be beyond our knowledge. FOR THIS AND OTHER REASONS, WE DO NOT ASSUME RESPONSIBILITY AND EXPRESSLY DISCLAIM LIABILITY FOR LOSS, DAMAGE OR EXPENSE ARISING OUT OF OR IN ANY WAY CONNECTED WITH THE HANDLING, STORAGE, USE OR DISPOSAL OF THIS PRODUCT(S).**