

Pg. 1 of 8

MATERIAL SAFETY DATA SHEET

Version :02

PRODUCT NAME: ADIPIC ACID

CAS Number: 124-04-9

1. IDENTIFICATION:	
Product Code	: 90304, 98569
Company Name	: ADVENT CHEMBIO PRIVATE LIMITED
Address	W-279, MIDC, TTC INDUSTRIAL AREA, THANE-BELAPUR ROAD, RABALE, NAVI MUMBAI - 400 701, MAHARASHTRA, INDIA.
E-mail	: <u>sales@adventchembio.com</u>
WEBSITE	: <u>www.adventchembio.com</u>
Company Phone Number	: <u>+91 77770 84837</u>

2. HAZARDS IDENTIFICATION:

Hazard classification	
Physical hazards	
Health hazards	
Serious eye damage	: Category 1
Labels elements	:
Hazard symbol	
Signal word	: Danger
Hazard statement	: Causes serious eye damage.
Precautionary statement	
Prevention	 Obtain special instructions before use. Do not breathe dust/ fume/ gas/ mist/ vapors/ spray. Do not handle until all safety precautions have been read and understood. Wear protective gloves/ protective clothing/ eye protection/ face protection. Keep away from heat/ sparks/ open flames/ hot surfaces. No smoking. Keep container tightly closed. Ground/ bond container and receiving equipment. Use explosion-proof electrical/ ventilating/ lighting/ equipment. Use only non-sparking tools. Take precautionary measures against static discharge.
Response	 IF exposed or concerned: Get medical advice/ attention. IF ON SKIN (or hair): Take off immediately all contaminated clothing. Rinse skin with water, shower. IF IN EYES: Rinse cautiously with water for several minutes. Remove contact lenses, i present and easy to do. Continue rinsing.
Storage	: Store in a dry & well-ventilated place. Keep container tightly closed. Containers which are opened must be carefully resealed and kept upright to prevent leakage.
Disposal	: Dispose of contents/container to an appropriate treatment and disposal facility in accordance with applicable laws and regulations, and product characteristics at time o disposal.



Pg. 2 of 8

MATERIAL SAFETY DATA SHEET

Version :02

PRODUCT NAME: ADIPIC ACID

CAS Number: 124-04-9

Other hazards which do not result in GHS classification : This substance/mixture contains no components considered to be either persistent, bioaccumulative and toxic (PBT), or very persistent and very bioaccumulative (vPvB) at levels of 0.1% or higher.

3. COMPOSITION/ INFORM	IATION ON INGRADIENTS:						
Ingredient	CAS Number	Percent	Hazardous				
Adipic Acid	124-04-9	NLT 99.0%	Yes				
4. FIRST AID MEASURES:							
General information	attendance.						
Ingestion	: vomiting. If vomiting oc lungs.	ison control center immediately. curs, keep head low so that stoma physician or poison control center	ach content doesn't get into the				
Inhalation		ion. If breathing is difficult, give oxy					
Skin contact	•	Immediately flush with plenty of water for at least 15 minutes. If easy to do, remove contact lenses. Get medical attention.					
Eye contact		Immediately flush with plenty of water for at least 15 minutes. If easy to do, remove contact lenses. Get medical attention.					
Most important symptoms/effects, acute and delayed	The most important known symptoms and effects are described in the labelling (se 2.)						
Indication of immediate medical attention and special treatment needed	lication of immediate edical attention and : No data available.						

5. FIRE FIGHTING MEASURES:

General information

Suitable (and unsuitable) extinguishing media

Suitable extinguishing media	Water spray, foam, dry powder or carbon dioxide.	
Unsuitable extinguishing media	Avoid water in straight hose stream; will scatter and spread fire.	
Specific hazards arising from the chemical	Vapors may cause a flash fire or ignite explosively. Vapors may travel considerable distance to a source of ignition and flash back. Prevent buildup of vapors or gases to explosive concentrations. Vapor from the solvent may accumulate in container headspace resulting in flammability hazard. Heat may cause the containers to explode.	e
Special protective equipment		
Special firefighting procedures	Use water spray to keep fire-exposed containers cool. Water may be ineffective in fighting the fire. Fight fire from a protected location. Move containers from fire area if you can do so without risk.	



Pg. 3 of 8

MATERIAL SAFETY DATA SHEET

Version :02

PRODUCT NAME: ADIPIC ACID

CAS Number: 124-04-9

Special protective equipment for fire-fighters	:	Firefighters must use standard protective equipment including flame retardant coat, helmet with face shield, gloves, rubber boots, and in enclosed spaces, SCBA.								
6. ACCIDENTAL RELEASE M	EAS	URES:								
Personal precautions, protective equipment and emergency procedures	:	Avoid breathing mists them. Do not touch o	ELIMINATE all ignition sources (no smoking, flares, sparks or flames in immediate area). Avoid breathing mists or vapors. Keep upwind. Ventilate closed spaces before entering them. Do not touch damaged containers or spilled material unless wearing appropriate protective clothing. Keep unauthorized personnel away.							
Methods and material for containment and cleaning up	:	Eliminate all ignition precautionary measure Absorb spill with verm	sources if safe to es against static disch iculite or other inert m noroughly to remove re	do so. Use only no arges. Stop leak if po naterial, then place in	on-sparking tools. Take ossible without any risk. a container for chemical Dike far ahead of larger					
Notification Procedures	:	Prevent entry into waterways, sewer, basements or confined areas. Inform authorities if large amounts are involved.								
Environmental precautions	:	Do not contaminate water sources or sewer. Prevent further leakage or spillage if safe to do so. Avoid discharge into drains, water courses or onto the ground.								
7. HANDLING AND STORAG	GE:									
Precautions for safe handling	:	Do not handle until all safety precautions have been read and understood. DO NOT handle, store or open near an open flame, sources of heat or sources of ignition. Protect material from direct sunlight. Take precautionary measures against static discharges. Ground/bond container and receiving equipment. Use explosion-proof electrical/ventilating/lighting/equipment. Use only non-sparking tools. Wear protective gloves/protective clothing/eye Protection / face protection. Avoid contact with eyes, skin, and clothing. Do not breathe mist or vapor. Use only with adequate ventilation. Wash hands thoroughly after handling.								
Conditions for safe storage, including any incompatibilities	:	Keep away from food, drink and animal feeding stuffs. Keep container tightly closed in a dry, well-ventilated place.								
8. EXPOSURE CONTROLS P	ERS									
Control parameters		Ingredients with work	place control paramete	ers :-						
		Application Area	Routes of exposure	Health effect	Value					
		Worker DNEL, acute	inhalation	Systemic effects	264 mg/m3					
		Worker DNEL, acute	dermal	Systemic effects						
		Worker DNEL, acute	inhalation	Local effects	5 mg/m3					
	Worker DNEL, long inhalation Educate refects 5 mg/ms Worker DNEL, long inhalation Systemic effects 264 mg/m3 term									
Derived No Effect Level		Worker DNEL, long	dermal	Systemic effects						
(DNEL)	:	term								
		Worker DNEL, long term	inhalation	Local effects	5 mg/m3					
		Consumer DNEL, acute	inhalation	Systemic effects	65 mg/m3					
		Consumer DNEL, acute	dermal	Systemic effects						



Pg. 4 of 8

MATERIAL SAFETY DATA SHEET

Version :02

PRODUCT NAME: ADIPIC ACID

CAS Number: 124-04-9

		Consumer DNEL,	oral	Systemic effects				
		acute						
		Consumer DNEL,	inhalation	Systemic effects	65 mg/m3			
		acute						
		Consumer DNEL,	dermal	Systemic effects				
		acute						
		Consumer DNEL,	oral	Systemic effects				
		acute						
		Compartment		Value				
		Fresh water		0,126 mg/l				
Predicted No Effect		Fresh water sedimen	t	0,484 mg/kg				
		Sea water		0,0126 mg/l				
Concentration (PNEC)	•	Sea sediment		0,0484 mg/kg				
		Aquatic intermittent	release	0,46 mg/l				
		Sewage treatment pl	ant	59,1 mg/l				
		Soil		0,0228 mg/kg	0,0228 mg/kg			
Appropriate engineering								
controls	:	No data available						
General information	:	Good general ventilation (typically 10 air changes per hour) should be used. Ventilation rates should be matched to conditions. If applicable, use process enclosures, local exhaust ventilation, or other engineering controls to maintain airborne levels below recommended exposure limits. If exposure limits have not been established, maintain airborne levels to an acceptable level. An eye wash and safety shower must be available in the immediate work						
		area. Use explosion-proof ventilation equipment.						
Eye/face protection	:	Wear safety glasses with side shields (or goggles).						
Hand protection	:	Chemical resistant glov	ves.					
Other	:	Wear suitable protective clothing.						
Respiratory protection	:	Respirator with organi	c vapor cartridge.	ble respirator. Chemical	bing often bendling the			
Hygiene measures		Respirator with organic vapor cartridge. Always observe good personal hygiene measures, such as washing after handling the material and before eating, drinking, and/or smoking. Routinely wash work clothing and protective equipment to remove contaminants. Provide eyewash station and safety shower. Avoid contact with eyes, skin, and clothing.						

9. PHYSICAL AND CHEMICAL PROPERTIES:						
Appearance	: Colourless to white crystalline powder.					
Odor	: Odorless.					
Solubility	: Miscible in water.					
Formula	: C ₆ H ₁₀ O ₄					



Pg. 5 of 8

MATERIAL SAFETY DATA SHEET

Version :02

PRODUCT NAME: ADIPIC ACID

CAS Number: 124-04-9

146.14 g/mol 1,36 g/cm3 at 25 °C 2,7 at 23 g/l at 25 °C No data available. 337,5 °C at 1.013 hPa 149.0 - 153.0 °C 196 °C No data available. 0,097 hPa at 18,5 °C No data available. Forms explosive mixtures with air on intense heating. A range from approx. 15 Kelvin below the flash point is to be rated as critical. The following applies in general to flammable organic substances and mixtures: in correspondingly fine distribution, when whirled up a dust explosion potential may generally be assumed. Material is stable under ambient conditions. Violent reactions possible with: Bases Strong oxidizing agent's Reducing agents polymerization with Aldehydes Alcohols. Strong heating.
2,7 at 23 g/l at 25 °C No data available. 337,5 °C at 1.013 hPa 149.0 - 153.0 °C 196 °C No data available. 0,097 hPa at 18,5 °C No data available. The flash point is to be rated as critical. The following applies in general to flammable organic substances and mixtures: in correspondingly fine distribution, when whirled up a dust explosion potential may generally be assumed. Material is stable under ambient conditions. Violent reactions possible with: Bases Strong oxidizing agent's Reducing agents polymerization with Aldehydes Alcohols.
No data available. 337,5 °C at 1.013 hPa 149.0 - 153.0 °C 196 °C No data available. 0,097 hPa at 18,5 °C No data available. Forms explosive mixtures with air on intense heating. A range from approx. 15 Kelvin below the flash point is to be rated as critical. The following applies in general to flammable organic substances and mixtures: in correspondingly fine distribution, when whirled up a dust explosion potential may generally be assumed. Material is stable under ambient conditions. Violent reactions possible with: Bases Strong oxidizing agent's Reducing agents polymerization with Aldehydes Alcohols.
337,5 °C at 1.013 hPa 149.0 - 153.0 °C 196 °C No data available. 0,097 hPa at 18,5 °C No data available. Forms explosive mixtures with air on intense heating. A range from approx. 15 Kelvin below the flash point is to be rated as critical. The following applies in general to flammable organic substances and mixtures: in correspondingly fine distribution, when whirled up a dust explosion potential may generally be assumed. Material is stable under ambient conditions. Violent reactions possible with: Bases Strong oxidizing agent's Reducing agents polymerization with Aldehydes Alcohols.
149.0 - 153.0 °C 196 °C No data available. 0,097 hPa at 18,5 °C No data available. Forms explosive mixtures with air on intense heating. A range from approx. 15 Kelvin below the flash point is to be rated as critical. The following applies in general to flammable organic substances and mixtures: in correspondingly fine distribution, when whirled up dust explosion potential may generally be assumed. Material is stable under ambient conditions. Violent reactions possible with: Bases Strong oxidizing agent's Reducing agents polymerization with Aldehydes Alcohols.
196 °C No data available. 0,097 hPa at 18,5 °C No data available. Forms explosive mixtures with air on intense heating. A range from approx. 15 Kelvin below the flash point is to be rated as critical. The following applies in general to flammable organic substances and mixtures: in correspondingly fine distribution, when whirled up a dust explosion potential may generally be assumed. Material is stable under ambient conditions. Violent reactions possible with: Bases Strong oxidizing agent's Reducing agents polymerization with Aldehydes Alcohols.
No data available. 0,097 hPa at 18,5 °C No data available. Forms explosive mixtures with air on intense heating. A range from approx. 15 Kelvin below the flash point is to be rated as critical. The following applies in general to flammable organic substances and mixtures: in correspondingly fine distribution, when whirled up a dust explosion potential may generally be assumed. Material is stable under ambient conditions. Violent reactions possible with: Bases Strong oxidizing agent's Reducing agents polymerization with Aldehydes Alcohols.
0,097 hPa at 18,5 °C No data available. Forms explosive mixtures with air on intense heating. A range from approx. 15 Kelvin below the flash point is to be rated as critical. The following applies in general to flammabl organic substances and mixtures: in correspondingly fine distribution, when whirled up dust explosion potential may generally be assumed. Material is stable under ambient conditions. Violent reactions possible with: Bases Strong oxidizing agent's Reducing agents polymerization with Aldehydes Alcohols.
No data available. Forms explosive mixtures with air on intense heating. A range from approx. 15 Kelvin below the flash point is to be rated as critical. The following applies in general to flammabl organic substances and mixtures: in correspondingly fine distribution, when whirled up dust explosion potential may generally be assumed. Material is stable under ambient conditions. Violent reactions possible with: Bases Strong oxidizing agent's Reducing agents polymerization with Aldehydes Alcohols.
Forms explosive mixtures with air on intense heating. A range from approx. 15 Kelvin below the flash point is to be rated as critical. The following applies in general to flammabl organic substances and mixtures: in correspondingly fine distribution, when whirled up dust explosion potential may generally be assumed. Material is stable under ambient conditions. Violent reactions possible with: Bases Strong oxidizing agent's Reducing agents polymerization with Aldehydes Alcohols.
the flash point is to be rated as critical. The following applies in general to flammable organic substances and mixtures: in correspondingly fine distribution, when whirled up dust explosion potential may generally be assumed. Material is stable under ambient conditions. Violent reactions possible with: Bases Strong oxidizing agent's Reducing agents polymerization with Aldehydes Alcohols.
the flash point is to be rated as critical. The following applies in general to flammable organic substances and mixtures: in correspondingly fine distribution, when whirled up dust explosion potential may generally be assumed. Material is stable under ambient conditions. Violent reactions possible with: Bases Strong oxidizing agent's Reducing agents polymerization with Aldehydes Alcohols.
Violent reactions possible with: Bases Strong oxidizing agent's Reducing agents polymerization with Aldehydes Alcohols.
polymerization with Aldehydes Alcohols.
Strong heating
Stong heating.
Mild steel.
In the event of fire: see section 5
ION:
xposure
No data available.
No data available.
Slight irritation.
Causes serious eye damage.
ects
utes of exposure)
LD 50 Rat - male and female - 5.560 mg/kg.
LD 50 Rabbit - male and female - 7.940 mg/kg.



Pg. 6 of 8

MATERIAL SAFETY DATA SHEET

Version :02

PRODUCT NAME: ADIPIC ACID

CAS Number: 124-04-9

Inhalation Product	:	LC 50 Rat - male and female - 4 h - > 7, 7 mg/l - dust/mist.				
Repeated dose toxicity Product	:	No data available.				
Skin corrosion/irritation Product	:	Slight irritation.				
Serious eye damage/eye irritation Product	:	Causes serious eye damage.				
Respiratory or skin sensitization Product	:	Not a skin sensitizer.				
Carcinogenicity Product	:	This substance has no evidence of carcinogenic properties				
IARC Monographs on the Evaluation of Carcinogenic Risks to Humans	:	No carcinogenic components identified.				
US. National Toxicology Program (NTP) Report on Carcinogens	:	No carcinogenic components identified.				
US. OSHA Specifically Regulated Substances (29 CFR 1910.1001-1050 Germ cell mutagenicity	:	No carcinogenic components identified.				
In vitro Product	:	No data available.				
Reproductive toxicity Product	:	No components toxic to reproduction.				
Specific target organ toxicity - single exposure Product	:	No data available.				
Specific target organ toxicity - repeated exposure Product	:	No data available.				
Aspiration hazard Product	:	No data available.				
Other effects	:	No data available.				
12. ECOLOGICAL INFORMAT	ION	:				

Ecotoxicity

Acute hazards to the aquatic environment

Fish Product	:	LC 50 - Brachydanio rerio (zebrafish) - >= 1.000 mg/l
Aquatic invertebrates Product	:	LC50 - Daphnia magna (Water flea) - 46 mg/l
Toxicity to algae	:	ErC50 - Pseudokirchneriella subcapitata (green algae) - 64,5 mg/l
Toxicity to bacteria	:	EC50 - activated sludge - 4.747 mg/l



Pg. 7 of 8

MATERIAL SAFETY DATA SHEET

Version :02

PRODUCT NAME: ADIPIC ACID

CAS Number: 124-04-9

Chronic hazards to the aquatic environment									
Fish Product	:	No data ava	No data available.						
Aquatic invertebrates Product	:	No data ava	No data available.						
Toxicity to Aquatic Plants Product:	:	No data ava	o data available.						
Persistence and degradability	ty								
Biodegradation Product	:	Readily bio	eadily biodegradable.						
BOD/COD ratio Product	:	No data ava	o data available.						
Bioaccumulative potential									
Bioconcentration factor (BCF) Product	:	No data ava	No data available on bioaccumulation.						
Partition coefficient n- octanol / water (log Kow) Product	:	No data ava	No data available.						
Mobility in soil	:	No data ava	lo data available.						
Other adverse effects	:	Biological e avoided.	Biological effects: Harmful effect due to pH shift. Discharge into the environment must be avoided.						
13. DISPOSAL CONSIDERAT	ION								
Disposal instructions	:		treatment, or disposal n dations are based on unc			laws. Disposal			
Contaminated packaging	:	Since emptied containers retain product residue, follow label warnings even after container is emptied.							
14. TRANSPORT INFORMAT	ION	:							
	U	N No.	UN proper shipping	Hazard	Packaging	Marine Pollutant			
DOT	N	٨	name Adipic Acid	Class(es) NA	group Not dangerous goo				
IMDG	N		Adipic Acid	NA	Not dangerous goo				
IATA	N		Adipic Acid	NA	Not dangerous goo				
	IN			NA					
15. REGULATORY INFORMA	TIO	N:							

This safety datasheet complies with the requirements of Regulation (EC) No. 1907/2006. Safety, health and environmental regulations/legislation specific for the substance or mixture No Data Available.




Pg. 8 of 8

MATERIAL SAFETY DATA SHEET

Version :02

PRODUCT NAME: ADIPIC ACID

CAS Number: 124-04-9



Version : 02

Disclaimer: This Material Safety Data Sheet (MSDS) is for guidance and is based upon information and tests believed to be reliable. ADVENT CHEMBIO PRIVATE LIMITED makes no guarantee of the accuracy or completeness of the data and shall not be liable for any damages relating thereto. The data is offered solely for your consideration, investigation, and verification. The data should not be confused with local, state, federal or insurance mandates, regulations, or requirements and CONSTITUTE NO WARRANTY. Any use of this data and information must be determined by the technical instructor in accordance with applicable local, state or federal laws and regulations. The conditions or methods of handling, storage, use and disposal of the product(s) described are beyond the control of ADVENT CHEMBIO PRIVATE LIMITED and may be beyond our knowledge. FOR THIS AND OTHER REASONS, WE DO NOT ASSUME RESPONSIBILITY AND EXPRESSLY DISCLAIM LIABILITY FOR LOSS, DAMAGE OR EXPENSE ARISING OUT OF OR IN ANY WAY CONNECTED WITH THE HANDLING, STORAGE, USE OR DISPOSAL OF THIS PRODUCT(S).