

Pg. 1 of 8

MATERIAL SAFETY DATA SHEET

Version:02

PRODUCT NAME: ALUMINIUM CHLORIDE, ANHYDROUS CAS Number: 7446-70-0

1. IDENTIFICATION:

Product Code : 90307, 90105

Company Name : ADVENT CHEMBIO PRIVATE LIMITED

Address W-279, MIDC, TTC INDUSTRIAL AREA, THANE-BELAPUR ROAD, RABALE,

NAVI MUMBAI - 400 701, MAHARASHTRA, INDIA.

E-mail : <u>sales@adventchembio.com</u>

WEBSITE : www.adventchembio.com

Company Phone Number : +91 77770 84837

2. HAZARDS IDENTIFICATION:

Hazard classification

Health hazards

Skin corrosion : Sub Category 1B

Serious eye damage : Category 1

Labels elements :

Hazard symbol :

Signal word : Danger

Hazard statement : Causes severe skin burns and eye damage.

Precautionary statement

Prevention : Obtain special instructions before use.

Do not breathe dust/ fume/ gas/ mist/ vapors/ spray. Do not handle until all safety

precautions have been read and understood.

Wear protective gloves/ protective clothing/ eye protection/ face protection. Keep away from heat/ sparks/ open flames/ hot surfaces. No smoking.

Keep container tightly closed. Ground/bond container and receiving equipment.

Use explosion-proof electrical/ventilating/lighting/equipment.

Use only non-sparking tools. Take precautionary measures against static discharge.

Response : IF exposed or concerned: Get medical advice/ attention.

 $\label{thm:constraint} \textbf{IF ON SKIN (or hair): Take off immediately all contaminated clothing. Rinse skin with water/} \\$

shower.

IF IN EYES: Rinse cautiously with water for several minutes. Remove contact lenses, if

present and easy to do. Continue rinsing.

IF INHALED: Remove person to fresh air and keep comfortable for breathing.

Storage : Store in a dry & well-ventilated place. Keep container tightly closed. Containers which are

opened must be carefully resealed and kept upright to prevent leakage.

Disposal : Dispose of contents/container to an appropriate treatment and disposal facility in

accordance with applicable laws and regulations, and product characteristics at time of

disposal.



Pg. 2 of 8

MATERIAL SAFETY DATA SHEET

Version:02

PRODUCT NAME: ALUMINIUM CHLORIDE, ANHYDROUS

result in GHS classification

Other hazards which do not : This substance/mixture contains no components considered to be either persistent, bioaccumulative and toxic (PBT), or very persistent and very bioaccumulative (vPvB) at levels of 0.1% or higher. Reacts violently with water. Reacts violently with water.

CAS Number: 7446-70-0

2	CONTROCITIONI	INICODRAATION	ON INCOADIENTS.
3.	COMPOSITION	INFURIVIATION	ON INGRADIENTS:

Ingredient	CAS Number	Percent	Hazardous
Aluminium Chloride Anhydrous	7446-70-0	NLT 98.0%	Yes

4. FIRST AID MEASURES:

General information : Get medical advice/attention if you feel unwell. Show this safety data sheet to the doctor in

attendance.

Ingestion Call a physician or poison control center immediately. Rinse mouth. Do NOT induce

vomiting. If vomiting occurs, keep head low so that stomach content doesn't get into the

Move to fresh air. Call a physician or poison control center immediately. If breathing stops,

Inhalation : provide artificial respiration. If breathing is difficult, give oxygen.

Get medical attention if symptoms persist.

Skin contact Immediately flush with plenty of water for at least 15 minutes. If easy to do, remove contact

lenses. Get medical attention.

Immediately flush with plenty of water for at least 15 minutes. If easy to do, remove contact Eye contact

lenses. Get medical attention.

Most important

symptoms/effects, acute

and delayed

Indication of immediate

medical attention and

special treatment needed

: The most important known symptoms and effects are described in the labelling 2.

: No data available.

FIRE FIGHTING MEASURES:

General information : No data available.

Suitable (and unsuitable) extinguishing media

Suitable extinguishing

media

Water spray, foam, dry powder or carbon dioxide.

Unsuitable extinguishing

media

: Avoid water in straight hose stream; will scatter and spread fire.

Specific hazards arising from the chemical

Vapors may cause a flash fire or ignite explosively. Vapors may travel considerable distance to a source of ignition and flash back. Prevent buildup of vapors or gases to explosive concentrations. Vapor from the solvent may accumulate in container headspace resulting in

flammability hazard. Heat may cause the containers to explode.

Special protective equipment and precautions for firefighters

Special firefighting

procedures

Use water spray to keep fire-exposed containers cool. Water may be ineffective in fighting : the fire. Fight fire from a protected location. Move containers from fire area if you can do so

without risk.



Pg. 3 of 8

MATERIAL SAFETY DATA SHEET

Version:02

PRODUCT NAME: ALUMINIUM CHLORIDE, ANHYDROUS

Special protective equipment for fire-fighters Firefighters must use standard protective equipment including flame retardant coat, helmet

CAS Number: 7446-70-0

with face shield, gloves, rubber boots, and in enclosed spaces, SCBA.

ACCIDENTAL RELEASE MEASURES:

Personal precautions, protective equipment and emergency procedures

ELIMINATE all ignition sources (no smoking, flares, sparks or flames in immediate area). Avoid breathing mists or vapors. Keep upwind. Ventilate closed spaces before entering them. Do not touch damaged containers or spilled material unless wearing appropriate protective clothing. Keep unauthorized personnel away.

Methods and material for containment and cleaning up

Eliminate all ignition sources if safe to do so. Use only non-sparking tools. Take precautionary measures against static discharges. Stop leak if possible without any risk. Absorb spill with vermiculite or other inert material, then place in a container for chemical

waste. Clean surface thoroughly to remove residual contamination. Dike far ahead of larger spill for later recovery and disposal.

Notification Procedures

Prevent entry into waterways, sewer, basements or confined areas. Inform authorities if

large amounts are involved.

Environmental precautions

Do not contaminate water sources or sewer. Prevent further leakage or spillage if safe to do

so. Avoid discharge into drains, water courses or onto the ground.

HANDLING AND STORAGE:

Precautions for safe handling

Do not handle until all safety precautions have been read and understood. DO NOT handle, store or open near an open flame, sources of heat or sources of ignition. Protect material from direct sunlight. Take precautionary measures against static discharges. Ground/bond container and receiving equipment. Use explosion-proof electrical/ventilating/lighting/equipment. Use only non-sparking tools. Wear protective gloves/protective clothing/eye

Protection / face protection. Avoid contact with eyes, skin, and clothing. Do not breathe mist or vapor. Use only with adequate ventilation. Wash hands thoroughly after handling. Keep away from food, drink and animal feeding stuffs. Keep container tightly closed in a dry,

Conditions for safe storage, including any incompatibilities

well-ventilated place.

EXPOSURE CONTROLS PERSONAL PROTECTION:

Control parameters

Ingredients with workplace control parameters:-

Derived No Effect Level

(DNEL)

Application Area	Routes of exposure	Health effect	Value	
Worker DNEL, acute	inhalation	Systemic effects	1 mg/m3	
Worker DNEL, acute	inhalation	Local effects	2 mg/m3	
Worker DNEL, long	inhalation	Systemic effects	0,2 mg/m3	
term				
Worker DNEL, long	inhalation	Local effects	0,2 mg/m3	
term				
Compartment		Value		
Fresh water		0.025 mg/l		

Predicted No Effect

Concentration (PNEC)

Fresh water Sea water 0,0025 mg/l 0,074 mg/l Aquatic intermittent release Fresh water sediment 3,736 mg/kg



Pg. 4 of 8

Version:02

MATERIAL SAFETY DATA SHEET

PRODUCT NAME: ALUMINIUM CHLORIDE, ANHYDROUS CAS Number: 7446-70-0

Sea sediment	3,736 mg/kg
Soil	4,94 mg/kg
Sewage treatment plant	100 mg/l

Appropriate engineering

controls : No data available

Individual protection measures, such as personal protective equipment

Good general ventilation (typically 10 air changes per hour) should be used. Ventilation rates should be matched to conditions. If applicable, use process enclosures, local exhaust ventilation, or other engineering controls to maintain airborne levels below recommended.

General information ventilation, or other engineering controls to maintain airborne levels below recommended

exposure limits. If exposure limits have not been established, maintain airborne levels to an acceptable level. An eye wash and safety shower must be available in the immediate work

area. Use explosion-proof ventilation equipment. **Eye/face protection**. Wear safety glasses with side shields (or goggles).

Hand protection . Chemical resistant gloves.

Other . Wear suitable protective clothing.

Respiratory protection In case of inadequate ventilation use suitable respirator. Chemical

Respirator with organic vapor cartridge.

Always observe good personal hygiene measures, such as washing after handling the material and before eating, drinking, and/or smoking. Routinely wash work clothing and

Protective equipment to remove contaminants. Provide eyewash station and safety shower.

Avoid contact with eyes, skin, and clothing.

9. PHYSICAL AND CHEMICAL PROPERTIES:

Appearance : Highly hygroscopic white to yellow to grey granules.

Odor : Stinging

Solubility : 450 g/l at 20 °C - (decomposition)

Formula : AICl₃

Molecular Weight : 133.34 g/mol

Specific Gravity : 2,44 g/cm3 at 20 °C

pH : 2,4 at 100 g/l at 20 °C

% Volatiles by volume @

Hygiene measures

21C (70F)

: No data available.

Boiling Point : 181,2 °C at 1.013 hPa

Melting Point : 190.0 – 194.0°C

Flash Point : Not applicable

Vapor Density (Air=1) : No data available.

Vapor Pressure (mm Hg) : No data availab

1 hPa at 20 °C



Pg. 5 of 8

Version:02

MATERIAL SAFETY DATA SHEET

PRODUCT NAME: ALUMINIUM CHLORIDE, ANHYDROUS CAS Number: 7446-70-0

Evaporation Rate (BuAc=1) : No data available.

10. STABILITY AND REACTIVITY:

Reactivity Reacts violently with water.

Chemical stability : Material is stable under ambient conditions, sensitive to moisture.

Possibility of hazardous

Violent reactions possible with: Water alkenes Alcohols Alkali metals Alkaline earth metals reactions

Ethylene oxide halogen oxides Oxidizing agents organic nitro compounds phenols Bases

Conditions to avoid Moisture.

Strong oxidizing agents. Acetaldehyde. Acids. Chlorine. Ethylene Oxide Incompatible materials

Hydrogen peroxide (H2O2) Sulfuric acid. Isocyanates. Aluminum.

Hazardous decomposition

products

In the event of fire: see section 5

11. TOXICOLOGICAL INFORMATION:

Information on likely routes of exposure

Ingestion : No data available.

Inhalation No data available.

Skin contact Causes mild skin irritation

Eye contact Causes serious eye irritation.

Information on toxicological effects

Acute toxicity (list all possible routes of exposure)

Oral Product : LD 50 Rat - 3.450 mg/kg

Dermal Product LD 50 Rabbit - > 2.000 mg/kg

Inhalation Product No data available.

Repeated dose toxicity

Product

No data available.

Skin corrosion/irritation

Product

Causes burns.

Serious eye damage/eye

irritation Product

Causes serious eye damage.

Respiratory or skin sensitization Product

: Not a skin sensitizer.

Carcinogenicity Product

: This substance has no evidence of carcinogenic properties

IARC Monographs on the

Evaluation of Carcinogenic

: No carcinogenic components identified.

Risks to Humans



Pg. 6 of 8

MATERIAL SAFETY DATA SHEET

Version:02

PRODUCT NAME: ALUMINIUM CHLORIDE, ANHYDROUS CAS Number: 7446-70-0

US. National Toxicology

Program (NTP) Report on

Carcinogens

: No carcinogenic components identified.

US. OSHA Specifically

Regulated Substances (29 CFR 1910.1001-1050

Germ cell mutagenicity

: No carcinogenic components identified.

In vitro Product

: No data available.

Reproductive toxicity

Product

No components toxic to reproduction.

Specific target organ

toxicity - single exposure

Product

Specific target organ

toxicity - repeated

None known.

Not known.

exposure Product

Aspiration hazard Product

No data available.

Other effects

No data available.

12. ECOLOGICAL INFORMATION:

Ecotoxicity

Acute hazards to the aquatic environment

Fish Product

Product

No data available.

Aquatic invertebrates

: EC50 - Daphnia magna (Water flea) - 27,3 mg/l

Chronic hazards to the aquatic environment

Fish Product

No data available.

Aquatic invertebrates

Product

No data available.

Toxicity to Aquatic Plants

Product:

No data available.

Persistence and degradability

Biodegradation Product

No data available.

BOD/COD ratio Product

No data available.

Bioaccumulative potential

Bioconcentration factor

(BCF) Product

: No data available on bioaccumulation.

Partition coefficient noctanol / water (log Kow)

: No data available.



Pg. 7 of 8

MATERIAL SAFETY DATA SHEET

Version :02

PRODUCT NAME: ALUMINIUM CHLORIDE, ANHYDROUS CAS Number: 7446-70-0

Product

Mobility in soil : No data available.

Other adverse effects

No data available.

13. DISPOSAL CONSIDERATION:

Disposal instructions : Discharge, treatment, or disposal may be subject to national, state, or local laws. Disposal

recommendations are based on uncontaminated material.

Contaminated packaging Since emptied containers retain product residue, follow label warnings even after container

is emptied.

14. TRANSPORT INFORMATION:

	UN No.	UN proper shipping name	Hazard Class(es)	Packaging group	Marine Pollutant
DOT	UN 1726	Aluminium Chloride Anhydrous	8	II	Yes
IMDG	UN 1726	Aluminium Chloride Anhydrous	8	II	Yes
IATA	UN 1726	Aluminium Chloride Anhydrous	8	II	No

15. REGULATORY INFORMATION:

This safety datasheet complies with the requirements of Regulation (EC) No. 1907/2006. Safety, health and environmental regulations/legislation specific for the substance or mixture No Data Available.




Pg. 8 of 8

MATERIAL SAFETY DATA SHEET

Version:02

PRODUCT NAME: ALUMINIUM CHLORIDE, ANHYDROUS CAS Number: 7446-70-0

16. OTHER INFORMATION:



Hazard rating: 0 - Minimal; 1 - Slight; 2 - Moderate; 3 - Serious; 4 - Severe

Issue Date : 07/01/2025

Version : 02

Disclaimer: This Material Safety Data Sheet (MSDS) is for guidance and is based upon information and tests believed to be reliable. ADVENT CHEMBIO PRIVATE LIMITED makes no guarantee of the accuracy or completeness of the data and shall not be liable for any damages relating thereto. The data is offered solely for your consideration, investigation, and verification. The data should not be confused with local, state, federal or insurance mandates, regulations, or requirements and CONSTITUTE NO WARRANTY. Any use of this data and information must be determined by the technical instructor in accordance with applicable local, state or federal laws and regulations. The conditions or methods of handling, storage, use and disposal of the product(s) described are beyond the control of ADVENT CHEMBIO PRIVATE LIMITED and may be beyond our knowledge. FOR THIS AND OTHER REASONS, WE DO NOT ASSUME RESPONSIBILITY AND EXPRESSLY DISCLAIM LIABILITY FOR LOSS, DAMAGE OR EXPENSE ARISING OUT OF OR IN ANY WAY CONNECTED WITH THE HANDLING, STORAGE, USE OR DISPOSAL OF THIS PRODUCT(S).