

Pg. 1 of 8

MATERIAL SAFETY DATA SHEET

Version :02

PRODUCT NAME: BENZYL ALCOHOL

1. IDENTIFICATION:		
Product Code	:	90010, 90129, 90346, 90720, 94025, 95203, 98148, 999014
Company Name	:	ADVENT CHEMBIO PRIVATE LIMITED
Address	:	W-279, MIDC, TTC INDUSTRIAL AREA, THANE-BELAPUR ROAD, RABALE, NAVI MUMBAI - 400 701, MAHARASHTRA, INDIA.
E-mail	:	sales@adventchembio.com
WEBSITE	:	www.adventchembio.com
Company Phone Number	:	<u>+91 77770 84837</u>
2. HAZARDS IDENTIFICATIO	N:	
Hazard classification		
Physical hazards		
Health hazards		
Acute Toxicity(Oral)	:	Category 4
Acute toxicity (Inhalation -	:	Category 4
vapor) Serious eye damage/eye irritation	:	Category 2
Labels elements		
Hazard symbol	:	
Signal word	:	Warning
Hazard statement	:	Toxic in contact with skin. Toxic if inhaled. Toxic if swallowed. Highly flammable liquid and vapor. Causes skin irritation. Causes serious eye irritation. Suspected of damaging fertility or the unborn child. Causes damage to organs.
Precautionary statement Prevention	:	Obtain special instructions before use. Do not breathe dust/ fume/ gas/ mist/ vapors/ spray. Do not handle until all safety precautions have been read and understood. Wear protective gloves/ protective clothing/ eye protection/ face protection. Keep away from heat/ sparks/ open flames/ hot surfaces. No smoking. Keep container tightly closed. Ground/ bond container and receiving equipment. Use explosion-proof electrical/ ventilating/ lighting/ equipment.



Pg. 2 of 8

MATERIAL SAFETY DATA SHEET

Version :02

PRODUCT NAME: BENZYL ALCOHOL

CAS Number:100-51-6

	Jse only non-sparking tools. Take precautionary measures against static discharge.	
Response	F exposed or concerned: Get medical advice/ attention. F ON SKIN (or hair): Take off immediately all contaminated clothing. Rinse skin with water hower. F IN EYES: Rinse cautiously with water for several minutes. Remove contact lenses, present and easy to do. Continue rinsing. F INHALED: Remove person to fresh air and keep comfortable for breathing. F SWALLOWED: Immediately call a POISON CENTER or doctor/physician.	
Storage	store in a dry & well-ventilated place. Keep container tightly closed. Containers which ar opened must be carefully resealed and kept upright to prevent leakage.	re
Disposal	Dispose of contents/container to an appropriate treatment and disposal facility in accordance with applicable laws and regulations, and product characteristics at time of disposal.	
Other hazards which do not result in GHS classification	lone	

3. COMPOSITION/ INFORMATION ON INGRADIENTS:

Ingredient		CAS Number	Percent	Hazardous		
Benzyl Alcohol		100-51-6	99 - 100%	Yes		
4. FIRST AID MEASURES:						
General information	•	Get medical advice/attent attendance.	ion if you feel unwell. Show this	safety data sheet to the doctor in		
Ingestion	:	Call a physician or poison control center immediately. Rinse mouth. Do NOT induce vomiting. If vomiting occurs, keep head low so that stomach content doesn't get into the lungs. Move to fresh air. Call a physician or poison control center immediately. If breathing stops,				
Inhalation	:	provide artificial respiration. If breathing is difficult, give oxygen. Get medical attention if symptoms persist.				
Skin contact	:	Wash skin thoroughly with plenty of water for at least 15 minutes. Remove contaminated clothing and shoes. Get medical attention if symptoms occur. Wash contaminated clothing before reuse.				
Eye contact	•	Immediately flush with plenty of water for at least 15 minutes. If easy to do, remove contact lenses. Get medical attention.				
Most important symptoms/effects, acute and delayed Toxic if inhaled. Toxic if swallowed. Toxic in contact with skin. Irritating to eyes, re						
Indication of immediate medical attention and special treatment needed	:	l. Treat symptomatically.				



Pg. 3 of 8

MATERIAL SAFETY DATA SHEET

Version :02

PRODUCT NAME: BENZYL ALCOHOL

5. FIRE FIGHTING MEASURES:				
General information	No unusual fire or explosion hazards noted.			
Suitable (and unsuitable) ex	shing media			
Suitable extinguishing media	Water spray, foam, dry powder or carbon dioxide.			
Unsuitable extinguishing media	Avoid water in straight hose stream; will scatter and spread fire.			
Specific hazards arising from the chemical	Vapors may cause a flash fire or ignite explosively. Vapors may travel considerable distant to a source of ignition and flash back. Prevent buildup of vapors or gases to explose concentrations. Vapor from the solvent may accumulate in container headspace resulting flammability hazard. Heat may cause the containers to explode.			
Special protective equipment	precautions for firefighters			
Special firefighting procedures	Use water spray to keep fire-exposed containers cool. Water may be ineffective in fighting the fire. Fight fire from a protected location. Move containers from fire area if you can do so without risk.			
Special protective equipment for fire-fighters	Firefighters must use standard protective equipment including flame retardant coat with face shield, gloves, rubber boots, and in enclosed spaces, SCBA.	t, helmet		

6. ACCIDENTAL RELEASE M	EAS	URES:				
Personal precautions,		ELIMINATE all ignition sources (no smoking, flares, sparks or flames in immediate area).				
protective equipment and		Avoid breathing mists or vapors. Keep upwind. Ventilate closed spaces before enter				
emergency procedures	:	them. Do not touch damaged containers or spilled material unless wearing appropriate				
		protective clothing. Keep unauthorized personnel away.				
Methods and material for		Eliminate all ignition sources if safe to do so. Use only non-sparking tools. Take				
containment and cleaning		precautionary measures against static discharges. Stop leak if possible without any risk.				
up	:	Absorb spill with vermiculite or other inert material, then place in a container for chemical				
- P	•	waste. Clean surface thoroughly to remove residual contamination. Dike far ahead of larger				
		spill for later recovery and disposal.				
Notification Procedures		Prevent entry into waterways, sewer, basements or confined areas. Inform authorities if				
Notification Procedures	:	large amounts are involved.				
Environmental precautions		Do not contaminate water sources or sewer. Prevent further leakage or spillage if safe to do				
Environmental precautions	:	so. Avoid discharge into drains, water courses or onto the ground.				
7. HANDLING AND STORAG	20.					
Precautions for safe	JL.	Do not handle until all cafety processions have been read and understand. DO NOT handle				
		Do not handle until all safety precautions have been read and understood. DO NOT handle,				
handling		store or open near an open flame, sources of heat or sources of ignition. Protect material				
		from direct sunlight. Take precautionary measures against static discharges. Ground/bond				
	:	container and receiving equipment. Use explosion-proof				
		electrical/ventilating/lighting/equipment. Use only non-sparking tools. Wear protective gloves/protective clothing/eye				
		Protection/ face protection. Avoid contact with eyes, skin, and clothing. Do not breathe mist				
		or vapor. Use only with adequate ventilation. Wash hands thoroughly after handling.				
Conditions for safe storage,		Keep away from food, drink and animal feeding stuffs. Keep container tightly closed in a dry,				
including any		well-ventilated place. Store in a dry place. Ground container and transfer equipment to				
incompatibilities	:	eliminate static electric sparks. Comply with all national, state, and local codes pertaining to				
meenpationities		the storage, handling, dispensing, and disposal of flammable liquids.				
		the storage, nanaling, dispensing, and disposal of nanniable inquids.				



Pg. 4 of 8

MATERIAL SAFETY DATA SHEET

Version :02

PRODUCT NAME: BENZYL ALCOHOL

8. EXPOSURE CONTROLS F Control parameters	LNJUNA		
Occupational exposure limit			
Chemical identityNone of the components have assigned exposure limits.			
BENZYL ALCOHOL			
Appropriate engineering			
controls	: NO	data available	
Individual protection measu	res, such	n as personal protective equipment	
General information Eye/face protection	rat ver exp acc are	nod general ventilation (typically 10 air changes per hour) should be used. Ventilation tes should be matched to conditions. If applicable, use process enclosures, local exhaust ntilation, or other engineering controls to maintain airborne levels below recommended posure limits. If exposure limits have not been established, maintain airborne levels to an ceptable level. An eye wash and safety shower must be available in the immediate work ea. Use explosion-proof ventilation equipment. ear safety glasses with side shields (or goggles).	
Hand protection	Cho	emical resistant gloves.	
Other	er . Wear suitable protective clothing.		
Respiratory protection	In case of inadequate ventilation use suitable respirator. Chemical respirator with or vapor cartridge.		
Hygiene measures material and before eating, drinking, and/or smoking. Routinely wash v protective equipment to remove contaminants. Provide eyewash station a		ways observe good personal hygiene measures, such as washing after handling the aterial and before eating, drinking, and/or smoking. Routinely wash work clothing and otective equipment to remove contaminants. Provide eyewash station and safety shower. oid contact with eyes, skin, and clothing.	
9. PHYSICAL AND CHEMIC	AL PROPI	ERTIES:	
Appearance	: Cle	ear, colourless oily liquid.	
Odor	: Mi	ld, Aromatic	
Solubility	: Mi	scible in water.	
Molecular Formula	: C ₇ H	H ₈ O	
Molecular Weight	: 108	8.14 g/mol	
Specific Gravity	: 1.0	045 g/cm3 at 25 °C	
рН	: No	data available	
% Volatiles by volume @ 21C (70F)	: 100	0	
Boiling Point	: 205	5 ℃	
Melting Point	: -15	5.2 °C	



Pg. 5 of 8

MATERIAL SAFETY DATA SHEET

Version :02

PRODUCT NAME: BENZYL ALCOHOL

Flash Point	: 101 °C		
Vapor Density (Air=1)	: No data available		
Vapor Pressure (mm Hg)	: No data available		
Evaporation Rate (BuAc=1)	No data available		
10. STABILITY AND REACTIV	/ITY:		
Reactivity	: No data available		
Chemical stability	: Hygroscopic, Stable under recommended storage conditions.		
Possibility of hazardous reactions	: No data available		
Conditions to avoid	: Heat, sparks, flames. Sunlight.		
Incompatible materials	: Strong oxidizing agents.		
Hazardous decomposition products	: Thermal decomposition may release oxides of carbon.		
11. TOXICOLOGICAL INFOR	MATION:		
Information on likely routes	s of exposure		
Ingestion	: Harmful if swallowed.		
Inhalation	: Harmful if inhaled.		
Skin contact	: Harmful in contact with skin. Causes severe skin burns.		
Eye contact	Causes serious eye irritation.		
Information on toxicological	l effects		
Acute toxicity (list all possib	le routes of exposure)		
Oral Product	: LD 50 (Rat): 1,230 - 3,100 mg/kg		
Dermal Product	: LD 50 (Rabbit): 2,000 mg/kg.		
Inhalation Product	_: LC 100 (Rat, 8 h): 200 - 300 mg/l		
Repeated dose toxicity Product	: No data available.		
Skin corrosion/irritation Product	: Prolonged or repeated skin contact may cause drying, cracking, or irritation		
Serious eye damage/eye irritation Product	: Causes serious eye damage		
Respiratory or skin sensitization Product	: Not a skin sensitizer.		



Pg. 6 of 8

MATERIAL SAFETY DATA SHEET

Version :02

PRODUCT NAME: BENZYL ALCOHOL

IARC Monographs on the Evaluation of Carcinogenic Risks to Humans	: No carcinogenic components identified.		
US. National Toxicology Program (NTP) Report on Carcinogens	: No carcinogenic components identified.		
US. OSHA Specifically Regulated Substances (29 CFR 1910.1001-1050	: No carcinogenic components identified.		
Germ cell mutagenicity			
In vitro Product	: No mutagenic components identified.		
Reproductive toxicity Product	: No components toxic to reproduction.		
Specific target organ toxicity - single exposure	: None known.		
Product Specific target organ toxicity - repeated	None known.		
exposure Product Aspiration hazard Product	: Not classified.		
Other effects	: None known.		
12. ECOLOGICAL INFORMA	TION:		
Ecotoxicity			
Acute hazards to the aquati	ic environment :		
Fish Product	: No data available.		
Aquatic invertebrates Product	LC 50 (Bluegill (Lepomis macrochirus), 96 h): 10 mg/l Mortality LC 50 (Fathead minnow (Pimephales promelas), 96 h): 460 mg/l		
Chronic hazards to the aqua	atic environment :		
Fish Product	: No data available.		
Aquatic invertebrates Product	: No data available.		
Toxicity to Aquatic Plants Product:	: No data available.		
Persistence and degradabili	ity		
Biodegradation Product	: Expected to be readily biodegradable.		
BOD/COD ratio Product	No data available.		
Bioaccumulative potential			
Bioconcentration factor (BCF) Product	: No data available.		



Pg. 7 of 8

Version :02

MATERIAL SAFETY DATA SHEET

PRODUCT NAME: BENZYL ALCOHOL

CAS Number:100-51-6

Partition coefficient n- octanol / water (log Kow) Product	:	No data available.
Specified substance(s) METHANOL	:	Log Kow: 1.10
Mobility in soil	:	The product is water soluble and may spread in water systems.
Other adverse effects	:	The product components are not classified as environmentally hazardous. However, this does not exclude the possibility that large or frequent spills can have a harmful or damaging effect on the environment.

13. DISPOSAL CONSIDERATION:			
Disposal instructions	:	Discharge, treatment, or disposal may be subject to national, state, or local laws.	
Contaminated packaging	:	Since emptied containers retain product residue, follow label warnings even after container is emptied. Residual vapors may explode on ignition; do not cut, drill, grind, or weld on or near this container.	

14. TRANSPORT INFORMATION:							
	UN No.	UN proper shipping name	Hazard Class(es)	Packaging group	Marine Pollutant		
ADR/RID	NA	Benzyl Alcohol	NA	NA	No		
IMDG	NA	Benzyl Alcohol	NA	NA	No		
ΙΑΤΑ	UN 3334	Benzyl Alcohol	9	Ш	No		

15. REGULATORY INFORMATION:

This safety datasheet complies with the requirements of Regulation (EC) No. 1907/2006.

Safety, health and environmental regulations/legislation specific for the substance or mixture No Data Available.




Pg. 8 of 8

MATERIAL SAFETY DATA SHEET

Version :02

PRODUCT NAME: BENZYL ALCOHOL

CAS Number:100-51-6



Disclaimer: This Material Safety Data Sheet (MSDS) is for guidance and is based upon information and tests believed to be reliable. ADVENT CHEMBIO PRIVATE LIMITED makes no guarantee of the accuracy or completeness of the data and shall not be liable for any damages relating thereto. The data is offered solely for your consideration, investigation, and verification. The data should not be confused with local, state, federal or insurance mandates, regulations, or requirements and CONSTITUTE NO WARRANTY. Any use of this data and information must be determined by the technical instructor in accordance with applicable local, state or federal laws and regulations. The conditions or methods of handling, storage, use and disposal of the product(s) described are beyond the control of ADVENT CHEMBIO PRIVATE LIMITED and may be beyond our knowledge. FOR THIS AND OTHER REASONS, WE DO NOT ASSUME RESPONSIBILITY AND EXPRESSLY DISCLAIM LIABILITY FOR LOSS, DAMAGE OR EXPENSE ARISING OUT OF OR IN ANY WAY CONNECTED WITH THE HANDLING, STORAGE, USE OR DISPOSAL OF THIS PRODUCT(S).