

Pg. 1 of 8

MATERIAL SAFETY DATA SHEET

CAS Number: 75-15-0

Version:02

PRODUCT NAME: CARBON DISULPHIDE

1. IDENTIFICATION:

Product Code : 90064, 93041, 96029

Company Name : ADVENT CHEMBIO PRIVATE LIMITED

Address W-279, MIDC, TTC INDUSTRIAL AREA, THANE-BELAPUR ROAD, RABALE,

NAVI MUMBAI - 400 701, MAHARASHTRA, INDIA.

E-mail : sales@adventchembio.com

WEBSITE : <u>www.adventchembio.com</u>

Company Phone Number : +91 77770 84837

2. HAZARDS IDENTIFICATION:

Hazard classification

Physical hazards

Flammable liquids : Category 2

Health hazards

Acute toxicity, Inhalation : Category 4

Skin irritation : Category 2

Eye irritation : Category 2

Reproductive toxicity : Category 2

Specific target organ

toxicity - repeated : Category 1

exposure, Oral

Hazard symbol

Signal word

Labels elements :

Hazard statement Highly flammable liquid and vapor.

: Danger

Causes serious eye irritation.

Causes skin irritation.

: Harmful if inhaled.

Suspected of damaging fertility. Suspected of damaging the unborn child. $\label{eq:constraint}$

Causes damage to organs (Peripheral nervous system, Central nervous system, Cardio-

vascular system, Eyes) through prolonged or repeated exposure.

Precautionary statement

Prevention: Obtain special instructions before use.

Do not breathe dust/ fume/ gas/ mist/ vapors/ spray. Do not handle until all safety



Pg. 2 of 8

Version:02

MATERIAL SAFETY DATA SHEET

PRODUCT NAME: CARBON DISULPHIDE CAS Number: 75-15-0

precautions have been read and understood.

Wear protective gloves/ protective clothing/ eye protection/ face protection. Keep away from heat/ sparks/ open flames/ hot surfaces. No smoking.

Keep container tightly closed. Ground/bond container and receiving equipment.

Use explosion-proof electrical/ventilating/lighting/equipment.

Use only non-sparking tools. Take precautionary measures against static discharge.

Response : IF exposed or concerned: Get medical advice/ attention.

IF ON SKIN (or hair): Take off immediately all contaminated clothing. Rinse skin with water/

shower.

IF IN EYES: Rinse cautiously with water for several minutes. Remove contact lenses, if

present and easy to do. Continue rinsing.

IF INHALED: Remove person to fresh air and keep comfortable for breathing. IF SWALLOWED: Immediately call a POISON CENTER or doctor/physician.

Storage : Store in a dry & well-ventilated place. Keep container tightly closed. Containers which are

opened must be carefully resealed and kept upright to prevent leakage.

Disposal : Dispose of contents/container to an appropriate treatment and disposal facility in

accordance with applicable laws and regulations, and product characteristics at time of

disposal.

Other hazards which do not : result in GHS classification

This substance/mixture contains no components considered to be either persistent, bioaccumulative and toxic (PBT), or very persistent and very bioaccumulative (vPvB) at

levels of 0.1% or higher.

3. COMPOSITION/INFORMATION ON INGRADIENTS:

Ingredient	CAS Number	Percent	Hazardous
Carbon Disulphide	75-15-0	NLT 98.5%	Yes

4. FIRST AID MEASURES:

General information : Get medical advice/attention if you feel unwell. Show this safety data sheet to the doctor in

attendance.

Ingestion Call a physician or poison control center immediately. Rinse mouth. Do NOT induce

: vomiting. If vomiting occurs, keep head low so that stomach content doesn't get into the

lungs.

Move to fresh air. Call a physician or poison control center immediately. If breathing stops,

Inhalation : provide artificial respiration. If breathing is difficult, give oxygen.

Get medical attention if symptoms persist.

Skin contact Immediately flush with plenty of water for at least 15 minutes. If easy to do, remove contact

lenses. Get medical attention.

Eye contact Immediately flush with plenty of water for at least 15 minutes. If easy to do, remove contact

lenses. Get medical attention.

Most important symptoms/effects, acute

and delayed

Indication of immediate medical attention and special treatment needed

The most important known symptoms and effects are described in the labelling (see section

2).

: No data available.



Pg. 3 of 8

MATERIAL SAFETY DATA SHEET

Version:02

PRODUCT NAME: CARBON DISULPHIDE CAS Number: 75-15-0

FIRE FIGHTING MEASURES:

General information : Flammable liquid and vapor.

Suitable (and unsuitable) extinguishing media

Suitable extinguishing

media

Water spray, foam, dry powder or carbon dioxide.

Unsuitable extinguishing

media

Avoid water in straight hose stream; will scatter and spread fire.

Specific hazards arising from the chemical

Vapors may cause a flash fire or ignite explosively. Vapors may travel considerable distance to a source of ignition and flash back. Prevent buildup of vapors or gases to explosive concentrations. Vapor from the solvent may accumulate in container headspace resulting in

flammability hazard. Heat may cause the containers to explode.

Special protective equipment and precautions for firefighters

Special firefighting

procedures

Use water spray to keep fire-exposed containers cool. Water may be ineffective in fighting

the fire. Fight fire from a protected location. Move containers from fire area if you can do so

without risk.

Special protective

equipment for fire-fighters

Firefighters must use standard protective equipment including flame retardant coat, helmet

with face shield, gloves, rubber boots, and in enclosed spaces, SCBA.

ACCIDENTAL RELEASE MEASURES:

Personal precautions, protective equipment and emergency procedures

ELIMINATE all ignition sources (no smoking, flares, sparks or flames in immediate area). Avoid breathing mists or vapors. Keep upwind. Ventilate closed spaces before entering them. Do not touch damaged containers or spilled material unless wearing appropriate protective clothing. Keep unauthorized personnel away.

Methods and material for containment and cleaning up

Eliminate all ignition sources if safe to do so. Use only non-sparking tools. Take precautionary measures against static discharges. Stop leak if possible without any risk.

Absorb spill with vermiculite or other inert material, then place in a container for chemical waste. Clean surface thoroughly to remove residual contamination. Dike far ahead of larger spill for later recovery and disposal.

Notification Procedures

Prevent entry into waterways, sewer, basements or confined areas. Inform authorities if large amounts are involved.

Environmental precautions

Do not contaminate water sources or sewer. Prevent further leakage or spillage if safe to do so. Avoid discharge into drains, water courses or onto the ground.

HANDLING AND STORAGE:

Precautions for safe handling

Do not handle until all safety precautions have been read and understood. DO NOT handle, store or open near an open flame, sources of heat or sources of ignition. Protect material from direct sunlight. Take precautionary measures against static discharges. Ground/bond receiving equipment. Use electrical/ventilating/lighting/equipment. Use only non-sparking tools. Wear protective gloves/protective clothing/eye

Protection/ face protection. Avoid contact with eyes, skin, and clothing. Do not breathe mist or vapor. Use only with adequate ventilation. Wash hands thoroughly after handling.



Pg. 4 of 8

Version:02

MATERIAL SAFETY DATA SHEET

PRODUCT NAME: CARBON DISULPHIDE CAS Number: 75-15-0

Conditions for safe storage,

including any incompatibilities

Keep away from food, drink and animal feeding stuffs. Keep container tightly closed in a dry, well-ventilated place. Ground container and transfer equipment to eliminate static electric sparks. Comply with all national, state, and local codes pertaining to the storage, handling,

dispensing, and disposal of flammable liquids.

8. EXPOSURE CONTROLS PERSONAL PROTECTION:

Control parameters

Appropriate engineering

controls

No data available.

Individual protection measures, such as personal protective equipment

Good general ventilation (typically 10 air changes per hour) should be used. Ventilation rates should be matched to conditions. If applicable, use process enclosures, local exhaust

General information ventilation, or other engineering controls to maintain airborne levels below recommended

exposure limits. If exposure limits have not been established, maintain airborne levels to an acceptable level. An eye wash and safety shower must be available in the immediate work

acceptable level. An eye wash and safety shower must be available in the immediate work area. Use explosion-proof ventilation equipment.

Eye/face protection . Wear safety glasses with side shields (or goggles).

Hand protection . Chemical resistant gloves.

Other . Wear suitable protective clothing.

Respiratory protection In case of inadequate ventilation use suitable respirator. Chemical

Respirator with organic vapor cartridge.

Always observe good personal hygiene measures, such as washing after handling the material and before eating, drinking, and/or smoking. Routinely wash work clothing and

protective equipment to remove contaminants. Provide eyewash station and safety shower.

Avoid contact with eyes, skin, and clothing.

9. PHYSICAL AND CHEMICAL PROPERTIES:

Appearance : Clear, colorless liquid

Odor : Characteristic

Solubility : Miscible in water.

Formula : CS₂

Molecular Weight : 76.14 g/mol

Density : 1.259 - 1.264 g/cm3 at 20°C

pH : No data available.

% Volatiles by volume @

Hygiene measures

21C (70F)

No data available.

Boiling Point : 46°C



Pg. 5 of 8

Version:02

MATERIAL SAFETY DATA SHEET

PRODUCT NAME: CARBON DISULPHIDE CAS Number: 75-15-0

Melting Point : -112°C

Flash Point : -30 °C

Vapor Density (Air=1) : No data available.

Vapor Pressure (mm Hg) : 274 hPa at 25 °C

Evaporation Rate (BuAc=1) : No data available.

10. STABILITY AND REACTIVITY:

Reactivity: Vapors may form explosive mixture with air.

Chemical stability : Material is stable under ambient conditions..

Risk of explosion with: nitrogen oxides, permanganic acid, Oxidizing agents, halogenhalogen compounds, halogen oxides, Iron, ferric, oxide, Chlorine, hydrazines, powdered aluminium, chlorine oxides, Potassium, potassium permanganate, Lithium, sodium, nitrogen

Possibility of hazardous

reactions

: dioxide, azides.

. dioxide, azides.

Risk of ignition or formation of inflammable gases or vapours with: Fluorine, phosphorus,

sulfur, Activated charcoal, Powdered metals, Reducing agents,

Exothermic reaction with: Zinc Acids.

Conditions to avoid : Warming.

Incompatible materials : Rubber, various plastics.

Hazardous decomposition

products

: In the event of fire: see section 5

11. TOXICOLOGICAL INFORMATION:

Information on likely routes of exposure

Ingestion : Irritating. May cause nausea, stomach pain and vomiting.

Inhalation . May cause irritation to the mucous membranes and upper respiratory tract. May cause

central nervous system effects

Skin contact : Severe irritations.

Eye contact : Severe irritations.

Information on toxicological effects

Acute toxicity (list all possible routes of exposure)

Oral Product : LD 50 Rat - female - > 2.000 mg/kg

Dermal Product : No data available.

Inhalation Product . LC 50 Rat - male and female - 4 h - 10,35 mg/l - vapor

Repeated dose toxicity

Product

: No data available.

Skin corrosion/irritation : Severe irritations.



Pg. 6 of 8

Version:02

MATERIAL SAFETY DATA SHEET

PRODUCT NAME: CARBON DISULPHIDE CAS Number: 75-15-0

Product

Serious eye damage/eye

irritation Product

: Severe irritations.

Respiratory or skin

sensitization Product

: Not a skin sensitizer.

Carcinogenicity Product

IARC Monographs on the

Evaluation of Carcinogenic

: No carcinogenic components identified.

: This substance has no evidence of carcinogenic properties

Risks to Humans

US. National Toxicology

Program (NTP) Report on

: No carcinogenic components identified.

Carcinogens

US. OSHA Specifically

Regulated Substances (29

CFR 1910.1001-1050 Germ cell mutagenicity : No carcinogenic components identified.

In vitro Product

No data available.

Reproductive toxicity

Product

Suspected of damaging the unborn child. Suspected of damaging fertility.

Specific target organ

toxicity - single exposure

: Not known.

Product

Specific target organ

toxicity - repeated

Causes damage to organs through prolonged or repeated exposure. - Peripheral nervous

system, Central nervous system, Cardio-vascular system.

exposure Product

Aspiration hazard Product

No data available.

Other effects

No data available.

12. ECOLOGICAL INFORMATION:

Ecotoxicity

Acute hazards to the aquatic environment

Fish Product

: LC50 - Danio rerio (zebra fish) - 3 mg/l - 96 h

Aquatic invertebrates **Product**

: EC50 - Daphnia magna (Water flea) - 2,1 mg/l - 48 h

Toxicity to algae

: EC50 - Chlorella pyrenoidosa - 21 mg/l - 96 h

Toxicity to bacteria

: EC50 - Bacteria - 13 mg/l - 24 h

Chronic hazards to the aquatic environment

Fish Product

No data available.

Aquatic invertebrates

No data available.



Pg. 7 of 8

MATERIAL SAFETY DATA SHEET

Version:02

PRODUCT NAME: CARBON DISULPHIDE

Product

Toxicity to Aquatic Plants

: No data available.

Product:

Persistence and degradability

Biodegradation Product

: Readily biodegradable.

BOD/COD ratio Product

No data available.

Bioaccumulative potential

Bioconcentration factor

(BCF) Product

Partition coefficient n-

octanol / water (log Kow)

Product

: No data available.

Mobility in soil

: The product is partly soluble in water. May spread in the aquatic environment.

Other adverse effects

The product components are not classified as environmentally hazardous. However, this

CAS Number: 75-15-0

does not exclude the possibility that large or frequent spills can have a harmful or damaging

effect on the environment.

No data available on bioaccumulation.

13. DISPOSAL CONSIDERATION:

Disposal instructions : Discharge, treatment, or disposal may be subject to national, state, or local laws. Disposal

recommendations are based on uncontaminated material.

Contaminated packaging Since emptied containers retain product residue, follow label warnings even after container

is emptied.

14. TRANSPORT INFORMATION:

DOT	UN No. UN 1131	UN proper shipping name Carbon Disulphide	Hazard Class(es) 3 (6.1)	Packaging group I	Marine Pollutant No
IMDG	UN 1131	Carbon Disulphide	3 (6.1)	I	No
IATA	UN 1131	Carbon Disulphide	3 (6.1)	NA	No

15. REGULATORY INFORMATION:

This safety datasheet complies with the requirements of Regulation (EC) No. 1907/2006. Safety, health and environmental regulations/legislation specific for the substance or mixture No Data Available.



Pg. 8 of 8


MATERIAL SAFETY DATA SHEET

CAS Number: 75-15-0

Version:02

PRODUCT NAME: CARBON DISULPHIDE

16. OTHER INFORMATION:



Hazard rating: 0 - Minimal; 1 - Slight; 2 - Moderate; 3 - Serious; 4 - Severe

Issue Date : 09/04/2025

Version : 02

Disclaimer: This Material Safety Data Sheet (MSDS) is for guidance and is based upon information and tests believed to be reliable. ADVENT CHEMBIO PRIVATE LIMITED makes no guarantee of the accuracy or completeness of the data and shall not be liable for any damages relating thereto. The data is offered solely for your consideration, investigation, and verification. The data should not be confused with local, state, federal or insurance mandates, regulations, or requirements and CONSTITUTE NO WARRANTY. Any use of this data and information must be determined by the technical instructor in accordance with applicable local, state or federal laws and regulations. The conditions or methods of handling, storage, use and disposal of the product(s) described are beyond the control of ADVENT CHEMBIO PRIVATE LIMITED and may be beyond our knowledge. FOR THIS AND OTHER REASONS, WE DO NOT ASSUME RESPONSIBILITY AND EXPRESSLY DISCLAIM LIABILITY FOR LOSS, DAMAGE OR EXPENSE ARISING OUT OF OR IN ANY WAY CONNECTED WITH THE HANDLING, STORAGE, USE OR DISPOSAL OF THIS PRODUCT(S).