



MATERIAL SAFETY DATA SHEET

Version :02

PRODUCT NAME: CHROMIUM (VI) OXIDE (CHROMIC ACID)

CAS Number: 1333-82-0

1. IDENTIFICATION:

Product Code : 90141, 90369

Company Name : ADVENT CHEMBIO PRIVATE LIMITED

Address : W-279, MIDC, TTC INDUSTRIAL AREA, THANE-BELAPUR ROAD, RABALE,
NAVI MUMBAI - 400 701, MAHARASHTRA, INDIA.

E-mail : sales@adventchembio.com

WEBSITE : www.adventchembio.com

Company Phone Number : +91 77770 84837

2. HAZARDS IDENTIFICATION:**Hazard classification****Physical hazards**

Oxidizing solids : Category 1

Health hazards

Acute toxicity, Oral : Category 3

Acute toxicity, Dermal : Category 3

Acute toxicity, Inhalation : Category 2

Skin corrosion : Sub-category 1A)

Serious eye damage : Category 1

Respiratory sensitization : Category 1

Skin sensitization : Category 1

Germ cell mutagenicity : Category 1B

Carcinogenicity : Category 1A

Reproductive toxicity : Category 2

**Specific target organ
toxicity - single exposure** : Category 3

**Specific target organ
toxicity - repeated
exposure, Oral** : Category 1

**Short-term (acute) aquatic
hazard** : Category 1






**Long-term (chronic) aquatic
hazard** : Category 1

MATERIAL SAFETY DATA SHEET

Version :02

PRODUCT NAME: CHROMIUM (VI) OXIDE (CHROMIC ACID)

CAS Number: 1333-82-0

Labels elements	:	
Hazard symbol	:	    
Signal word	:	Danger
Hazard statement	:	<p>May cause fire or explosion; strong oxidizer.</p> <p>Toxic if swallowed or in contact with skin.</p> <p>Causes severe skin burns and eye damage.</p> <p>May cause an allergic skin reaction.</p> <p>May cause allergy or asthma symptoms or breathing difficulties if inhaled.</p> <p>May cause respiratory irritation.</p> <p>Fatal if inhaled.</p> <p>May cause genetic defects.</p> <p>Suspected of damaging fertility.</p> <p>May cause cancer.</p> <p>Very toxic to aquatic life with long lasting effects.</p> <p>Causes damage to organs through prolonged or repeated exposure if inhaled.</p>
Precautionary statement		
Prevention	:	<p>Obtain special instructions before use.</p> <p>Do not breathe dust/ fume/ gas/ mist/ vapors/ spray. Do not handle until all safety precautions have been read and understood.</p> <p>Wear protective gloves/ protective clothing/ eye protection/ face protection.</p> <p>Keep away from heat/ sparks/ open flames/ hot surfaces. No smoking.</p> <p>Keep container tightly closed. Ground/ bond container and receiving equipment.</p> <p>Use explosion-proof electrical/ ventilating/ lighting/ equipment.</p> <p>Use only non-sparking tools. Take precautionary measures against static discharge.</p>
Response	:	<p>IF exposed or concerned: Get medical advice/ attention.</p> <p>IF ON SKIN (or hair): Take off immediately all contaminated clothing. Rinse skin with water/ shower.</p> <p>IF IN EYES: Rinse cautiously with water for several minutes. Remove contact lenses, if present and easy to do. Continue rinsing.</p> <p>IF INHALED: Remove person to fresh air and keep comfortable for breathing.</p> <p>IF SWALLOWED: Immediately call a POISON CENTER or doctor/physician.</p>
Storage	:	Store in a dry & well-ventilated place. Keep container tightly closed. Containers which are opened must be carefully resealed and kept upright to prevent leakage.
Disposal	:	Dispose of contents/container to an appropriate treatment and disposal facility in accordance with applicable laws and regulations, and product characteristics at time of disposal.
Other hazards which do not result in GHS classification	:	This substance/mixture contains no components considered to be either persistent, bioaccumulative and toxic (PBT), or very persistent and very bioaccumulative (vPvB) at levels of 0.1% or higher.

3. COMPOSITION/ INFORMATION ON INGREDIENTS:

Ingredient	CAS Number	Percent	Hazardous
Chromium (VI) Oxide (Chromic Acid)	1333-82-0	NLT 99.0%	Yes



MATERIAL SAFETY DATA SHEET

Version :02

PRODUCT NAME: CHROMIUM (VI) OXIDE (CHROMIC ACID)

CAS Number: 1333-82-0

4. FIRST AID MEASURES:

General information	:	Get medical advice/attention if you feel unwell. Show this safety data sheet to the doctor in attendance.
Ingestion	:	Call a physician or poison control center immediately. Rinse mouth. Do NOT induce vomiting. If vomiting occurs, keep head low so that stomach content doesn't get into the lungs.
Inhalation	:	Move to fresh air. Call a physician or poison control center immediately. If breathing stops, provide artificial respiration. If breathing is difficult, give oxygen.
Skin contact	:	Get medical attention if symptoms persist.
Eye contact	:	Immediately flush with plenty of water for at least 15 minutes. If easy to do, remove contact lenses. Get medical attention.
Most important symptoms/effects, acute and delayed	:	Immediately flush with plenty of water for at least 15 minutes. If easy to do, remove contact lenses. Get medical attention.
Indication of immediate medical attention and special treatment needed	:	The most important known symptoms and effects are described in the labeling.
	:	No data available.

5. FIRE FIGHTING MEASURES:**General information****Suitable (and unsuitable) extinguishing media**

Suitable extinguishing media	:	Use extinguishing measures that are appropriate to local circumstances and the surrounding environment.
Unsuitable extinguishing media	:	For this substance/mixture no limitations of extinguishing agents are given.
Specific hazards arising from the chemical	:	Vapors may cause a flash fire or ignite explosively. Vapors may travel considerable distance to a source of ignition and flash back. Prevent buildup of vapors or gases to explosive concentrations. Vapor from the solvent may accumulate in container headspace resulting in flammability hazard. Heat may cause the containers to explode.

Special protective equipment and precautions for firefighters

Special firefighting procedures	:	Fight fire from a protected location. Move containers from fire area if you can do so without risk.
Special protective equipment for fire-fighters	:	Firefighters must use standard protective equipment including flame retardant coat, helmet with face shield, gloves, rubber boots, and in enclosed spaces, SCBA.

6. ACCIDENTAL RELEASE MEASURES:

Personal precautions, protective equipment and emergency procedures	:	ELIMINATE all ignition sources (no smoking, flares, sparks or flames in immediate area). Avoid breathing mists or vapors. Keep upwind. Ventilate closed spaces before entering them. Do not touch damaged containers or spilled material unless wearing appropriate protective clothing. Keep unauthorized personnel away.
--	---	--



MATERIAL SAFETY DATA SHEET

Version :02

PRODUCT NAME: CHROMIUM (VI) OXIDE (CHROMIC ACID)

CAS Number: 1333-82-0

Methods and material for containment and cleaning up	: Eliminate all ignition sources if safe to do so. Use only non-sparking tools. Take precautionary measures against static discharges. Stop leak if possible without any risk. Absorb spill with vermiculite or other inert material, then place in a container for chemical waste. Clean surface thoroughly to remove residual contamination. Dike far ahead of larger spill for later recovery and disposal.
Notification Procedures	: Prevent entry into waterways, sewer, basements or confined areas. Inform authorities if large amounts are involved.
Environmental precautions	: Do not contaminate water sources or sewer. Prevent further leakage or spillage if safe to do so. Avoid discharge into drains, water courses or onto the ground.

7. HANDLING AND STORAGE:

Precautions for safe handling	: Do not handle until all safety precautions have been read and understood. DO NOT handle, store or open near an open flame, sources of heat or sources of ignition. Protect material from direct sunlight. Take precautionary measures against static discharges. Ground/bond container and receiving equipment. Use explosion-proof electrical/ventilating/lighting/equipment. Use only non-sparking tools. Wear protective gloves/protective clothing/eye Protection/ face protection. Avoid contact with eyes, skin, and clothing. Do not breathe mist or vapor. Use only with adequate ventilation. Wash hands thoroughly after handling.
Conditions for safe storage, including any incompatibilities	: Tightly closed. Keep locked up or in an area accessible only to qualified or authorized persons. Separately or together with other oxidising substances only and away from sources of ignition and heat. Because of their oxidation potential these products can raise the burning rate of combustible substances substantially or ignite combustible substances on contact with them. Hygroscopic Heat sensitive.

8. EXPOSURE CONTROLS PERSONAL PROTECTION:**Control parameters****Appropriate engineering controls**

: No data available

Individual protection measures, such as personal protective equipment

General information	: Good general ventilation (typically 10 air changes per hour) should be used. Ventilation rates should be matched to conditions. If applicable, use process enclosures, local exhaust ventilation, or other engineering controls to maintain airborne levels below recommended exposure limits. If exposure limits have not been established, maintain airborne levels to an acceptable level. An eye wash and safety shower must be available in the immediate work area. Use explosion-proof ventilation equipment.
Eye/face protection	: Wear safety glasses with side shields (or goggles).
Hand protection	: Chemical resistant gloves.
Other	: Wear suitable protective clothing.
Respiratory protection	: In case of inadequate ventilation use suitable respirator.
Hygiene measures	: Always observe good personal hygiene measures, such as washing after handling the material and before eating, drinking, and/or smoking. Routinely wash work clothing and



MATERIAL SAFETY DATA SHEET

Version :02

PRODUCT NAME: CHROMIUM (VI) OXIDE (CHROMIC ACID)

CAS Number: 1333-82-0

protective equipment to remove contaminants. Provide eyewash station and safety shower.
Avoid contact with eyes, skin, and clothing.

9. PHYSICAL AND CHEMICAL PROPERTIES:

Appearance	: Dark red flakes or almost reddish black crystalline masses.
Odor	: Odorless
Solubility	: Miscible in water.
Formula	: CrO_3
Molecular Weight	: 99.99 g/mol
Density	: 2.7 g/cm ³ at 20 °C
pH	: < 1 at 100 g/l at 20 °C
% Volatiles by volume @ 21C (70F)	: No data available.
Boiling Point	: No data available.
Melting Point	: 196°C
Flash Point	: Not applicable.
Vapor Density (Air=1)	: Not applicable.
Vapor Pressure (mm Hg)	: Not applicable.
Evaporation Rate (BuAc=1)	: No data available.

10. STABILITY AND REACTIVITY:

Reactivity	: No data available.
Chemical stability	: Material is stable under ambient conditions..
Possibility of hazardous reactions	Risk of explosion with: organic combustible substances, Alkali metals, Ammonia, nonmetals, halogen-halogen compounds, hydrazine and derivatives, nitrates, Reducing agents, Nitric acid.
Conditions to avoid	: Heat. Avoid moisture.
Incompatible materials	: No data available.
Hazardous decomposition products	: In the event of fire: see section 5

11. TOXICOLOGICAL INFORMATION:

Information on toxicological effects

Acute toxicity (list all possible routes of exposure)

Oral Product	: LD 50 (Rat): male and female - 52 mg/kg
--------------	---



MATERIAL SAFETY DATA SHEET

Version :02

PRODUCT NAME: CHROMIUM (VI) OXIDE (CHROMIC ACID)

CAS Number: 1333-82-0

Dermal Product	: LD 50 300,1 mg/kg
Inhalation Product	: 0,051 mg/l - dust/mist
Repeated dose toxicity Product	: No data available.
Skin corrosion/irritation Product	: Corrosive.
Serious eye damage/eye irritation Product	: Causes serious eye damage.
Respiratory or skin sensitization Product	: May cause allergy or asthma symptoms or breathing difficulties if inhaled. May cause an allergic skin reaction.
Carcinogenicity Product	: May cause cancer. Positive evidence from human epidemiological studies.
IARC Monographs on the Evaluation of Carcinogenic Risks to Humans	: No carcinogenic components identified.
US. National Toxicology Program (NTP) Report on Carcinogens	: No carcinogenic components identified.
US. OSHA Specifically Regulated Substances (29 CFR 1910.1001-1050)	: No carcinogenic components identified.
Germ cell mutagenicity	: May cause genetic defects.
In vitro Product	: No data available.
Reproductive toxicity Product	: Suspected of damaging fertility.
Specific target organ toxicity - single exposure Product	: May cause respiratory irritation. - Respiratory system.
Specific target organ toxicity - repeated exposure Product	: Inhalation - Causes damage to organs through prolonged or repeated exposure.
Aspiration hazard Product	: No data available.
Other effects	: No data available.

12. ECOLOGICAL INFORMATION:**Ecotoxicity****Acute hazards to the aquatic environment**

Fish Product	: LC50 - Pimephales promelas (fathead minnow) - 33,2 mg/l - 96 h
Aquatic invertebrates Product	: EC50 - Daphnia magna (Water flea) - 0,035 mg/l - 48 h
Toxicity to fish (Chronic toxicity)	: NOEC - Poecilia reticulata (guppy) - 3,5 mg/l - 28 d



MATERIAL SAFETY DATA SHEET

Version :02

PRODUCT NAME: CHROMIUM (VI) OXIDE (CHROMIC ACID)

CAS Number: 1333-82-0

Toxicity to daphnia and

other : NOEC - Daphnia magna (Water flea) - 18 mg/l - 21 d

aquatic invertebrates

(Chronic toxicity)

Chronic hazards to the aquatic environment

Fish Product

: No data available.

Aquatic invertebrates

Product

: No data available.

Toxicity to Aquatic Plants

Product:

: No data available.

Persistence and degradability

Biodegradation Product

: The methods for determining the biological degradability are not applicable to inorganic substances.

BOD/COD ratio Product

: No data available.

Bioaccumulative potential

Bioconcentration factor

(BCF) Product

: No data available on bioaccumulation.

Partition coefficient n-

octanol / water (log Kow)

Product

: No data available.

Mobility in soil

: No data available.

Other adverse effects

: No data available.

13. DISPOSAL CONSIDERATION:

Disposal instructions

: Discharge, treatment, or disposal may be subject to national, state, or local laws. Disposal recommendations are based on uncontaminated material.

Contaminated packaging

: Since emptied containers retain product residue, follow label warnings even after container is emptied.

14. TRANSPORT INFORMATION:

	UN No.	UN proper shipping name	Hazard Class(es)	Packaging group	Marine Pollutant
DOT	UN 1463	Chromium (VI) Oxide (Chromic Acid)	5.1 (6.1, 8)	II	Yes
IMDG	UN 1463	Chromium (VI) Oxide (Chromic Acid)	5.1 (6.1, 8)	II	Yes
IATA	UN 1463	Chromium (VI) Oxide (Chromic Acid)	5.1 (6.1)(8)	II	No

MATERIAL SAFETY DATA SHEET

Version :02

PRODUCT NAME: CHROMIUM (VI) OXIDE (CHROMIC ACID)

CAS Number: 1333-82-0

15. REGULATORY INFORMATION:


This safety datasheet complies with the requirements of Regulation (EC) No. 1907/2006.

Safety, health and environmental regulations/legislation specific for the substance or mixture

No Data Available.

16. OTHER INFORMATION:

NFPA Hazard ID



Hazard rating: 0 - Minimal; 1 - Slight; 2 - Moderate; 3 - Serious; 4 - Severe

Issue Date : 14/04/2025

Version : 02

Disclaimer: This Material Safety Data Sheet (MSDS) is for guidance and is based upon information and tests believed to be reliable. ADVENT CHEMBIO PRIVATE LIMITED makes no guarantee of the accuracy or completeness of the data and shall not be liable for any damages relating thereto. The data is offered solely for your consideration, investigation, and verification. The data should not be confused with local, state, federal or insurance mandates, regulations, or requirements and CONSTITUTE NO WARRANTY. Any use of this data and information must be determined by the technical instructor in accordance with applicable local, state or federal laws and regulations. The conditions or methods of handling, storage, use and disposal of the product(s) described are beyond the control of ADVENT CHEMBIO PRIVATE LIMITED and may be beyond our knowledge. FOR THIS AND OTHER REASONS, WE DO NOT ASSUME RESPONSIBILITY AND EXPRESSLY DISCLAIM LIABILITY FOR LOSS, DAMAGE OR EXPENSE ARISING OUT OF OR IN ANY WAY CONNECTED WITH THE HANDLING, STORAGE, USE OR DISPOSAL OF THIS PRODUCT(S).