

Pg. 1 of 8

# **MATERIAL SAFETY DATA SHEET**

CAS Number: 95-68-1

Version:02

#### **PRODUCT NAME: 2,4-DIMETHYLANILINE**

1. IDENTIFICATION:

**Product Code** : 93336

**Company Name** ADVENT CHEMBIO PRIVATE LIMITED

W-279, MIDC, TTC INDUSTRIAL AREA, THANE-BELAPUR ROAD, RABALE,

**Address** NAVI MUMBAI - 400 701, MAHARASHTRA, INDIA.

E-mail sales@adventchembio.com

WEBSITE www.adventchembio.com

**Company Phone Number** +91 77770 84837

#### 2. HAZARDS IDENTIFICATION:

Hazard classification

**Health hazards** 

Acute toxicity, Oral : Category 3

**Acute toxicity, Dermal** Category 3

Acute toxicity, Inhalation : Category 3

Specific target organ

toxicity - repeated Category 2

exposure, Oral

Hazard symbol

Long-term (Chronic)

Category 2 aquatic hazard

Labels elements

Signal word

**Hazard statement** Toxic if swallowed, in contact with skin or if inhaled.

May cause damage to organs through prolonged or repeated exposure.

Toxic to aquatic life with long lasting effects.

**Precautionary statement** 

Prevention : Obtain special instructions before use.

Danger

Do not breathe dust/ fume/ gas/ mist/ vapors/ spray. Do not handle until all safety

precautions have been read and understood.

Wear protective gloves/ protective clothing/ eye protection/ face protection. Keep away from heat/ sparks/ open flames/ hot surfaces. No smoking.

Keep container tightly closed. Ground/bond container and receiving equipment.

Use explosion-proof electrical/ventilating/lighting/equipment.

Use only non-sparking tools. Take precautionary measures against static discharge.

IF exposed or concerned: Get medical advice/ attention. Response

IF ON SKIN (or hair): Take off immediately all contaminated clothing. Rinse skin with water/



Pg. 2 of 8

Version:02

# **MATERIAL SAFETY DATA SHEET**

#### **PRODUCT NAME: 2,4-DIMETHYLANILINE**

shower.

IF IN EYES: Rinse cautiously with water for several minutes. Remove contact lenses, if

CAS Number: 95-68-1

present and easy to do. Continue rinsing.

IF INHALED: Remove person to fresh air and keep comfortable for breathing. IF SWALLOWED: Immediately call a POISON CENTER or doctor/physician.

: Store in a dry & well-ventilated place. Keep container tightly closed. Containers which are Storage

opened must be carefully resealed and kept upright to prevent leakage.

Disposal Dispose of contents/container to an appropriate treatment and disposal facility in

accordance with applicable laws and regulations, and product characteristics at time of

disposal.

Other hazards which do not : result in GHS classification

This substance/mixture contains no components considered to be either persistent, bioaccumulative and toxic (PBT), or very persistent and very bioaccumulative (vPvB) at

levels of 0.1% or higher.

## **COMPOSITION/ INFORMATION ON INGRADIENTS:**

Ingredient	CAS Number	Percent	Hazardous
2,4-Dimethylaniline	95-68-1	NLT 98.0%	Yes

#### **FIRST AID MEASURES:**

General information : Get medical advice/attention if you feel unwell. Show this safety data sheet to the doctor in

attendance.

Ingestion Call a physician or poison control center immediately. Rinse mouth. Do NOT induce

: vomiting. If vomiting occurs, keep head low so that stomach content doesn't get into the

Move to fresh air. Call a physician or poison control center immediately. If breathing stops,

Inhalation provide artificial respiration. If breathing is difficult, give oxygen.

Get medical attention if symptoms persist.

Skin contact Immediately flush with plenty of water for at least 15 minutes. If easy to do, remove contact

lenses. Get medical attention.

Eye contact Immediately flush with plenty of water for at least 15 minutes. If easy to do, remove contact

lenses. Get medical attention.

Most important

symptoms/effects, acute

and delayed

Indication of immediate medical attention and

special treatment needed

Toxic if inhaled. Toxic if swallowed. Toxic in contact with skin. Irritating to eyes, respiratory

system and skin.

#### **FIRE FIGHTING MEASURES:**

**General information** : No data Available.

Suitable (and unsuitable) extinguishing media

Suitable extinguishing

media

: Water spray, foam, dry powder or carbon dioxide.

: Symptoms may be delayed. Treat symptomatically.



Pg. 3 of 8

#### **MATERIAL SAFETY DATA SHEET**

Version:02

#### **PRODUCT NAME: 2,4-DIMETHYLANILINE**

Unsuitable extinguishing

media

Specific hazards arising from the chemical

Avoid water in straight hose stream; will scatter and spread fire.

Vapors may cause a flash fire or ignite explosively. Vapors may travel considerable distance to a source of ignition and flash back. Prevent buildup of vapors or gases to explosive

CAS Number: 95-68-1

concentrations. Vapor from the solvent may accumulate in container headspace resulting in flammability hazard. Heat may cause the containers to explode.

Special protective equipment and precautions for firefighters

Special firefighting procedures

Use water spray to keep fire-exposed containers cool. Water may be ineffective in fighting the fire. Fight fire from a protected location. Move containers from fire area if you can do so

without risk.

Special protective equipment for fire-fighters Firefighters must use standard protective equipment including flame retardant coat, helmet

with face shield, gloves, rubber boots, and in enclosed spaces, SCBA.

#### **ACCIDENTAL RELEASE MEASURES:**

Personal precautions, protective equipment and emergency procedures

ELIMINATE all ignition sources (no smoking, flares, sparks or flames in immediate area). Avoid breathing mists or vapors. Keep upwind. Ventilate closed spaces before entering them. Do not touch damaged containers or spilled material unless wearing appropriate protective clothing. Keep unauthorized personnel away.

Methods and material for containment and cleaning up

Eliminate all ignition sources if safe to do so. Use only non-sparking tools. Take precautionary measures against static discharges. Stop leak if possible without any risk.

Absorb spill with vermiculite or other inert material, then place in a container for chemical waste. Clean surface thoroughly to remove residual contamination. Dike far ahead of larger spill for later recovery and disposal.

**Notification Procedures** 

Prevent entry into waterways, sewer, basements or confined areas. Inform authorities if large amounts are involved.

**Environmental precautions** 

Do not contaminate water sources or sewer. Prevent further leakage or spillage if safe to do so. Avoid discharge into drains, water courses or onto the ground.

#### **HANDLING AND STORAGE:**

Precautions for safe handling

Do not handle until all safety precautions have been read and understood. DO NOT handle, store or open near an open flame, sources of heat or sources of ignition. Protect material from direct sunlight. Take precautionary measures against static discharges. Ground/bond container and receiving equipment. Use explosion-proof electrical/ventilating/lighting/equipment. Use only non-sparking tools. Wear protective

gloves/protective clothing/eye protection/ face protection. Avoid contact with eyes, skin, and clothing. Do not breathe mist

Conditions for safe storage, including any incompatibilities

or vapor. Use only with adequate ventilation. Wash hands thoroughly after handling. Keep away from food, drink and animal feeding stuffs. Keep container tightly closed in a dry, well-ventilated place. Ground container and transfer equipment to eliminate static electric sparks. Comply with all national, state, and local codes pertaining to the storage, handling,

dispensing, and disposal of flammable liquids.



Pg. 4 of 8

# **MATERIAL SAFETY DATA SHEET**

Version :02

#### **PRODUCT NAME: 2,4-DIMETHYLANILINE**

## 8. EXPOSURE CONTROLS PERSONAL PROTECTION:

**Control parameters** 

General information

Hygiene measures

Appropriate engineering

controls : No data available

Individual protection measures, such as personal protective equipment

Good general ventilation (typically 10 air changes per hour) should be used. Ventilation rates should be matched to conditions. If applicable, use process enclosures, local exhaust

CAS Number: 95-68-1

ventilation, or other engineering controls to maintain airborne levels below recommended

exposure limits. If exposure limits have not been established, maintain airborne levels to an acceptable level. An eye wash and safety shower must be available in the immediate work

area. Use explosion-proof ventilation equipment.

**Eye/face protection** . Wear safety glasses with side shields (or goggles).

**Hand protection** . Chemical resistant gloves.

Other . Wear suitable protective clothing.

**Respiratory protection** In case of inadequate ventilation use suitable respirator. Chemical

Respirator with organic vapor cartridge.

Always observe good personal hygiene measures, such as washing after handling the

material and before eating, drinking, and/or smoking. Routinely wash work clothing and protective equipment to remove contaminants. Provide eyewash station and safety shower.

Avoid contact with eyes, skin, and clothing.

#### 9. PHYSICAL AND CHEMICAL PROPERTIES:

**Appearance** : Reddish Liquid.

Odor : No data available.

**Solubility** : No data available.

 $\begin{tabular}{lll} Formula & : & $C_8H_{11}N$ \\ \end{tabular}$ 

Molecular Weight : 121.18 g/mol

Specific Gravity : 0.98 g/cm3 at 25°C

**pH** : No data available.

% Volatiles by volume @

21C (70F)

: No data available.

Boiling Point : 218°C

Melting Point : -14,3°C

Flash Point : 98 °C

Vapor Density (Air=1) : 4.18

Vapor Pressure (mm Hg) 0,51 hPa at 38 °C0,21 hPa at 25 °C



Pg. 5 of 8

# **MATERIAL SAFETY DATA SHEET**

Version:02

PRODUCT NAME: 2,4-DIMETHYLANILINE

**Evaporation Rate (BuAc=1)** : No data available.

10. STABILITY AND REACTIVITY:

Reactivity Forms explosive mixtures with air on intense heating. A range from approx. 15 Kelvin below

the flash point is to be rated as critical.

**Chemical stability** : Material is stable under ambient conditions.

Exothermic reaction with: Orga

Possibility of hazardous

reactions

Exothermic reaction with: Organic acids mineral acids Acid chlorides Acid anhydrides Oxidizing agents halogens Caution! In contact with nitrites, nitrates, nitrous acid possible

CAS Number: 95-68-1

liberation of nitrosamines.

Conditions to avoid : Heat, sparks, flames. Sunlight.

**Incompatible materials** : Rubber, various plastics.

**Hazardous decomposition** 

products

In the event of fire: see section 5

#### 11. TOXICOLOGICAL INFORMATION:

Information on likely routes of exposure

Ingestion : Irritating. May cause nausea, stomach pain and vomiting.

Inhalation May cause irritation to the mucous membranes and upper respiratory tract. May cause

central nervous system effects

Skin contact : Causes mild skin irritation

Eye contact : Causes serious eye irritation.

Information on toxicological effects

Acute toxicity (list all possible routes of exposure)

Oral Product : LD 50 Mouse - 250 mg/kg

Dermal Product : No data available.

**Inhalation Product** . No data available.

Repeated dose toxicity

Product

No data available.

Skin corrosion/irritation

Product

No data available.

Serious eye damage/eye irritation Product

: Irritating to eyes.

irritation Product Respiratory or skin

Not a skin sensitizer.

sensitization Product
Carcinogenicity Product

: This substance has no evidence of carcinogenic properties

IARC Monographs on the Evaluation of Carcinogenic

: No carcinogenic components identified.



Pg. 6 of 8

# **MATERIAL SAFETY DATA SHEET**

CAS Number: 95-68-1

Version:02

#### **PRODUCT NAME: 2,4-DIMETHYLANILINE**

**Risks to Humans** 

**US. National Toxicology** 

Program (NTP) Report on

: No carcinogenic components identified.

Carcinogens

**US. OSHA Specifically** 

Regulated Substances (29

CFR 1910.1001-1050 Germ cell mutagenicity : No carcinogenic components identified.

In vitro Product

No data available.

Reproductive toxicity

Product

No components toxic to reproduction

Specific target organ

toxicity - single exposure

Not known.

**Product** 

Specific target organ

toxicity - repeated

May cause damage to organs through prolonged or repeated exposure.

exposure Product

**Aspiration hazard Product** 

No data available.

Other effects

None known.

#### 12. ECOLOGICAL INFORMATION:

**Ecotoxicity** 

Acute hazards to the aquatic environment

**Fish Product** LC50 - Leuciscus idus melanotus - 196 mg/l.

LCO - Leuciscus idus melanotus - 98 mg/l.

Aquatic invertebrates

EC50 - Daphnia magna (Water flea) - 9,9 mg/l. **Product** 

Chronic hazards to the aquatic environment

**Fish Product** : No data available.

Aquatic invertebrates

**Product** 

No data available.

**Toxicity to Aquatic Plants** 

Product:

No data available.

Persistence and degradability

**Biodegradation Product** : No data available

**BOD/COD** ratio Product No data available.

Bioaccumulative potential

**Bioconcentration factor** 

(BCF) Product

: No data available on bioaccumulation.



Pg. 7 of 8

# **MATERIAL SAFETY DATA SHEET**

Version:02

# **PRODUCT NAME: 2,4-DIMETHYLANILINE**

Partition coefficient n-

octanol / water (log Kow)

Product

Mobility in soil

: No data available.

: The product is partly soluble in water. May spread in the aquatic environment.

Other adverse effects The product components are not classified as environmentally hazardous. However, this

does not exclude the possibility that large or frequent spills can have a harmful or damaging

CAS Number: 95-68-1

effect on the environment.

# 13. DISPOSAL CONSIDERATION:

**Discharge**, treatment, or disposal may be subject to national, state, or local laws. Disposal

recommendations are based on uncontaminated material.

Contaminated packaging Since emptied containers retain product residue, follow label warnings even after container

is emptied.

#### 14. TRANSPORT INFORMATION:

DOT	UN No. UN 1711	UN proper shipping name 2,4-Dimethylaniline	Hazard Class(es) 6.1	Packaging group II	Marine Pollutant Yes
IMDG	UN 1711	2,4-Dimethylaniline	6.1	II	Yes
IATA	UN 1711	2,4-Dimethylaniline	6.1	II	No

# 15. REGULATORY INFORMATION:

This safety datasheet complies with the requirements of Regulation (EC) No. 1907/2006. Safety, health and environmental regulations/legislation specific for the substance or mixture No Data Available.



Pg. 8 of 8

# **MATERIAL SAFETY DATA SHEET**


CAS Number: 95-68-1

Version:02

#### **PRODUCT NAME: 2,4-DIMETHYLANILINE**

,

#### **16. OTHER INFORMATION:**



Hazard rating: 0 - Minimal; 1 - Slight; 2 - Moderate; 3 - Serious; 4 - Severe

Issue Date : 06/01/2025

Version : 02

Disclaimer: This Material Safety Data Sheet (MSDS) is for guidance and is based upon information and tests believed to be reliable. ADVENT CHEMBIO PRIVATE LIMITED makes no guarantee of the accuracy or completeness of the data and shall not be liable for any damages relating thereto. The data is offered solely for your consideration, investigation, and verification. The data should not be confused with local, state, federal or insurance mandates, regulations, or requirements and CONSTITUTE NO WARRANTY. Any use of this data and information must be determined by the technical instructor in accordance with applicable local, state or federal laws and regulations. The conditions or methods of handling, storage, use and disposal of the product(s) described are beyond the control of ADVENT CHEMBIO PRIVATE LIMITED and may be beyond our knowledge. FOR THIS AND OTHER REASONS, WE DO NOT ASSUME RESPONSIBILITY AND EXPRESSLY DISCLAIM LIABILITY FOR LOSS, DAMAGE OR EXPENSE ARISING OUT OF OR IN ANY WAY CONNECTED WITH THE HANDLING, STORAGE, USE OR DISPOSAL OF THIS PRODUCT(S).