

Pg. 1 of 8

MATERIAL SAFETY DATA SHEET

Version :02

PRODUCT NAME: ETHYL BENZENE

CAS Number: 100-41-4

1. IDENTIFICATION:		
Product Code	91871, 98364	
Company Name	ADVENT CHEMBIO PRIVATE LIMITED	
Address	W-279, MIDC, TTC INDUSTRIAL AREA, THANE-BELAPUR ROAD, RABALE, NAVI MUMBAI - 400 701, MAHARASHTRA, INDIA.	
E-mail	sales@adventchembio.com	
WEBSITE	www.adventchembio.com	
Company Phone Number	+91 77770 84837	

2. HAZARDS IDENTIFICATION:

Hazard classification		
Physical hazards		
Flammable liquids	: Ca	Category 2
Health hazards		
Acute toxicity, Inhalation	: Ca	Category 4
Aspiration hazard	: Ca	Category 1
Specific target organ toxicity - repeated exposure, Oral	: Ca	Category 2
Long-term (chronic) aquatic hazard	: Ca	Category 3
Labels elements	:	
Hazard symbol	: 🗸	
Signal word	: D	Danger
Hazard statement	. ₩ . Η	lighly flammable liquid and vapor. Aay be fatal if swallowed and enters airways. Iarmful if inhaled. Aay cause damage to organs (hearing organs) through prolonged or repeated exposure. Iarmful to aquatic life with long lasting effects.
Precautionary statement		
Prevention	D pi W Ke	Obtain special instructions before use. Do not breathe dust/ fume/ gas/ mist/ vapors/ spray. Do not handle until all safety precautions have been read and understood. Vear protective gloves/ protective clothing/ eye protection/ face protection. Geep away from heat/ sparks/ open flames/ hot surfaces. No smoking. Geep container tightly closed. Ground/ bond container and receiving equipment.



Pg. 2 of 8

MATERIAL SAFETY DATA SHEET

Version :02

PRODUCT NAME: ETHYL BENZENE

CAS Number: 100-41-4

Response	:	Use explosion-proof electrical/ventilating/lighting/equipment. Use only non-sparking tools. Take precautionary measures against static discharge. IF exposed or concerned: Get medical advice/ attention. IF ON SKIN (or hair): Take off immediately all contaminated clothing. Rinse skin with water/ shower. IF IN EYES: Rinse cautiously with water for several minutes. Remove contact lenses, if present and easy to do. Continue rinsing.
		IF INHALED: Remove person to fresh air and keep comfortable for breathing. IF SWALLOWED: Immediately call a POISON CENTER or doctor/physician.
Storage	:	Store in a dry & well-ventilated place. Keep container tightly closed. Containers which are opened must be carefully resealed and kept upright to prevent leakage.
Disposal	:	Dispose of contents/container to an appropriate treatment and disposal facility in accordance with applicable laws and regulations, and product characteristics at time of disposal.
Other hazards which do not result in GHS classification	:	This substance/mixture contains no components considered to be either persistent, bioaccumulative and toxic (PBT), or very persistent and very bioaccumulative (vPvB) at levels of 0.1% or higher.

3. COMPOSITION/ INFORMATION ON INGRADIENTS:			
Ingredient	CAS Number	Percent	Hazardous
Ethyl Benzene	100-41-4	NLT 99.0%	Yes

4. FIRST AID MEASURES:

General information	: Get medical advice/attention if you feel unwell. Show this safety data sheet to the doctor in attendance.
Ingestion	 Call a physician or poison control center immediately. Rinse mouth. Do NOT induce vomiting. If vomiting occurs, keep head low so that stomach content doesn't get into the lungs. Move to fresh air. Call a physician or poison control center immediately. If breathing stops,
Inhalation	 provide artificial respiration. If breathing is difficult, give oxygen. Get medical attention if symptoms persist.
Skin contact	Immediately flush with plenty of water for at least 15 minutes. If easy to do, remove contact lenses. Get medical attention.
Eye contact	Immediately flush with plenty of water for at least 15 minutes. If easy to do, remove contact lenses. Get medical attention.
Most important symptoms/effects, acute and delayed	: The most important known symptoms and effects are described in the labelling 2.
Indication of immediate medical attention and special treatment needed	: No data available.



Pg. 3 of 8

MATERIAL SAFETY DATA SHEET

Version :02

PRODUCT NAME: ETHYL BENZENE

CAS Number: 100-41-4

5. FIRE FIGHTING MEASUR	ES:	
General information	: Flammable liquid and vapor.	
Suitable (and unsuitable) and		
Suitable (and unsuitable) ext	inguishing media	
Suitable extinguishing media	: Water spray, foam, dry powder or carbon dioxide.	
Unsuitable extinguishing media	: Avoid water in straight hose stream; will scatter and spread fire.	
Specific hazards arising from the chemical Special protective equipmen	Vapors may cause a flash fire or ignite explosively. Vapors may travel considerable distance to a source of ignition and flash back. Prevent buildup of vapors or gases to explosive concentrations. Vapor from the solvent may accumulate in container headspace resulting in flammability hazard. Heat may cause the containers to explode.	
Special firefighting procedures	 Use water spray to keep fire-exposed containers cool. Water may be ineffective in fighting the fire. Fight fire from a protected location. Move containers from fire area if you can do so without risk. 	
Special protective equipment for fire-fighters	Firefighters must use standard protective equipment including flame retardant coat, helme with face shield, gloves, rubber boots, and in enclosed spaces, SCBA.	
6. ACCIDENTAL RELEASE M	EASURES:	
Personal precautions, protective equipment and emergency procedures Methods and material for containment and cleaning up Notification Procedures	 ELIMINATE all ignition sources (no smoking, flares, sparks or flames in immediate area) Avoid breathing mists or vapors. Keep upwind. Ventilate closed spaces before entering them. Do not touch damaged containers or spilled material unless wearing appropriate protective clothing. Keep unauthorized personnel away. Eliminate all ignition sources if safe to do so. Use only non-sparking tools. Take precautionary measures against static discharges. Stop leak if possible without any risk Absorb spill with vermiculite or other inert material, then place in a container for chemica waste. Clean surface thoroughly to remove residual contamination. Dike far ahead of large spill for later recovery and disposal. Prevent entry into waterways, sewer, basements or confined areas. Inform authorities in the spill of the second secon	
Environmental precautions	 large amounts are involved. Do not contaminate water sources or sewer. Prevent further leakage or spillage if safe to do so. Avoid discharge into drains, water courses or onto the ground. 	
7. HANDLING AND STORAG	6E:	
Precautions for safe handling	Do not handle until all safety precautions have been read and understood. DO NOT handle store or open near an open flame, sources of heat or sources of ignition. Protect materia from direct sunlight. Take precautionary measures against static discharges. Ground/bond : container and receiving equipment. Use explosion-proo electrical/ventilating/lighting/equipment. Use only non-sparking tools. Wear protective gloves/protective clothing/eye Protection / face protection. Avoid contact with eyes, skin, and clothing. Do not breathe mist or vapor. Use only with adequate ventilation. Wash hands thoroughly after handling.	



Pg. 4 of 8

MATERIAL SAFETY DATA SHEET

Version :02

PRODUCT NAME: ETHYL BENZENE

CAS Number: 100-41-4

Conditions for safe storage,		Keep away from food, drink and animal feeding stuffs. Keep container tightly closed in a dry,
including any		well-ventilated place. Ground container and transfer equipment to eliminate static electric
incompatibilities	:	sparks. Comply with all national, state, and local codes pertaining to the storage, handling,
		dispensing, and disposal of flammable liquids.

8. EXPOSURE CONTROLS F	PERSONAL PROTECTION:		
Control parameters			
Appropriate engineering controls	: No data available		
Individual protection measures, such as personal protective equipment			
General information	Good general ventilation (typically 10 air changes per hour) should be used. Ventilation rates should be matched to conditions. If applicable, use process enclosures, local exhaust ventilation, or other engineering controls to maintain airborne levels below recommended exposure limits. If exposure limits have not been established, maintain airborne levels to an acceptable level. An eye wash and safety shower must be available in the immediate work area. Use explosion-proof ventilation equipment.		
Eye/face protection	. Wear safety glasses with side shields (or goggles).		
Hand protection	Chemical resistant gloves.		
Other	Wear suitable protective clothing.		
Respiratory protection Hygiene measures	In case of inadequate ventilation use suitable respirator. Chemical respirator with organic vapor cartridge. Always observe good personal hygiene measures, such as washing after handling the material and before eating, drinking, and/or smoking. Routinely wash work clothing and		
	protective equipment to remove contaminants. Provide eyewash station and safety shower. Avoid contact with eyes, skin, and clothing.		

Appearance	:	Clear, colorless liquid	
Odor	:	Aromatic	
Solubility	:	Slightly soluble in water.	
Formula	:	$C_6H_5C_2H_5$	
Molecular Weight	:	106.17 g/mol	
Specific Gravity	:	366 - 0.877 g/cm3 at 20°C	
рН	:	No data available.	
% Volatiles by volume @ 21C (70F)	:	No data available.	
Boiling Point	:	136,1 °C at 1.013,3 hPa	



Pg. 5 of 8

MATERIAL SAFETY DATA SHEET

Version :02

PRODUCT NAME: ETHYL BENZENE

CAS Number: 100-41-4

Melting Point	4,9 °C at 101,3 hPa	
Flash Point	3 °C	
Vapor Density (Air=1)	o data available.	
Vapor Pressure (mm Hg)	52 hPa at 20 °C	
Evaporation Rate (BuAc=1)	No data available.	
10. STABILITY AND REACTIV		
Reactivity	apors may form explosive mixture with air.	
Chemical stability	Material is stable under ambient conditions	
Possibility of hazardous	Violent reactions possible with: Strong oxidizing agents	

reactions	•	······································
Conditions to avoid	:	Heat, sparks, flames. Sunlight.
Incompatible materials	:	Rubber, various plastics.
Hazardous decomposition products	:	In the event of fire: see section 5

11. TOXICOLOGICAL INFORMATION:

Information on likely routes	osure					
Ingestion	o data available.					
Inhalation	o data available.					
Skin contact	auses mild skin irritation.					
Eye contact	auses serious eye irritation.					
Information on toxicologica	5					
Acute toxicity (list all possible routes of exposure)						
Oral Product	D 50 Rat - male and female - 3.500	mg/kg.				
Dermal Product	D 50 Rabbit - 15.433 mg/kg.					
Inhalation Product	D 50 Rat - male - 4 h - 17,8 mg/l –	vapor.				
Repeated dose toxicity Product	o data available.					
Skin corrosion/irritation Product	rolonged or repeated skin contact	may cause drying, cracking, or irritation				
Serious eye damage/eye irritation Product	ritating to eyes.					
Respiratory or skin sensitization Product	lot a skin sensitizer.					



Pg. 6 of 8

MATERIAL SAFETY DATA SHEET

Version :02

PRODUCT NAME: ETHYL BENZENE

CAS Number: 100-41-4

Carcinogenicity Product	:	This substance has no evidence of carcinogenic properties
IARC Monographs on the Evaluation of Carcinogenic Risks to Humans	:	No carcinogenic components identified.
US. National Toxicology Program (NTP) Report on Carcinogens	:	No carcinogenic components identified.
US. OSHA Specifically Regulated Substances (29 CFR 1910.1001-1050 Germ cell mutagenicity	:	No carcinogenic components identified.
In vitro Product		
in vice i roduce	:	No data available.
Reproductive toxicity Product	:	No components toxic to reproduction.
Specific target organ toxicity - single exposure	:	Not known.
Product Specific target organ toxicity - repeated exposure Product	:	May cause damage to organs through prolonged or repeated exposure hearing organs.
Aspiration hazard Product	:	May be fatal if swallowed and enters airways
Other effects	:	No data available.
12. ECOLOGICAL INFORMAT		:

Ecotoxicity

Acute hazards to the aquatic environment

Fish Product	:	LC50 - Oncorhynchus mykiss (rainbow trout) - 4,2 mg/l.
Aquatic invertebrates Product Chronic hazards to the aquat	: ic e	EC50 - Daphnia magna (Water flea) - 1,8 - 2,4 mg/l. nvironment
Fish Product	:	No data available.
Aquatic invertebrates Product	:	No data available.
Toxicity to Aquatic Plants Product:	:	No data available.
Persistence and degradability	/	
Biodegradation Product	:	ca.79 % - Readily biodegradable.
BOD/COD ratio Product	:	No data available.
Bioaccumulative potential		



Pg. 7 of 8

MATERIAL SAFETY DATA SHEET

Version :02

PRODUCT NAME: ETHYL BENZENE

CAS Number: 100-41-4

Bioconcentration factor (BCF) Product	: No data	available on bioaccumulation.			
Partition coefficient n- octanol / water (log Kow) Product	: No data	available.			
Mobility in soil	: No data	available.			
Other adverse effects	: No data	available.			
	ION:				
13. DISPOSAL CONSIDERAT					
	-	e, treatment, or disposal may	-		cal laws. Dispos
Disposal instructions	recomme	endations are based on uncon optied containers retain produ	taminated materia	Ι.	-
Disposal instructions Contaminated packaging	recommo Since em is emptie	endations are based on uncon optied containers retain produ	taminated materia	Ι.	-
Disposal instructions Contaminated packaging	recommo Since em is emptie	endations are based on uncon optied containers retain produ	taminated materia ct residue, follow l Hazard	l. abel warnings eve Packaging	-
Disposal instructions Contaminated packaging 14. TRANSPORT INFORMAT	recommo Since em is emptie	endations are based on uncon optied containers retain produ ed. UN proper shipping	taminated materia ct residue, follow l	l. abel warnings eve	n after contain
13. DISPOSAL CONSIDERAT Disposal instructions Contaminated packaging 14. TRANSPORT INFORMAT DOT IMDG	recommo Since em is emptie TION: UN No.	endations are based on uncon optied containers retain produ ed. UN proper shipping name	taminated materia ct residue, follow l Hazard Class(es)	l. abel warnings eve Packaging group	n after contain Marine Pollutant

15. REGULATORY INFORMATION:

This safety datasheet complies with the requirements of Regulation (EC) No. 1907/2006. Safety, health and environmental regulations/legislation specific for the substance or mixture No Data Available.




Pg. 8 of 8

MATERIAL SAFETY DATA SHEET

Version :02

PRODUCT NAME: ETHYL BENZENE

CAS Number: 100-41-4



Version : 02

Disclaimer: This Material Safety Data Sheet (MSDS) is for guidance and is based upon information and tests believed to be reliable. ADVENT CHEMBIO PRIVATE LIMITED makes no guarantee of the accuracy or completeness of the data and shall not be liable for any damages relating thereto. The data is offered solely for your consideration, investigation, and verification. The data should not be confused with local, state, federal or insurance mandates, regulations, or requirements and CONSTITUTE NO WARRANTY. Any use of this data and information must be determined by the technical instructor in accordance with applicable local, state or federal laws and regulations. The conditions or methods of handling, storage, use and disposal of the product(s) described are beyond the control of ADVENT CHEMBIO PRIVATE LIMITED and may be beyond our knowledge. FOR THIS AND OTHER REASONS, WE DO NOT ASSUME RESPONSIBILITY AND EXPRESSLY DISCLAIM LIABILITY FOR LOSS, DAMAGE OR EXPENSE ARISING OUT OF OR IN ANY WAY CONNECTED WITH THE HANDLING, STORAGE, USE OR DISPOSAL OF THIS PRODUCT(S).