



## MATERIAL SAFETY DATA SHEET

PRODUCT NAME: ETHYL METHYL KETONE

CAS Number: 78-93-3

**1. IDENTIFICATION:**

**Product Code** : 90022, 90163, 90407, 91665, 13173, 94028, 98154

**Company Name** : ADVENT CHEMBIO PRIVATE LIMITED

**Address** : W-279, MIDC, TTC INDUSTRIAL AREA, THANE-BELAPUR ROAD, RABALE,  
NAVI MUMBAI - 400 701, MAHARASHTRA, INDIA.

**E-mail** : [sales@adventchembio.com](mailto:sales@adventchembio.com)

**WEBSITE** : [www.adventchembio.com](http://www.adventchembio.com)

**Company Phone Number** : +91 77770 84837

**2. HAZARDS IDENTIFICATION:****Hazard classification****Physical hazards**

**Flammable liquids** : Category 2

**Health hazards**

**Serious eye damage/eye irritation** : Category 2

**Specific target organ toxicity - single exposure** : Category 3

**Labels elements** :

**Hazard symbol**

**Signal word** : Danger

**Hazard statement** : Highly flammable liquid and vapor.  
: Causes serious eye irritation.  
: May cause drowsiness or dizziness.

**Precautionary statement**

**Prevention** : Obtain special instructions before use.  
Do not breathe dust/ fume/ gas/ mist/ vapors/ spray. Do not handle until all safety precautions have been read and understood.  
Wear protective gloves/ protective clothing/ eye protection/ face protection.  
Keep away from heat/ sparks/ open flames/ hot surfaces. No smoking.  
Keep container tightly closed. Ground/ bond container and receiving equipment.  
Use explosion-proof electrical/ ventilating/ lighting/ equipment.  
Use only non-sparking tools. Take precautionary measures against static discharge.

**Response** : IF exposed or concerned: Get medical advice/ attention.  
IF ON SKIN (or hair): Take off immediately all contaminated clothing. Rinse skin with water/ shower.



## MATERIAL SAFETY DATA SHEET

Version :02

PRODUCT NAME: ETHYL METHYL KETONE

CAS Number: 78-93-3

	IF IN EYES: Rinse cautiously with water for several minutes. Remove contact lenses, if present and easy to do. Continue rinsing. IF INHALED: Remove person to fresh air and keep comfortable for breathing. IF SWALLOWED: Immediately call a POISON CENTER or doctor/physician.
Storage	: Store in a dry & well-ventilated place. Keep container tightly closed. Containers which are opened must be carefully resealed and kept upright to prevent leakage.
Disposal	: Dispose of contents/container to an appropriate treatment and disposal facility in accordance with applicable laws and regulations, and product characteristics at time of disposal.
Other hazards which do not result in GHS classification	: Static accumulating flammable liquid can become electrostatically charged even in bonded and grounded equipment. Sparks may ignite liquid and vapor. May cause flash fire or explosion.

## 3. COMPOSITION/ INFORMATION ON INGRADIENTS:

Ingredient	CAS Number	Percent	Hazardous
Ethyl Methyl Ketone	78-93-3	99 - 100%	Yes

## 4. FIRST AID MEASURES:

General information	: Get medical advice/attention if you feel unwell. Show this safety data sheet to the doctor in attendance.
Ingestion	: Call a physician or poison control center immediately. Rinse mouth. Do NOT induce vomiting. If vomiting occurs, keep head low so that stomach content doesn't get into the lungs.
Inhalation	: Move to fresh air. Call a physician or poison control center immediately. If breathing stops, provide artificial respiration. If breathing is difficult, give oxygen.
Skin contact	: Get medical attention if symptoms persist.
Eye contact	: Immediately flush with plenty of water for at least 15 minutes. If easy to do, remove contact lenses. Get medical attention.
Most important symptoms/effects, acute and delayed	: Immediately flush with plenty of water for at least 15 minutes. If easy to do, remove contact lenses. Get medical attention.
Indication of immediate medical attention and special treatment needed	: Toxic if inhaled. Toxic if swallowed. Toxic in contact with skin. Irritating to eyes, respiratory system and skin.
	: Symptoms may be delayed. Treat symptomatically.



## MATERIAL SAFETY DATA SHEET

Version :02

PRODUCT NAME: ETHYL METHYL KETONE

CAS Number: 78-93-3

**5. FIRE FIGHTING MEASURES:**

**General information** : Flammable liquid and vapor.

**Suitable (and unsuitable) extinguishing media**

**Suitable extinguishing media** : Water spray, foam, dry powder or carbon dioxide.

**Unsuitable extinguishing media** : Avoid water in straight hose stream; will scatter and spread fire.

**Specific hazards arising from the chemical** : Vapors may cause a flash fire or ignite explosively. Vapors may travel considerable distance to a source of ignition and flash back. Prevent buildup of vapors or gases to explosive concentrations. Vapor from the solvent may accumulate in container headspace resulting in flammability hazard. Heat may cause the containers to explode.

**Special protective equipment and precautions for firefighters**

**Special firefighting procedures** : Use water spray to keep fire-exposed containers cool. Water may be ineffective in fighting the fire. Fight fire from a protected location. Move containers from fire area if you can do so without risk.

**Special protective equipment for fire-fighters** : Firefighters must use standard protective equipment including flame retardant coat, helmet with face shield, gloves, rubber boots, and in enclosed spaces, SCBA.

**6. ACCIDENTAL RELEASE MEASURES:**

**Personal precautions, protective equipment and emergency procedures** : ELIMINATE all ignition sources (no smoking, flares, sparks or flames in immediate area). Avoid breathing mists or vapors. Keep upwind. Ventilate closed spaces before entering them. Do not touch damaged containers or spilled material unless wearing appropriate protective clothing. Keep unauthorized personnel away.

**Methods and material for containment and cleaning up** : Eliminate all ignition sources if safe to do so. Use only non-sparking tools. Take precautionary measures against static discharges. Stop leak if possible without any risk. Absorb spill with vermiculite or other inert material, then place in a container for chemical waste. Clean surface thoroughly to remove residual contamination. Dike far ahead of larger spill for later recovery and disposal.

**Notification Procedures** : Prevent entry into waterways, sewer, basements or confined areas. Inform authorities if large amounts are involved.

**Environmental precautions** : Do not contaminate water sources or sewer. Prevent further leakage or spillage if safe to do so. Avoid discharge into drains, water courses or onto the ground.

**7. HANDLING AND STORAGE:**

**Precautions for safe handling** : Do not handle until all safety precautions have been read and understood. DO NOT handle, store or open near an open flame, sources of heat or sources of ignition. Protect material from direct sunlight. Take precautionary measures against static discharges. Ground/bond container and receiving equipment. Use explosion-proof electrical/ventilating/lighting/equipment. Use only non-sparking tools. Wear protective gloves/protective clothing/eye protection/ face protection. Avoid contact with eyes, skin, and clothing. Do not breathe mist or vapor. Use only with adequate ventilation. Wash hands thoroughly after handling.



## MATERIAL SAFETY DATA SHEET

Version :02

PRODUCT NAME: ETHYL METHYL KETONE

CAS Number: 78-93-3

**Conditions for safe storage, including any incompatibilities** : Keep away from food, drink and animal feeding stuffs. Keep container tightly closed in a well-ventilated place. Ground container and transfer equipment to eliminate static electric sparks. Comply with all national, state, and local codes pertaining to the storage, handling, dispensing, and disposal of flammable liquids.

**8. EXPOSURE CONTROLS PERSONAL PROTECTION:****Control parameters**

**Appropriate engineering controls** : Handle in accordance with good industrial hygiene and safety practice. Wash hands before breaks and at the end of workday.

**Individual protection measures, such as personal protective equipment**

**General information** : Good general ventilation (typically 10 air changes per hour) should be used. Ventilation rates should be matched to conditions. If applicable, use process enclosures, local exhaust ventilation, or other engineering controls to maintain airborne levels below recommended exposure limits. If exposure limits have not been established, maintain airborne levels to an acceptable level. An eye wash and safety shower must be available in the immediate work area. Use explosion-proof ventilation equipment.

**Eye/face protection** : Wear safety glasses with side shields (or goggles).

**Hand protection** : Chemical resistant gloves.

**Other** : Wear suitable protective clothing.

**Respiratory protection** : In case of inadequate ventilation use suitable respirator. Chemical respirator with organic vapor cartridge.

**Hygiene measures** : Always observe good personal hygiene measures, such as washing after handling the material and before eating, drinking, and/or smoking. Routinely wash work clothing and protective equipment to remove contaminants. Provide eyewash station and safety shower. Avoid contact with eyes, skin, and clothing.

**9. PHYSICAL AND CHEMICAL PROPERTIES:**

**Appearance** : Clear, colorless liquid

**Odor** : No data available

**Solubility** : Miscible in water.

**Formula** :  $C_4H_8O$

**Molecular Weight** : 72.11 g/mol

**Specific Gravity** : 0.805 g/cm<sup>3</sup> at 25°C

**pH** : No data available

**% Volatiles by volume @ 21C (70F)** : 100



## MATERIAL SAFETY DATA SHEET

Version :02

PRODUCT NAME: ETHYL METHYL KETONE

CAS Number: 78-93-3

Boiling Point	: 80°C
Melting Point	: -87.0°C
Flash Point	: -3 °C
Vapor Density (Air=1)	: 2.49
Vapor Pressure (mm Hg)	: 95 h Pa at 20 °C
Evaporation Rate (BuAc=1)	: 3.0

**10. STABILITY AND REACTIVITY:**

Reactivity	: No data available
Chemical stability	: Material is stable under normal conditions..
Possibility of hazardous reactions	: No data available
Conditions to avoid	: Heat, sparks, flames. Sunlight.
Incompatible materials	: Oxidizing agents, Strong reducing agents
Hazardous decomposition products	: No data available.

**11. TOXICOLOGICAL INFORMATION:****Information on likely routes of exposure**

Ingestion	: Irritating. May cause nausea, stomach pain and vomiting.
Inhalation	: May cause irritation to the mucous membranes and upper respiratory tract. May cause central nervous system effects
Skin contact	: Causes mild skin irritation
Eye contact	: Causes serious eye irritation.

**Information on toxicological effects****Acute toxicity (list all possible routes of exposure)**

Oral Product	: LD50 Oral - Rat - 2.737 mg/kg
Dermal Product	: LD50 Dermal - Rabbit - 6.480 mg/kg
Inhalation Product	: No data available.
Repeated dose toxicity Product	: No data available.
Skin corrosion/irritation Product	: Prolonged or repeated skin contact may cause drying, cracking, or irritation
Serious eye damage/eye irritation Product	: Irritating to eyes.
Respiratory or skin sensitization Product	: No data available



## MATERIAL SAFETY DATA SHEET

Version :02

PRODUCT NAME: ETHYL METHYL KETONE

CAS Number: 78-93-3

<b>Carcinogenicity Product</b>	:	No component of this product present at levels greater than or equal to 0.1% is identified as probable, possible or confirmed human carcinogen by IARC
<b>IARC Monographs on the Evaluation of Carcinogenic Risks to Humans</b>	:	No carcinogenic components identified.
<b>US. National Toxicology Program (NTP) Report on Carcinogens</b>	:	No carcinogenic components identified.
<b>US. OSHA Specifically Regulated Substances (29 CFR 1910.1001-1050)</b>	:	No carcinogenic components identified.
<b>Germ cell mutagenicity</b>	:	
<b>In vitro Product</b>	:	No data available.
<b>Reproductive toxicity Product</b>	:	Reproductive toxicity - Rat - Inhalation Effects on Fertility: Post-implantation mortality (e.g., dead and/or resorbed implants per total number of implants).
<b>Specific target organ toxicity - single exposure Product</b>	:	May cause drowsiness or dizziness..
<b>Specific target organ toxicity - repeated exposure Product</b>	:	No data available..
<b>Aspiration hazard Product</b>	:	No data available.
<b>Other effects</b>	:	No data available.

**12. ECOLOGICAL INFORMATION:****Ecotoxicity****Acute hazards to the aquatic environment**

<b>Fish Product</b>	:	Toxicity to fish mortality NOEC - Cyprinodon variegatus (sheepshead minnow) - 400 mg/l – 96 h LC50 - Pimephales promelas (fathead minnow) - 3.130 - 3.320 mg/l - 96 h
<b>Aquatic invertebrates Product</b>	:	LC50 - Daphnia magna (Water flea) - > 520 mg/l - 48 h EC50 - Daphnia magna (Water flea) - 7.060 mg/l - 24 h

**Chronic hazards to the aquatic environment**

<b>Fish Product</b>	:	No data available.
<b>Aquatic invertebrates Product</b>	:	No data available.
<b>Toxicity to Aquatic Plants Product:</b>	:	No data available.
<b>Persistence and degradability</b>	:	
<b>Biodegradation Product</b>	:	No data available.



## MATERIAL SAFETY DATA SHEET

Version :02

PRODUCT NAME: ETHYL METHYL KETONE

CAS Number: 78-93-3

**BOD/COD ratio Product** : No data available.**Bioaccumulative potential****Bioconcentration factor (BCF) Product** : No data available.**Partition coefficient n-octanol / water (log Kow) Product** : No data available.**Mobility in soil** : No data available.**Other adverse effects** : No data available.**13. DISPOSAL CONSIDERATION:****Disposal instructions** : Discharge, treatment, or disposal may be subject to national, state, or local laws. Disposal recommendations are based on uncontaminated material.**Contaminated packaging** : Since emptied containers retain product residue, follow label warnings even after container is emptied.**14. TRANSPORT INFORMATION:**

	UN No.	UN proper shipping name	Hazard Class(es)	Packaging group	Marine Pollutant
DOT	UN 1193	Ethyl Methyl Ketone	3	II	No
IMDG	UN 1193	Ethyl Methyl Ketone	3	II	No
IATA	UN 1193	Ethyl Methyl Ketone	3	II	No

**15. REGULATORY INFORMATION:**

This safety datasheet complies with the requirements of Regulation (EC) No. 1907/2006.

Safety, health and environmental regulations/legislation specific for the substance or mixture

No Data Available.

## MATERIAL SAFETY DATA SHEET

Version :02

PRODUCT NAME: ETHYL METHYL KETONE

CAS Number: 78-93-3

## 16. OTHER INFORMATION:

NFPA Hazard ID



Hazard rating: 0 - Minimal; 1 - Slight; 2 - Moderate; 3 - Serious; 4 - Severe

Issue Date : 16/04/2025

Version : 02

**Disclaimer:** This Material Safety Data Sheet (MSDS) is for guidance and is based upon information and tests believed to be reliable. ADVENT CHEMBIO PRIVATE LIMITED makes no guarantee of the accuracy or completeness of the data and shall not be liable for any damages relating thereto. The data is offered solely for your consideration, investigation, and verification. The data should not be confused with local, state, federal or insurance mandates, regulations, or requirements and CONSTITUTE NO WARRANTY. Any use of this data and information must be determined by the technical instructor in accordance with applicable local, state or federal laws and regulations. The conditions or methods of handling, storage, use and disposal of the product(s) described are beyond the control of ADVENT CHEMBIO PRIVATE LIMITED and may be beyond our knowledge. FOR THIS AND OTHER REASONS, WE DO NOT ASSUME RESPONSIBILITY AND EXPRESSLY DISCLAIM LIABILITY FOR LOSS, DAMAGE OR EXPENSE ARISING OUT OF OR IN ANY WAY CONNECTED WITH THE HANDLING, STORAGE, USE OR DISPOSAL OF THIS PRODUCT(S).