

Pg. 1 of 8

MATERIAL SAFETY DATA SHEET

Version:02

PRODUCT NAME: ETHYLENE GLYCOL CAS Number: 107-21-1

1. IDENTIFICATION:

Product Code : 90408, 90164, 90740, 94084, 94117, 98194

Company Name : ADVENT CHEMBIO PRIVATE LIMITED

Address W-279, MIDC, TTC INDUSTRIAL AREA, THANE-BELAPUR ROAD, RABALE,

NAVI MUMBAI - 400 701, MAHARASHTRA, INDIA.

E-mail : sales@adventchembio.com

WEBSITE : www.adventchembio.com

Company Phone Number : <u>+91 77770 84837</u>

2. HAZARDS IDENTIFICATION:

Hazard classification

Health hazards

Hazard symbol

Signal word

Acute toxicity, Oral : Category 4

Specific target organ

toxicity - repeated

exposure, Oral

Labels elements :

Hazard statement May cause damage to organs (Kidney) through prolonged or repeated exposure if

: swallowed.

Warning.

Category 2

Harmful if swallowed.

Precautionary statement

Prevention: Obtain special instructions before use.

Do not breathe dust/ fume/ gas/ mist/ vapors/ spray. Do not handle until all safety

precautions have been read and understood.

Wear protective gloves/ protective clothing/ eye protection/ face protection. Keep away from heat/ sparks/ open flames/ hot surfaces. No smoking.

Keep container tightly closed. Ground/bond container and receiving equipment.

Use explosion-proof electrical/ventilating/lighting/equipment.

Use only non-sparking tools. Take precautionary measures against static discharge.

Response : IF exposed or concerned: Get medical advice/ attention.

IF ON SKIN (or hair): Take off immediately all contaminated clothing. Rinse skin with water/

shower.

IF IN EYES: Rinse cautiously with water for several minutes. Remove contact lenses, if

present and easy to do. Continue rinsing.

IF SWALLOWED: Immediately call a POISON CENTER or doctor/physician.



Pg. 2 of 8

MATERIAL SAFETY DATA SHEET

Version:02

PRODUCT NAME: ETHYLENE GLYCOL

Storage

: Store in a dry & well-ventilated place. Keep container tightly closed. Containers which are opened must be carefully resealed and kept upright to prevent leakage.

CAS Number: 107-21-1

Disposal

Dispose of contents/container to an appropriate treatment and disposal facility in accordance with applicable laws and regulations, and product characteristics at time of

disposal.

Other hazards which do not : result in GHS classification

This substance/mixture contains no components considered to be either persistent, bioaccumulative and toxic (PBT), or very persistent and very bioaccumulative (vPvB) at

levels of 0.1% or higher.

3. COMPOSITION/ INFORMATION ON INGRADIENTS:

Ingredient	CAS Number	Percent	Hazardous
Ethylene Glycol	107-21-1	NLT 98.0%	Yes

4. FIRST AID MEASURES:

General information

: Get medical advice/attention if you feel unwell. Show this safety data sheet to the doctor in

attendance.

Ingestion

Call a physician or poison control center immediately. Rinse mouth. Do NOT induce

: vomiting. If vomiting occurs, keep head low so that stomach content doesn't get into the

lungs.

Move to fresh air. Call a physician or poison control center immediately. If breathing stops,

: provide artificial respiration. If breathing is difficult, give oxygen. Get medical attention if symptoms persist.

Skin contact

Inhalation

Immediately flush with plenty of water for at least 15 minutes. If easy to do, remove contact

lenses. Get medical attention.

Eye contact

Immediately flush with plenty of water for at least 15 minutes. If easy to do, remove contact

lenses. Get medical attention.

Most important

symptoms/effects, acute

and delayed

Indication of immediate medical attention and

special treatment needed

: The most important known symptoms and effects are described in the labelling 2.

: No data available.

5. FIRE FIGHTING MEASURES:

General information : No data available.

Suitable (and unsuitable) extinguishing media

Suitable extinguishing

media

: Water spray, foam, dry powder or carbon dioxide.

Unsuitable extinguishing

media

: Avoid water in straight hose stream; will scatter and spread fire.

Specific hazards arising from the chemical

Vapors may cause a flash fire or ignite explosively. Vapors may travel considerable distance to a source of ignition and flash back. Prevent buildup of vapors or gases to explosive

concentrations. Vapor from the solvent may accumulate in container headspace resulting in



Pg. 3 of 8

MATERIAL SAFETY DATA SHEET

Version:02

PRODUCT NAME: ETHYLENE GLYCOL

CAS Number: 107-21-1

flammability hazard. Heat may cause the containers to explode.

Special protective equipment and precautions for firefighters

Special firefighting

Use water spray to keep fire-exposed containers cool. Water may be ineffective in fighting

procedures

the fire. Fight fire from a protected location. Move containers from fire area if you can do so without risk.

Special protective

Firefighters must use standard protective equipment including flame retardant coat, helmet

with face shield, gloves, rubber boots, and in enclosed spaces, SCBA.

ACCIDENTAL RELEASE MEASURES:

Personal precautions, protective equipment and emergency procedures

equipment for fire-fighters

ELIMINATE all ignition sources (no smoking, flares, sparks or flames in immediate area). Avoid breathing mists or vapors. Keep upwind. Ventilate closed spaces before entering them. Do not touch damaged containers or spilled material unless wearing appropriate protective clothing. Keep unauthorized personnel away.

Methods and material for containment and cleaning Eliminate all ignition sources if safe to do so. Use only non-sparking tools. Take precautionary measures against static discharges. Stop leak if possible without any risk.

up

Absorb spill with vermiculite or other inert material, then place in a container for chemical waste. Clean surface thoroughly to remove residual contamination. Dike far ahead of larger spill for later recovery and disposal.

Notification Procedures

Prevent entry into waterways, sewer, basements or confined areas. Inform authorities if

large amounts are involved.

Environmental precautions

Do not contaminate water sources or sewer. Prevent further leakage or spillage if safe to do so. Avoid discharge into drains, water courses or onto the ground.

HANDLING AND STORAGE:

Precautions for safe handling

Do not handle until all safety precautions have been read and understood. DO NOT handle, store or open near an open flame, sources of heat or sources of ignition. Protect material from direct sunlight. Take precautionary measures against static discharges. Ground/bond container and receiving equipment. Use explosion-proof

electrical/ventilating/lighting/equipment. Use only non-sparking tools. Wear protective gloves/protective clothing/eye

Protection / face protection. Avoid contact with eyes, skin, and clothing. Do not breathe mist or vapor. Use only with adequate ventilation. Wash hands thoroughly after handling.

Conditions for safe storage, including any

Keep away from food, drink and animal feeding stuffs.

Keep container tightly closed in a dry, well-ventilated place. Ground container and transfer equipment to eliminate static electric sparks. Comply with all national, state, and local codes pertaining to the storage, handling, dispensing, and disposal of flammable liquids.

8. EXPOSURE CONTROLS PERSONAL PROTECTION:

Control parameters

incompatibilities

Ingredients with workplace control parameters :-

Derived No Effect Level

(DNEL)

	Application Area	Routes of exposure	Health effect	Value
	Workers	Consumers	Long-term local effects	35 mg/m3
	Workers	Consumers	Long-term systemic	106mg/kg BW/d
	VVOIRCIS	Consumers	effects	1001119/119 2007 0



Pg. 4 of 8

Version:02

MATERIAL SAFETY DATA SHEET

PRODUCT NAME: ETHYLENE GLYCOL

Consumers Consumers Long-term local 7 mg/m3 effects Consumers 53mg/kg BW/d Consumers Long-term systemic effects Compartment Value 1,53 mg/kg Soil Sea water 1 mg/l Fresh water 10 mg/l Sea sediment 3,7 mg/kg Fresh water sediment 37 mg/kg

CAS Number: 107-21-1

Predicted No Effect Concentration (PNEC)

Appropriate engineering

controls

No data available

Individual protection measures, such as personal protective equipment

Good general ventilation (typically 10 air changes per hour) should be used. Ventilation rates should be matched to conditions. If applicable, use process enclosures, local exhaust

ventilation, or other engineering controls to maintain airborne levels below recommended General information

exposure limits. If exposure limits have not been established, maintain airborne levels to an acceptable level. An eye wash and safety shower must be available in the immediate work

area. Use explosion-proof ventilation equipment.

Eye/face protection Wear safety glasses with side shields (or goggles).

Hand protection Chemical resistant gloves.

Other Wear suitable protective clothing.

Respiratory protection In case of inadequate ventilation use suitable respirator. Chemical

respirator with organic vapor cartridge.

Always observe good personal hygiene measures, such as washing after handling the material and before eating, drinking, and/or smoking. Routinely wash work clothing and

protective equipment to remove contaminants. Provide eyewash station and safety shower.

Avoid contact with eyes, skin, and clothing.

9. PHYSICAL AND CHEMICAL PROPERTIES:

: Clear, colourless hygroscopic viscous liquid. **Appearance**

Odor **Odorless**

Solubility Miscible in water.

Formula $C_2H_6O_2$

: 62.07 g/mol **Molecular Weight**

Specific Gravity : 1.112 - 1.114 g/cm3 at 20°C

рΗ No data available.

% Volatiles by volume @

Hygiene measures

21C (70F)

No data available.



Pg. 5 of 8

MATERIAL SAFETY DATA SHEET

Version:02

PRODUCT NAME: ETHYLENE GLYCOL

Boiling Point : 196 - 198°C

 Melting Point
 : -13°C

 Flash Point
 : 115 °C

 Vapor Density (Air=1)
 : 2.14

Vapor Pressure (mm Hg) : 1 hPa at 51,1 °C

Evaporation Rate (BuAc=1) : No data available.

10. STABILITY AND REACTIVITY:

Reactivity Forms explosive mixtures with air on intense heating. A range from approx. 15 Kelvin below

the flash point is to be rated as critical.

Chemical stability : Material is stable under ambient conditions..

Risk of explosion with: Aluminum perchloric acid Risk of ignition or formation of

CAS Number: 107-21-1

Possibility of hazardous

reactions

inflammable gases or vapours with: chromyl chloride Strong oxidizing agents chlorates
Peroxides potassium permanganate Exothermic reaction with: chlorosulfonic acid Sodium

hydroxide fuming sulfuric acid sulfuric acid.

Conditions to avoid : Heat, sparks, flames. Sunlight.

Incompatible materials

Various plastics, Strong oxidizing agents. Acetaldehyde. Acids. Chlorine. Ethylene Oxide

Hydrogen peroxide (H2O2) Sulfuric acid. Isocyanates. Aluminum.

Hazardous decomposition

products

In the event of fire: see section 5

11. TOXICOLOGICAL INFORMATION:

Information on likely routes of exposure

Ingestion : No data available.

Inhalation May cause irritation to the mucous membranes and upper respiratory tract. May cause

central nervous system effects

Skin contact : No data available.

Eye contact : No data available.

Information on toxicological effects

Acute toxicity (list all possible routes of exposure)

Oral Product : LD 50 (Rat): 500,1 mg/kg

Dermal Product : LD 50 Mouse - male and female - > 3.500 mg/kg

Inhalation Product : LD 50 Rat - male and female - 6 h - > 2,5 mg/l - aerosol

Repeated dose toxicity

Product : No data available.



CAS Number: 107-21-1

Pg. 6 of 8

Version:02

MATERIAL SAFETY DATA SHEET

PRODUCT NAME: ETHYLENE GLYCOL

Skin corrosion/irritation

Product

: Prolonged or repeated skin contact may cause drying, cracking, or irritation

Serious eye damage/eye

irritation Product

Irritating to eyes.

Respiratory or skin sensitization Product

: Not a skin sensitizer.

Carcinogenicity Product

This substance has no evidence of carcinogenic properties

IARC Monographs on the

Evaluation of Carcinogenic

: No carcinogenic components identified.

Risks to Humans

US. National Toxicology

Program (NTP) Report on

: No carcinogenic components identified.

Carcinogens

US. OSHA Specifically

Regulated Substances (29

CFR 1910.1001-1050 Germ cell mutagenicity : No carcinogenic components identified.

In vitro Product

No data available.

Reproductive toxicity

Product

No components toxic to reproduction.

Specific target organ

toxicity - single exposure

Not known.

Product

Specific target organ

toxicity - repeated

exposure Product

Oral - May cause damage to organs through prolonged or repeated exposure. - Kidney

Aspiration hazard Product

No data available.

Other effects

None known.

12. ECOLOGICAL INFORMATION:

Ecotoxicity

Acute hazards to the aquatic environment

Fish Product

: LC50 - Pimephales promelas (fathead minnow) - > 72.860 mg/l

Aquatic invertebrates

Product

: EC50 - Daphnia magna (Water flea) - > 100 mg/l

Chronic hazards to the aquatic environment

Fish Product

No data available.

Aquatic invertebrates

No data available.

Product

Toxicity to Aquatic Plants

Product:

: No data available.



Pg. 7 of 8

MATERIAL SAFETY DATA SHEET

Version:02

PRODUCT NAME: ETHYLENE GLYCOL

Persistence and degradability

Biodegradation Product : 90 - 100 % - Readily biodegradable.

BOD/COD ratio Product : No data available.

Bioaccumulative potential

Bioconcentration factor

(BCF) Product

Partition coefficient n-

octanol / water (log Kow)
Product

Mobility in soil : The product is partly soluble in water. May spread in the aquatic environment.

No data available on bioaccumulation.

: does not exclude the possibility that large or frequent spills can have a harmful or damaging

CAS Number: 107-21-1

effect on the environment.

: No data available.

13. DISPOSAL CONSIDERATION:

Disposal instructions : Discharge, treatment, or disposal may be subject to national, state, or local laws. Disposal

recommendations are based on uncontaminated material.

Contaminated packaging Since emptied containers retain product residue, follow label warnings even after container

is emptied.

14. TRANSPORT INFORMATION:

UN No. UN proper shipping Hazard Class Packaging Marine
name (es) group Pollutant

DOTNAEthylene GlycolNot dangerous goodsIMDGNAEthylene GlycolNot dangerous goodsIATANAEthylene GlycolNot dangerous goods

15. REGULATORY INFORMATION:

This safety datasheet complies with the requirements of Regulation (EC) No. 1907/2006. Safety, health and environmental regulations/legislation specific for the substance or mixture No Data Available.



Pg. 8 of 8

MATERIAL SAFETY DATA SHEET

CAS Number: 107-21-1

Version:02

PRODUCT NAME: ETHYLENE GLYCOL

16. OTHER INFORMATION:

NFPA Hazard ID

: 2 0 Flammability Health Reactivity Special hazard.

Hazard rating: 0 - Minimal; 1 - Slight; 2 - Moderate; 3 - Serious; 4 - Severe

Issue Date : 16/04/2025

Version : 02

Disclaimer: This Material Safety Data Sheet (MSDS) is for guidance and is based upon information and tests believed to be reliable. ADVENT CHEMBIO PRIVATE LIMITED makes no guarantee of the accuracy or completeness of the data and shall not be liable for any damages relating thereto. The data is offered solely for your consideration, investigation, and verification. The data should not be confused with local, state, federal or insurance mandates, regulations, or requirements and CONSTITUTE NO WARRANTY. Any use of this data and information must be determined by the technical instructor in accordance with applicable local, state or federal laws and regulations. The conditions or methods of handling, storage, use and disposal of the product(s) described are beyond the control of ADVENT CHEMBIO PRIVATE LIMITED and may be beyond our knowledge. FOR THIS AND OTHER REASONS, WE DO NOT ASSUME RESPONSIBILITY AND EXPRESSLY DISCLAIM LIABILITY FOR LOSS, DAMAGE OR EXPENSE ARISING OUT OF OR IN ANY WAY CONNECTED WITH THE HANDLING, STORAGE, USE OR DISPOSAL OF THIS PRODUCT(S).