

Pg. 1 of 8

MATERIAL SAFETY DATA SHEET

Version Number:- 02

PRODUCT NAME: n-HEXANE

1. IDENTIFICATION:		
Product Code	90035, 90467, 90193, 90718, 90789, 98108	
Company Name	ADVENT CHEMBIO PRIVATE LIMITED	
Address	W-279, MIDC, TTC INDUSTRIAL AREA, THANE-BELAPUR ROAD, RABALE, NAVI MUMBAI - 400 701, MAHARASHTRA, INDIA.	
E-mail	sales@adventchembio.com	
WEBSITE	www.adventchembio.com	
Company Phone Number	<u>+91 77770 84837</u>	
2. HAZARDS IDENTIFICATI	:	

Hazard classification		
Flammable liquids	:	Category 3
Skin irritation	:	Category 2
Reproductive toxicity	:	Category 2
Aspiration hazard	:	Category 1
Specific target organ toxicity-single exposure Specific target organ	:	Category 3
toxicity - repeated exposure,	:	Category 2
Chronic aquatic toxicity	:	Category 2
Labels elements	:	
Hazard symbol	:	
Signal word	:	Danger
Hazard statement	:	Highly flammable liquid and vapor. May be fatal if swallowed and enters airways. Causes skin irritation. May cause drowsiness or dizziness. 1f Suspected of damaging fertility. May cause damage to organs through prolonged or repeated exposure.
Precautionary statement		
Prevention	:	Obtain special instructions before use. Do not breathe dust/ fume/ gas/ mist/ vapors/ spray. Do not handle until all safety precautions have been read and understood. Wear protective gloves/ protective clothing/ eye protection/ face protection. Keep away from heat/ sparks/ open flames/ hot surfaces. No smoking.



Pg. 2 of 8

MATERIAL SAFETY DATA SHEET

Version Number:- 02

PRODUCT NAME: n-HEXANE

CAS Number: 110-54-3

Keep container tightly closed. Ground/ bond container and receiving equipment. Use explosion-proof electrical/ ventilating/ lighting/ equipment.
Use only non-sparking tools. Take precautionary measures against static discharge.
: IF exposed or concerned: Get medical advice/ attention.
IF ON SKIN (or hair): Take off immediately all contaminated clothing. Rinse skin with water/ shower.
IF IN EYES: Rinse cautiously with water for several minutes. Remove contact lenses, if present and easy to do. Continue rinsing.
IF INHALED: Remove person to fresh air and keep comfortable for breathing.
IF SWALLOWED: Immediately call a POISON CENTER or doctor/physician.
: Store at ambient temperature in a dry and well ventilated place. Keep container tightly closed. Containers which are opened must be carefully resealed and kept upright to prevent leakage.
: Dispose of contents/container to an appropriate treatment and disposal facility in accordance with applicable laws and regulations, and product characteristics at time of disposal.
: Static accumulating flammable liquid can become electrostatically charged even in bonded and grounded equipment. Sparks may ignite liquid and vapor. May cause flash fire or explosion.

3. COMPOSITION/ INFORMATION ON INGRADIENTS:

Ingredient	CAS Number	Percent	Hazardous
n-Hexane	110-54-3	NLT 99.0%	Yes

4. FIRST AID MEASURES:

General information	: Get medical advice/attention if you feel unwell. Show this safety data sheet to the doctor in attendance.
Ingestion	Call a physician or poison control center immediately. Rinse mouth. Do NOT inducevomiting. If vomiting occurs, keep head low so that stomach content doesn't get into the lungs.
Inhalation	 Move to fresh air. Call a physician or poison control center immediately. If breathing stops, provide artificial respiration. If breathing is difficult, give oxygen. Get medical attention if symptoms persist.
Skin contact	Immediately flush with plenty of water for at least 15 minutes. If easy to do, remove contact lenses. Get medical attention.
Eye contact	Immediately flush with plenty of water for at least 15 minutes. If easy to do, remove contact lenses. Get medical attention.
Most important symptoms/effects, acute and delayed	Toxic if inhaled. Toxic if swallowed. Toxic in contact with skin. Irritating to eyes, respiratory system and skin.
Indication of immediate medical attention and special treatment needed	: Symptoms may be delayed. Treat symptomatically.



Pg. 3 of 8

MATERIAL SAFETY DATA SHEET

Version Number:- 02

PRODUCT NAME: n-HEXANE

5. FIRE FIGHTING MEASURES:		
General information Suitable (and unsuitable) ext	: Flammable liquid and vapor. inguishing media	
Suitable extinguishing media	: Water spray, foam, dry powder or carbon dioxide.	
Unsuitable extinguishing media	: Avoid water in straight hose stream; will scatter and spread fire.	
Specific hazards arising from the chemical	Vapors may cause a flash fire or ignite explosively. Vapors may travel considerable distance to a source of ignition and flash back. Prevent buildup of vapors or gases to explosive concentrations. Vapor from the solvent may accumulate in container headspace resulting in flammability hazard. Heat may cause the containers to explode. t and precautions for firefighters	
Special firefighting procedures	Use water spray to keep fire-exposed containers cool. Water may be ineffective in fighting the fire. Fight fire from a protected location. Move containers from fire area if you can do so without risk.	
Special protective equipment for fire-fighters	Firefighters must use standard protective equipment including flame retardant coat, helme with face shield, gloves, rubber boots, and in enclosed spaces, SCBA.	
6. ACCIDENTAL RELEASE M	EASURES:	
Personal precautions, protective equipment and emergency procedures	ELIMINATE all ignition sources (no smoking, flares, sparks or flames in immediate area) : Avoid breathing mists or vapors. Keep upwind. Ventilate closed spaces before entering them. Do not touch damaged containers or spilled material unless wearing appropriate protective clothing. Keep unauthorized personnel away.	
Methods and material for	Eliminate all ignition sources if safe to do so. Use only non-sparking tools. Take	
containment and cleaning up	 precautionary measures against static discharges. Stop leak if possible without any risk Absorb spill with vermiculite or other inert material, then place in a container for chemica waste. Clean surface thoroughly to remove residual contamination. Dike far ahead of large spill for later recovery and disposal. 	
Notification Procedures	Prevent entry into waterways, sewer, basements or confined areas. Inform authorities i	
Environmental precautions	 large amounts are involved. Do not contaminate water sources or sewer. Prevent further leakage or spillage if safe to do so. Avoid discharge into drains, water courses or onto the ground. 	
7. HANDLING AND STORAG	iE:	
Precautions for safe handling	Do not handle until all safety precautions have been read and understood. DO NOT handle, store or open near an open flame, sources of heat or sources of ignition. Protect material from direct sunlight. Take precautionary measures against static discharges. Ground/bond container and receiving equipment. Use explosion-proof electrical/ventilating/lighting/equipment. Use only non-sparking tools. Wear protective gloves/protective clothing/eye protection/ face protection. Avoid contact with eyes, skin, and clothing. Do not breathe mis	
	or vapor. Use only with adequate ventilation. Wash hands thoroughly after handling.	
Conditions for safe storage,	Keep away from food, drink and animal feeding stuffs.	



Pg. 4 of 8

MATERIAL SAFETY DATA SHEET

Version Number:- 02

PRODUCT NAME: n-HEXANE

CAS Number: 110-54-3

incompatibilities	Keep the container tightly closed, away from heat. Containers which are opened must be carefully resealed and kept upright to prevent leakage. Ground container and transfer equipment to eliminate static electric sparks. Comply with al national, state, and local codes pertaining to the storage, handling, dispensing, and disposa of flammable liquids.
8. EXPOSURE CONTROLS I	PERSONAL PROTECTION:
Control parameters	
Occupational exposure limits	: No data available
Appropriate engineering	Handle in accordance with good industrial hygiene and safety practice. Wash hands before
controls	breaks and at the end of workday.
Individual protection measu	ures, such as personal protective equipment
	Good general ventilation (typically 10 air changes per hour) should be used. Ventilation rates should be matched to conditions. If applicable, use process enclosures, local exhaust

General information	rates should be matched to conditions. If applicable, use process enclosures, local exhau- ventilation, or other engineering controls to maintain airborne levels below recommend exposure limits. If exposure limits have not been established, maintain airborne levels to acceptable level. An eye wash and safety shower must be available in the immediate wo area. Use explosion-proof ventilation equipment.	led an
Eye/face protection	Near safety glasses with side shields (or goggles).	
Hand protection	Chemical resistant gloves.	
Other	Near suitable protective clothing.	
Respiratory protection	n case of inadequate ventilation use suitable respirator. Chemical respirator with organic vapor cartridge.	_
Hygiene measures	Always observe good personal hygiene measures, such as washing after handling t material and before eating, drinking, and/or smoking. Routinely wash work clothing a protective equipment to remove contaminants. Provide eyewash station and safety show Avoid contact with eyes, skin, and clothing.	nd

9. PHYSICAL AND CHEMICAL PROPERTIES:

Appearance	: Clear, colorless liquid	
Odor	: No data available	
Solubility	: No data available	
Formula	: C ₆ H ₁₄	
Molecular Weight	: 86.18 g/mol	
Specific Gravity	: 0.658 - 0.660 g/cm3 at 20°C	
рН	: No data available	



Pg. 5 of 8

MATERIAL SAFETY DATA SHEET

Version Number:- 02

PRODUCT NAME: n-HEXANE

% Volatiles by volume @ 21C (70F)	:	No data available
Boiling Point	:	68.0 - 70.0 °C
Melting Point	:	-95.0°C
Flash Point	:	-26.0 °C
Vapor Density (Air=1)	:	No data available
Vapor Pressure (mm Hg)	:	256.0 mmHg at 37.7 °C 132.0 mmHg at 20.0 °C
Evaporation Rate (BuAc=1)	:	No data available
10. STABILITY AND REACTIV	'ITY:	
Reactivity	:	No data available
Chemical stability	:	Stable under recommended storage conditions.
Possibility of hazardous reactions	:	No data available
Conditions to avoid	:	Heat, sparks, flames. Sunlight.
Incompatible materials	:	Strong oxidizing agents. Acetaldehyde. Acids. Chlorine. Ethylene Oxide Hydrogen peroxide (H2O2) Sulfuric acid. Isocyanates. Aluminum.
Hazardous decomposition products	:	Hazardous decomposition products formed under fire conditions Carbon oxides.

11. TOXICOLOGICAL INF	ORMATION:	
Information on likely rou	utes of exposure	
Ingestion	: No data available.	
Inhalation	: No data available.	
Skin contact	: No data available.	
Eye contact	: No data available.	
Information on toxicolog	gical effects	
Acute toxicity (list all pos	ssible routes of exposure)	
Oral Product	: No data available.	
Dermal Product	: No data available.	
Inhalation Product	No data available.	



Pg. 6 of 8

MATERIAL SAFETY DATA SHEET

Version Number:- 02

PRODUCT NAME: n-HEXANE

CAS Number: 110-54-3

Repeated dose toxicity Product	:	No data available.
Skin corrosion/irritation Product	:	No data available.
Serious eye damage/eye irritation Product	:	No data available.
Respiratory or skin sensitization Product	:	Not a skin sensitizer.
Carcinogenicity Product	:	This substance has no evidence of carcinogenic properties
IARC Monographs on the Evaluation of Carcinogenic Risks to Humans	:	No carcinogenic components identified.
US. National Toxicology Program (NTP) Report on Carcinogens	:	No carcinogenic components identified.
US. OSHA Specifically Regulated Substances (29 CFR 1910.1001-1050 Germ cell mutagenicity	:	No carcinogenic components identified.
In vitro Product	:	No data available.
Reproductive toxicity Product	:	No data available.
Specific target organ toxicity - single exposure Product	:	Not known.
Specific target organ toxicity - repeated exposure Product	:	None known.
Aspiration hazard Product	:	No data available.
Other effects	:	No data available.

12. ECOLOGICAL INFORMATION:

Ecotoxicity Acute hazards to the aquatic environment									
Fish Product	:	No data available.							
Aquatic invertebrates Product Chronic hazards to the aquat	: ic e	No data available. Ivironment							
Fish Product	:	No data available.							
Aquatic invertebrates Product	:	No data available.							



Pg. 7 of 8

MATERIAL SAFETY DATA SHEET

Version Number:- 02

PRODUCT NAME: n-HEXANE

Toxicity to Aquatic Plants Product: Persistence and degradabili	: ty	No data available.
Biodegradation Product	:	No data available.
BOD/COD ratio Product	:	No data available.
Bioaccumulative potential		
Bioconcentration factor (BCF) Product	:	No data available on bioaccumulation.
Partition coefficient n- octanol / water (log Kow) Product	:	No data available.
Mobility in soil	:	No data available.
Other adverse effects	:	Toxic to aquatic life with long lasting effects.
13. DISPOSAL CONSIDERAT	ION:	

Disposal instructions	:	Discharge, treatment, or disposal may be subject to national, state, or local laws. Disposal recommendations are based on uncontaminated material.
Contaminated packaging	:	Since emptied containers retain product residue, follow label warnings even after container is emptied.

14. TRANSPORT INFORMATION:									
DOT	UN No. UN 1208	UN proper shipping name n-Hexane	Hazard Class(es) 3	Packaging group II	Marine Pollutant No				
IMDG	UN 1208	n-Hexane	3	П	No				
ΙΑΤΑ	UN 1208	n-Hexane	3	П	No				



Pg. 8 of 8

MATERIAL SAFETY DATA SHEET


Version Number:- 02

PRODUCT NAME: n-HEXANE

CAS Number: 110-54-3

15. REGULATORY INFORMATION:

This safety datasheet complies with the requirements of Regulation (EC) No. 1907/2006. Safety, health and environmental regulations/legislation specific for the substance or mixture No Data Available.



Disclaimer: This Material Safety Data Sheet (MSDS) is for guidance and is based upon information and tests believed to be reliable. ADVENT CHEMBIO PRIVATE LIMITED makes no guarantee of the accuracy or completeness of the data and shall not be liable for any damages relating thereto. The data is offered solely for your consideration, investigation, and verification. The data should not be confused with local, state, federal or insurance mandates, regulations, or requirements and CONSTITUTE NO WARRANTY. Any use of this data and information must be determined by the technical instructor in accordance with applicable local, state or federal laws and regulations. The conditions or methods of handling, storage, use and disposal of the product(s) described are beyond the control of ADVENT CHEMBIO PRIVATE LIMITED and may be beyond our knowledge. FOR THIS AND OTHER REASONS, WE DO NOT ASSUME RESPONSIBILITY AND EXPRESSLY DISCLAIM LIABILITY FOR LOSS, DAMAGE OR EXPENSE ARISING OUT OF OR IN ANY WAY CONNECTED WITH THE HANDLING, STORAGE, USE OR DISPOSAL OF THIS PRODUCT(S).