

Pg. 1 of 8

MATERIAL SAFETY DATA SHEET

CAS Number: 74-88-4

Version:01

PRODUCT NAME: IODOMETHANE (METHYL IODIDE)

1. IDENTIFICATION:

Product Code : 92347, 98208

Company Name : ADVENT CHEMBIO PRIVATE LIMITED

Address W-279, MIDC, TTC INDUSTRIAL AREA, THANE-BELAPUR ROAD, RABALE,

· NAVI MUMBAI - 400 701.

E-mail : sales@adventchembio.com

WEBSITE : www.adventchembio.com

Company Phone Number : 022-27690837

2. HAZARDS IDENTIFICATION:

Hazard classification

Physical hazards

Flammable liquids : Category 3

Health hazards

Acute toxicity, Oral : Category 3

Acute toxicity, Dermal : Category 4

Acute toxicity, Inhalation : Category 3

Skin irritation : Category 2

Eye irritation : Category 2

Carcinogenicity : Category 2

Specific target organ

toxicity - Single exposure, : Category 3

Oral

Short-term (acute) aquatic

hazard

Long-term (chronic) aquatic

hazard .

Labels elements :

Hazard symbol :

: Category 3

Category 2







Signal word : Danger

Hazard statement Highly flammable liquid and vapor.

Causes serious eye irritation.

Toxic if swallowed or if inhaled. Harmful in contact with skin.



Pg. 2 of 8

Version:01

MATERIAL SAFETY DATA SHEET

PRODUCT NAME: IODOMETHANE (METHYL IODIDE) CAS Number: 74-88-4

Causes skin irritation.

May cause respiratory irritation. Suspected of causing cancer.

Very toxic to aquatic life with long lasting effects.

Precautionary statement

Prevention: Obtain special instructions before use.

Do not breathe dust/ fume/ gas/ mist/ vapors/ spray. Do not handle until all safety

precautions have been read and understood.

Wear protective gloves/ protective clothing/ eye protection/ face protection. Keep away from heat/ sparks/ open flames/ hot surfaces. No smoking.

Keep container tightly closed. Ground/bond container and receiving equipment.

Use explosion-proof electrical/ventilating/lighting/equipment.

Use only non-sparking tools. Take precautionary measures against static discharge.

Response : IF exposed or concerned: Get medical advice/ attention.

IF ON SKIN (or hair): Take off immediately all contaminated clothing. Rinse skin with water/

shower.

IF IN EYES: Rinse cautiously with water for several minutes. Remove contact lenses, if

present and easy to do. Continue rinsing.

IF INHALED: Remove person to fresh air and keep comfortable for breathing. IF SWALLOWED: Immediately call a POISON CENTER or doctor/physician.

Storage : Store in a dry & well-ventilated place. Keep container tightly closed. Containers which are

opened must be carefully resealed and kept upright to prevent leakage.

Disposal : Dispose of contents/container to an appropriate treatment and disposal facility in

accordance with applicable laws and regulations, and product characteristics at time of

disposal.

Other hazards which do not :

result in GHS classification

This substance/mixture contains no components considered to be either persistent, bioaccumulative and toxic (PBT), or very persistent and very bioaccumulative (vPvB) at

levels of 0.1% or higher.

3. COMPOSITION/INFORMATION ON INGRADIENTS:

Ingredient	CAS Number	Percent	Hazardous
lodomethane (Methyl iodide)	74-88-4	NLT 99.0%	Yes

4. FIRST AID MEASURES:

General information : Get medical advice/attention if you feel unwell. Show this safety data sheet to the doctor in

attendance.

Ingestion Call a physician or poison control center immediately. Rinse mouth. Do NOT induce

: vomiting. If vomiting occurs, keep head low so that stomach content doesn't get into the

lungs.

Move to fresh air. Call a physician or poison control center immediately. If breathing stops,

Inhalation : provide artificial respiration. If breathing is difficult, give oxygen.

Get medical attention if symptoms persist.

Skin contact Immediately flush with plenty of water for at least 15 minutes. If easy to do, remove contact

lenses. Get medical attention.



Pg. 3 of 8

MATERIAL SAFETY DATA SHEET

Version:01

PRODUCT NAME: IODOMETHANE (METHYL IODIDE)

NE (METHYL IODIDE) CAS Number: 74-88-4

: lenses. Get medical attention.

Most important
symptoms/effects, acute : The most im

and delayed

Eye contact

Indication of immediate medical attention and

special treatment needed

: The most important known symptoms and effects are described in the labelling.

Immediately flush with plenty of water for at least 15 minutes. If easy to do, remove contact

: Symptoms may be delayed. Treat symptomatically.

5. FIRE FIGHTING MEASURES:

General information : Flammable liquid and vapor.

Suitable (and unsuitable) extinguishing media

Suitable extinguishing

media

Water spray, foam, dry powder or carbon dioxide.

Unsuitable extinguishing

media

: Avoid water in straight hose stream; will scatter and spread fire.

Specific hazards arising from the chemical

Vapors may cause a flash fire or ignite explosively. Vapors may travel considerable distance to a source of ignition and flash back. Prevent buildup of vapors or gases to explosive concentrations. Vapor from the solvent may accumulate in container headspace resulting in

flammability hazard. Heat may cause the containers to explode.

Special protective equipment and precautions for firefighters

Special firefighting

procedures

Use water spray to keep fire-exposed containers cool. Water may be ineffective in fighting

the fire. Fight fire from a protected location. Move containers from fire area if you can do so

without risk.

Special protective

equipment for fire-fighters

Firefighters must use standard protective equipment including flame retardant coat, helmet

with face shield, gloves, rubber boots, and in enclosed spaces, SCBA.

6. ACCIDENTAL RELEASE MEASURES:

Personal precautions, protective equipment and emergency procedures ELIMINATE all ignition sources (no smoking, flares, sparks or flames in immediate area). Avoid breathing mists or vapors. Keep upwind. Ventilate closed spaces before entering them. Do not touch damaged containers or spilled material unless wearing appropriate protective clothing. Keep unauthorized personnel away.

Methods and material for containment and cleaning

Eliminate all ignition sources if safe to do so. Use only non-sparking tools. Take precautionary measures against static discharges. Stop leak if possible without any risk. Absorb spill with vermiculite or other inert material, then place in a container for chemical waste. Clean surface thoroughly to remove residual contamination. Dike far ahead of larger

waste. Clean surface thoroughly to r spill for later recovery and disposal.

Prevent entry into waterways, sewer, basements or confined areas. Inform authorities if

Environmental precautions

Notification Procedures

large amounts are involved.

Do not contaminate water sources or sewer. Prevent further leakage or spillage if safe to do

so. Avoid discharge into drains, water courses or onto the ground.



Pg. 4 of 8

Version:01

MATERIAL SAFETY DATA SHEET

PRODUCT NAME: IODOMETHANE (METHYL IODIDE) CAS Number: 74-88-4

HANDLING AND STORAGE:

Precautions for safe

handling

Do not handle until all safety precautions have been read and understood. DO NOT handle, store or open near an open flame, sources of heat or sources of ignition. Protect material from direct sunlight. Take precautionary measures against static discharges. Ground/bond container receiving equipment. explosion-proof electrical/ventilating/lighting/equipment. Use only non-sparking tools. Wear protective gloves/protective clothing/eye

Protection/ face protection. Avoid contact with eyes, skin, and clothing. Do not breathe mist or vapor. Use only with adequate ventilation. Wash hands thoroughly after handling.

Conditions for safe storage,

including any incompatibilities

Keep away from food, drink and animal feeding stuffs. Keep container tightly closed in a dry, well-ventilated place. Ground container and transfer equipment to eliminate static electric sparks. Comply with all national, state, and local codes pertaining to the storage, handling,

dispensing, and disposal of flammable liquids.

8. EXPOSURE CONTROLS PERSONAL PROTECTION:

Control parameters

Appropriate engineering

No data available controls

Individual protection measures, such as personal protective equipment

Good general ventilation (typically 10 air changes per hour) should be used. Ventilation rates should be matched to conditions. If applicable, use process enclosures, local exhaust ventilation, or other engineering controls to maintain airborne levels below recommended

General information

Eye/face protection

exposure limits. If exposure limits have not been established, maintain airborne levels to an acceptable level. An eye wash and safety shower must be available in the immediate work area. Use explosion-proof ventilation equipment.

Wear safety glasses with side shields (or goggles).

Hand protection Chemical resistant gloves.

Other Wear suitable protective clothing.

Respiratory protection In case of inadequate ventilation use suitable respirator. Chemical

Respirator with organic vapor cartridge.

Always observe good personal hygiene measures, such as washing after handling the material and before eating, drinking, and/or smoking. Routinely wash work clothing and

Hygiene measures protective equipment to remove contaminants. Provide eyewash station and safety shower.

Avoid contact with eyes, skin, and clothing.

PHYSICAL AND CHEMICAL PROPERTIES:

: Clear, colourless to yellow liquid. Appearance

Odor No data available.

Solubility No data available.



MATERIAL SAFETY DATA SHEET

Version:01

Pg. 5 of 8

PRODUCT NAME: IODOMETHANE (METHYL IODIDE) CAS Number: 74-88-4

Formula : CH₃I

Molecular Weight : 141.94 g/mol

Density : 2.2780 - 2.2830 g/cm3 at 25°C

pH : 6,3 at 21,1 °C

% Volatiles by volume @

21C (70F)

: No data available.

Boiling Point : 42 - 43 °C

Melting Point : -64°C Flash Point : 32.1°C

Vapor Density (Air=1) : 4.90

Vapor Pressure (mm Hg) 544 hPa at 20 °C 1.660 hPa at 55 °C

Evaporation Rate (BuAc=1) : No data available.

10. STABILITY AND REACTIVITY:

Reactivity : Vapor/air-mixtures are explosive at intense warming.

Chemical stability

Material is stable under ambient conditions. Contains the following stabilizer(s): colloidal

silver (%)

Possibility of hazardous

Risk of explosion with: phosphines, sodium, strong alkalis, Potassium, Calcium, Oxygen.

reactions

products

Exothermic reaction with: Strong oxidizing agents, Reducing agents, Chlorites.

Conditions to avoid : Heat, sparks, flames. Sunlight.

Incompatible materials : No data available.

Hazardous decomposition

: In the event of fire: see section 5

11. TOXICOLOGICAL INFORMATION:

Information on likely routes of exposure

Ingestion : No data available.

Inhalation : May cause respiratory irritation.

Skin contact : Irritation.

Eye contact : Eye irritation.

Information on toxicological effects

Acute toxicity (list all possible routes of exposure)

Oral Product : LD 50 Rat - male and female - 79,84 mg/kg



Pg. 6 of 8

MATERIAL SAFETY DATA SHEET

CAS Number: 74-88-4

Version:01

PRODUCT NAME: IODOMETHANE (METHYL IODIDE)

Dermal Product : LD 50 Guinea pig - 800 mg/kg

Inhalation Product LC 50 Rat - male and female - 4 h - 4,076 mg/l - vapor

Repeated dose toxicity

Product

No data available.

Skin corrosion/irritation

Irritations.

Product

Serious eye damage/eye irritation Product

: Eye irritation.

Respiratory or skin

: Not a skin sensitizer.

sensitization Product **Carcinogenicity Product**

: This substance has no evidence of carcinogenic properties

IARC Monographs on the

Evaluation of Carcinogenic

No carcinogenic components identified.

Risks to Humans

US. National Toxicology

Program (NTP) Report on

: No carcinogenic components identified.

Carcinogens

US. OSHA Specifically

Regulated Substances (29

CFR 1910.1001-1050 Germ cell mutagenicity : No carcinogenic components identified.

In vitro Product No data available.

Reproductive toxicity

Product

No components toxic to reproduction.

Specific target organ

toxicity - single exposure

: May cause respiratory irritation. - Respiratory system

Product

Specific target organ

toxicity - repeated

No data available.

exposure Product

Aspiration hazard Product

: No data available.

Other effects No data available.

12. ECOLOGICAL INFORMATION:

Ecotoxicity

Acute hazards to the aquatic environment

Fish Product : LC50 - Oncorhynchus mykiss (rainbow trout) - 1,4 mg/l - 96 h

Aquatic invertebrates

: EC50 - Daphnia magna (Water flea) - 0,57 mg/l - 48 h Product

: ErC50 - Pseudokirchneriella subcapitata (algae) - 1,69 mg/l - 72 h Toxicity to algae



Pg. 7 of 8

MATERIAL SAFETY DATA SHEET

Version:01

PRODUCT NAME: IODOMETHANE (METHYL IODIDE) CAS Number: 74-88-4

Chronic hazards to the aquatic environment

Fish Product : No data available.

Aquatic invertebrates

Product

No data available.

Toxicity to Aquatic Plants

Product:

No data available.

Persistence and degradability

Biodegradation Product : Not biodegradable.

BOD/COD ratio Product : No data available.

Bioaccumulative potential

Bioconcentration factor

(BCF) Product

No data available on bioaccumulation.

Partition coefficient n-

octanol / water (log Kow)

Product

: No data available.

Mobility in soil

: No data available.

Other adverse effects

No data available.

13. DISPOSAL CONSIDERATION:

Disposal instructions : Discharge, treatment, or disposal may be subject to national, state, or local laws. Disposal

recommendations are based on uncontaminated material.

Contaminated packaging Since emptied containers retain product residue, follow label warnings even after container

is emptied.

14. TRANSPORT INFORMATION:

	UN No.	UN proper shipping name	Hazard Class(es)	Packaging group	Marine Pollutant
DOT	UN 2644	lodomethane (Methyl iodide)	6.1	I	No
IMDG	UN 2644	lodomethane (Methyl iodide)	6.1	I	No
IATA	UN 2644	Iodomethane (Methyl iodide)	6.1	-	No

15. REGULATORY INFORMATION:

This safety datasheet complies with the requirements of Regulation (EC) No. 1907/2006. Safety, health and environmental regulations/legislation specific for the substance or mixture No Data Available.



Pg. 8 of 8

MATERIAL SAFETY DATA SHEET

CAS Number: 74-88-4

Version:01

PRODUCT NAME: IODOMETHANE (METHYL IODIDE)

16. OTHER INFORMATION:

NFPA Hazard ID

: 2 0 Flammability

Health

Reactivity

Special hazard.

Hazard rating: 0 - Minimal; 1 - Slight; 2 - Moderate; 3 - Serious; 4 - Severe

Issue Date : 26/09/2023

Version : 01

Disclaimer: This Material Safety Data Sheet (MSDS) is for guidance and is based upon information and tests believed to be reliable. ADVENT CHEMBIO PRIVATE LIMITED makes no guarantee of the accuracy or completeness of the data and shall not be liable for any damages relating thereto. The data is offered solely for your consideration, investigation, and verification. The data should not be confused with local, state, federal or insurance mandates, regulations, or requirements and CONSTITUTE NO WARRANTY. Any use of this data and information must be determined by the technical instructor in accordance with applicable local, state or federal laws and regulations. The conditions or methods of handling, storage, use and disposal of the product(s) described are beyond the control of ADVENT CHEMBIO PRIVATE LIMITED and may be beyond our knowledge. FOR THIS AND OTHER REASONS, WE DO NOT ASSUME RESPONSIBILITY AND EXPRESSLY DISCLAIM LIABILITY FOR LOSS, DAMAGE OR EXPENSE ARISING OUT OF OR IN ANY WAY CONNECTED WITH THE HANDLING, STORAGE, USE OR DISPOSAL OF THIS PRODUCT(S).