

Pg. 1 of 8

MATERIAL SAFETY DATA SHEET

Version :01

PRODUCT NAME: POTASSIUM CHROMATE

CAS Number: 7789-00-6

1. IDENTIFICATION:		
Product Code	:	90501, 94221, 90210
Company Name	:	ADVENT CHEMBIO PRIVATE LIMITED
Address	:	W-279, MIDC, TTC INDUSTRIAL AREA, THANE-BELAPUR ROAD, RABALE, NAVI MUMBAI - 400 701.
E-mail	:	sales@adventchembio.com
WEBSITE	:	www.adventchembio.com
Company Phone Number	:	022-27690837

2. HAZARDS IDENTIFICATION:

Hazard classification		
Health hazards		
Skin irritation	:	Category 2
Eye irritation	:	Category 2
Skin sensitization	:	Category 1
Germ cell mutagenicity	:	Category 1 B
Carcinogenicity, Inhalation	:	Category 1 B
Specific target organ toxicity – single exposure, Oral	:	Category 3
Short-term (acute) aquatic hazard	:	Category 1
Long-term (chronic) aquatic hazard	:	Category 1
Labels elements	:	
Hazard symbol	:	
Signal word	:	Danger
Hazard statement	:	Causes skin irritation. Causes serious eye irritation. May cause an allergic skin reaction. May cause respiratory irritation. May cause genetic defects. May cause cancer by inhalation. Very toxic to aquatic life with long lasting effects.
Precautionary statement		



Pg. 2 of 8

MATERIAL SAFETY DATA SHEET

Version :01

PRODUCT NAME: POTASSIUM CHROMATE

CAS Number: 7789-00-6

: Obtain special instructions before use. Do not breathe dust/ fume/ gas/ mist/ vapors/ spray. Do not handle until all safety precautions have been read and understood.
Wear protective gloves/ protective clothing/ eye protection/ face protection.
Keep away from heat/ sparks/ open flames/ hot surfaces. No smoking.
Keep container tightly closed. Ground/ bond container and receiving equipment.
Use explosion-proof electrical/ventilating/lighting/equipment.
Use only non-sparking tools. Take precautionary measures against static discharge.
: IF exposed or concerned: Get medical advice/ attention.
IF ON SKIN (or hair): Take off immediately all contaminated clothing. Rinse skin with water/ shower.
IF IN EYES: Rinse cautiously with water for several minutes. Remove contact lenses, if present and easy to do. Continue rinsing.
IF INHALED: Remove person to fresh air and keep comfortable for breathing.
IF SWALLOWED: Immediately call a POISON CENTER or doctor/physician.
: Store in a dry & well-ventilated place. Keep container tightly closed. Containers which are opened must be carefully resealed and kept upright to prevent leakage.
: Dispose of contents/container to an appropriate treatment and disposal facility in accordance with applicable laws and regulations, and product characteristics at time of disposal.
: This substance/mixture contains no components considered to be either persistent, bioaccumulative and toxic (PBT), or very persistent and very bioaccumulative (vPvB) at levels of 0.1% or higher.

3. COMPOSITION/ INFORMATION ON INGRADIENTS:

Ingredient	CAS Number	Percent	Hazardous
Potassium Chromate	7789-00-6	NLT 99.0%	Yes

4. FIRST AID MEASURES:

General information	: Get medical advice/attention if you feel unwell. Show this safety data sheet to the doctor in attendance.
Ingestion	 Call a physician or poison control center immediately. Rinse mouth. Do NOT induce vomiting. If vomiting occurs, keep head low so that stomach content doesn't get into the lungs. Move to fresh air. Call a physician or poison control center immediately. If breathing stops,
Inhalation	 provide artificial respiration. If breathing is difficult, give oxygen. Get medical attention if symptoms persist.
Skin contact	Immediately flush with plenty of water for at least 15 minutes. If easy to do, remove contact lenses. Get medical attention.
Eye contact	Immediately flush with plenty of water for at least 15 minutes. If easy to do, remove contact lenses. Get medical attention.
Most important	
symptoms/effects, acute and delayed	: The most important known symptoms and effects are described in the labelling 2.
Indication of immediate medical attention and	: No data available.



Pg. 3 of 8

MATERIAL SAFETY DATA SHEET

Version :01

PRODUCT NAME: POTASSIUM CHROMATE

CAS Number: 7789-00-6

special treatment needed

5. FIRE FIGHTING MEASUR	RES:
General information	: No data available.
Suitable (and unsuitable) ex	tinguishing media
Suitable extinguishing media	Use extinguishing measures that are appropriate to local circumstances and the surrounding environment.
Unsuitable extinguishing media	: Avoid water in straight hose stream; will scatter and spread fire.
Specific hazards arising from the chemical	Vapors may cause a flash fire or ignite explosively. Vapors may travel considerable distance to a source of ignition and flash back. Prevent buildup of vapors or gases to explosive concentrations. Vapor from the solvent may accumulate in container headspace resulting in flammability hazard. Heat may cause the containers to explode.
Special protective equipment	nt and precautions for firefighters
Special firefighting procedures	Use water spray to keep fire-exposed containers cool. Water may be ineffective in fighting the fire. Fight fire from a protected location. Move containers from fire area if you can do so without risk.
Special protective equipment for fire-fighters	Firefighters must use standard protective equipment including flame retardant coat, helmet with face shield, gloves, rubber boots, and in enclosed spaces, SCBA.
6. ACCIDENTAL RELEASE N	IEASURES:
Personal precautions, protective equipment and emergency procedures	 ELIMINATE all ignition sources (no smoking, flares, sparks or flames in immediate area). Avoid breathing mists or vapors. Keep upwind. Ventilate closed spaces before entering them. Do not touch damaged containers or spilled material unless wearing appropriate protective clothing. Keep unauthorized personnel away.
Methods and material for containment and cleaning up	 Eliminate all ignition sources if safe to do so. Use only non-sparking tools. Take precautionary measures against static discharges. Stop leak if possible without any risk. Absorb spill with vermiculite or other inert material, then place in a container for chemical waste. Clean surface thoroughly to remove residual contamination. Dike far ahead of larger spill for later recovery and disposal.
Notification Procedures	Prevent entry into waterways, sewer, basements or confined areas. Inform authorities if large amounts are involved.

Environmental precautions

7. HANDLING AND STORAGE:

Precautions for safeDo not handle until all safety precautions have been read and understood. DO NOT handle,
store or open near an open flame, sources of heat or sources of ignition. Protect materialhandling:from direct sunlight. Take precautionary measures against static discharges. Ground/bond
containercontainerandreceivingequipment.Useexplosion-proof
electrical/ventilating/lighting/equipment. Use only non-sparking tools. Wear protective
gloves/protective clothing/eye

so. Avoid discharge into drains, water courses or onto the ground.

Do not contaminate water sources or sewer. Prevent further leakage or spillage if safe to do



Pg. 4 of 8

MATERIAL SAFETY DATA SHEET

Version :01

PRODUCT NAME: POTASSIUM CHROMATE

CAS Number: 7789-00-6

Conditions for safe storage, including any incompatibilities	 Protection / face protection. Avoid contact with eyes, skin, and clothing. Do not breather mist or vapor. Use only with adequate ventilation. Wash hands thoroughly after handling. Keep away from food, drink and animal feeding stuffs. Keep container tightly closed in a dry well-ventilated place.
8. EXPOSURE CONTROLS P	ERSONAL PROTECTION:
Control parameters	
Appropriate engineering	
controls	: No data available
Individual protection measu	res, such as personal protective equipment
General information Eye/face protection	 Good general ventilation (typically 10 air changes per hour) should be used. Ventilation rates should be matched to conditions. If applicable, use process enclosures, local exhaus ventilation, or other engineering controls to maintain airborne levels below recommended exposure limits. If exposure limits have not been established, maintain airborne levels to ar acceptable level. An eye wash and safety shower must be available in the immediate worl area. Use explosion-proof ventilation equipment. Wear safety glasses with side shields (or goggles).
Hand protection	Chemical resistant gloves.
-	
Other	Wear suitable protective clothing.
Respiratory protection	In case of inadequate ventilation use suitable respirator. Chemical
Hygiene measures	respirator with organic vapor cartridge. Always observe good personal hygiene measures, such as washing after handling the material and before eating, drinking, and/or smoking. Routinely wash work clothing and protective equipment to remove contaminants. Provide eyewash station and safety shower Avoid contact with eyes, skin, and clothing.
9. PHYSICAL AND CHEMICA	AL PROPERTIES:
Appearance	: Lemon yellow crystals or crystalline powder.
Odor	: Odorless
Solubility	39, 4 g/l at 30 °C Miscible in water. 637 g/l at 20 °C
Formula	: K ₂ CrO ₄
Molecular Weight	: 194.2 g/mol
Specific Gravity	: 2.73 g/cm3
рН	: 8.5 - 10.0 pH (5% aqueous solution)
% Volatiles by volume @ 21C (70F)	: No data available.
Boiling Point	: 1.000 °C



Pg. 5 of 8

MATERIAL SAFETY DATA SHEET

Version :01

PRODUCT NAME: POTASSIUM CHROMATE

CAS Number: 7789-00-6

Melting Point	:	968,3 °C
Flash Point	:	Not applicable
Vapor Density (Air=1)	:	No data available.
Vapor Pressure (mm Hg)	:	No data available.
Evaporation Rate (BuAc=1)	:	No data available.

10. STABILITY AND REACTIVITY:			
Reactivity	:	No data available.	
Chemical stability	:	Material is stable under ambient conditions	
Possibility of hazardous reactions	:	Violent reactions possible with: Reducing agents chlorates Risk of ignition or formation of inflammable gases or vapors with: organic combustible substances glycerol Exothermic reaction with: Sulfides phosphides Risk of explosion/exothermic reaction with: hydrazine and derivatives hydroxylamine oxidizable substances.	
Conditions to avoid	:	No data available.	
Incompatible materials	:	No data available.	
Hazardous decomposition products	:	In the event of fire: see section 5	

11. TOXICOLOGICAL INFORMATION:

Information on likely routes of exposure				
Ingestion	: Irritating. May cause nausea, stomach pain and vomiting.			
Inhalation	: May cause respiratory irritation Respiratory system.			
Skin contact	: Causes mild skin irritation.			
Eye contact	: Causes serious eye irritation.			
Information on toxicological effects				
Acute toxicity (list all possible routes of exposure)				
Oral Product	: No data available.			
Dermal Product	: No data available.			
Inhalation Product	No data available.			
Repeated dose toxicity Product	: No data available.			
Skin corrosion/irritation Product	: Irritating to skin.			
Serious eye damage/eye irritation Product	: Causes serious eye irritation.			



Pg. 6 of 8

MATERIAL SAFETY DATA SHEET

Version :01

PRODUCT NAME: POTASSIUM CHROMATE

CAS Number: 7789-00-6

Respiratory or skin sensitization Product	:	May cause an allergic skin reaction.
Carcinogenicity Product	:	May cause cancer by inhalation
IARC Monographs on the Evaluation of Carcinogenic Risks to Humans	:	No carcinogenic components identified.
US. National Toxicology Program (NTP) Report on Carcinogens	:	No carcinogenic components identified.
US. OSHA Specifically Regulated Substances (29 CFR 1910.1001-1050	:	No carcinogenic components identified.
Germ cell mutagenicity	:	May cause genetic defects.
In vitro Product	:	No data available.
Reproductive toxicity Product	:	No components toxic to reproduction.
Specific target organ toxicity - single exposure Product	:	May cause respiratory irritation Respiratory system
Specific target organ toxicity - repeated exposure Product	:	None known.
Aspiration hazard Product	:	No data available.
Other effects	:	No data available.

12. ECOLOGICAL INFORMATION:

Ecotoxicity

Acute hazards to the aquatic environment

Fish Product	: LC50 - Brachydanio rerio (zebrafish) - 58,5 mg/l.	
Aquatic invertebrates Product Chronic hazards to the aqua	: EC50 - Daphnia magna (Water flea) - 0,035 mg/l. c environment	
Fish Product	: No data available.	
Aquatic invertebrates Product	: No data available.	
Toxicity to Aquatic Plants Product:	: No data available.	
Persistence and degradabilit		
Biodegradation Product	: No data available.	



Pg. 7 of 8

MATERIAL SAFETY DATA SHEET

Version :01

PRODUCT NAME: POTASSIUM CHROMATE

CAS Number: 7789-00-6

15. REGULATORY INFORM	ATION:					
ΙΑΤΑ	UN 3077	Potassium Chromate	9	Ш	Yes	
IMDG	UN 3077	Potassium Chromate	9	Ш	Yes	
DOT	UN 3077	Potassium Chromate	9		Yes	
	UN No.	UN proper shipping name	Hazard Class(es)	Packaging group	Marine Pollutant	
14. TRANSPORT INFORMA	TION:					
Contaminated packaging	Since emptied containers retain product residue, follow label warnings even after containe is emptied.					
Disposal instructions	: Discharge, treatment, or disposal may be subject to national, state, or local laws. Disposa recommendations are based on uncontaminated material.					
13. DISPOSAL CONSIDERAT	: No data available.					
Other adverse effects						
Product Mobility in soil	: No data	No data available.				
Partition coefficient n- octanol / water (log Kow)	: No data	No data available.				
Bioconcentration factor (BCF) Product	: No data	available on bioaccumulation.				
Bioaccumulative potential						
BOD/COD ratio Product	: No data available.					

This safety datasheet complies with the requirements of Regulation (EC) No. 1907/2006. Safety, health and environmental regulations/legislation specific for the substance or mixture No Data Available.




Pg. 8 of 8

MATERIAL SAFETY DATA SHEET

Version :01

PRODUCT NAME: POTASSIUM CHROMATE

CAS Number: 7789-00-6



Disclaimer: This Material Safety Data Sheet (MSDS) is for guidance and is based upon information and tests believed to be reliable. ADVENT CHEMBIO PRIVATE LIMITED makes no guarantee of the accuracy or completeness of the data and shall not be liable for any damages relating thereto. The data is offered solely for your consideration, investigation, and verification. The data should not be confused with local, state, federal or insurance mandates, regulations, or requirements and CONSTITUTE NO WARRANTY. Any use of this data and information must be determined by the technical instructor in accordance with applicable local, state or federal laws and regulations. The conditions or methods of handling, storage, use and disposal of the product(s) described are beyond the control of ADVENT CHEMBIO PRIVATE LIMITED and may be beyond our knowledge. FOR THIS AND OTHER REASONS, WE DO NOT ASSUME RESPONSIBILITY AND EXPRESSLY DISCLAIM LIABILITY FOR LOSS, DAMAGE OR EXPENSE ARISING OUT OF OR IN ANY WAY CONNECTED WITH THE HANDLING, STORAGE, USE OR DISPOSAL OF THIS PRODUCT(S).