

Pg. 1 of 9

Version:01

MATERIAL SAFETY DATA SHEET

PRODUCT NAME: PROPAN-2-OL (ISO PROPYL ALCOHOL) CAS Number: 67-63-0

1. IDENTIFICATION:

Product Code 90044, 90096, 90226, 90520, 90706, 90733, 90786, 90897, 91635, 91893, 94047,

94101, 98112

Company Name : ADVENT CHEMBIO PRIVATE LIMITED

Address W-279, MIDC, TTC INDUSTRIAL AREA, THANE-BELAPUR ROAD, RABALE,

NAVI MUMBAI - 400 701.

E-mail : sales@adventchembio.com

WEBSITE : <u>www.adventchembio.com</u>

Company Phone Number : 022-27690837

2. HAZARDS IDENTIFICATION:

Hazard classification

Physical hazards

Flammable liquids : Category 2

Health hazards

Serious eye damage/eye

irritation

: Category 2

Specific target organ

toxicity - single exposure

Category 3

Labels elements :

Hazard symbol :



Signal word : Danger

Hazard statement Highly flammable liquid and vapor.

: Causes serious eye irritation.

May cause drowsiness or dizziness.

Precautionary statement

Prevention : Obtain special instructions before use.

Do not breathe dust/ fume/ gas/ mist/ vapors/ spray. Do not handle until all safety

precautions have been read and understood.

Wear protective gloves/ protective clothing/ eye protection/ face protection. Keep away from heat/ sparks/ open flames/ hot surfaces. No smoking.

Recept dway from field sparks, open fames, field surfaces. No smoking.

 $\label{thm:container} \textbf{Keep container tightly closed. Ground/bond container and receiving equipment.}$

Use explosion-proof electrical/ventilating/lighting/equipment.

Use only non-sparking tools. Take precautionary measures against static discharge.

Response : IF exposed or concerned: Get medical advice/ attention.

IF ON SKIN (or hair): Take off immediately all contaminated clothing. Rinse skin with



Pg. 2 of 9

Version:01

MATERIAL SAFETY DATA SHEET

PRODUCT NAME: PROPAN-2-OL (ISO PROPYL ALCOHOL) CAS Number: 67-63-0

water/ shower.

IF IN EYES: Rinse cautiously with water for several minutes. Remove contact lenses,

if present and easy to do. Continue rinsing.

IF INHALED: Remove person to fresh air and keep comfortable for breathing. IF SWALLOWED: Immediately call a POISON CENTER or doctor/physician.

Storage Store in a dry & well-ventilated place. Keep container tightly closed. Containers

which are opened must be carefully resealed and kept upright to prevent leakage.

Disposal : Dispose of contents/container to an appropriate treatment and disposal facility in accordance with applicable laws and regulations, and product characteristics at

time of disposal.

Other hazards which do not result in GHS classification

Static accumulating flammable liquid can become electrostatically charged even in bonded and grounded equipment. Sparks may ignite liquid and vapor. May cause

flash fire or explosion.

3. COMPOSITION/INFORMATION ON INGRADIENTS:

Ingredient	CAS Number	Percent	Hazardous
Isopropyl Alcohol	67-63-0	99 - 100%	Yes

4. FIRST AID MEASURES:

. Get medical advice/attention if you feel unwell. Show this safety data sheet to the General information

doctor in attendance.

Ingestion Call a physician or poison control center immediately. Rinse mouth. Do NOT induce

: vomiting. If vomiting occurs, keep head low so that stomach content doesn't get

into the lungs.

Move to fresh air. Call a physician or poison control center immediately. If

Toxic if inhaled. Toxic if swallowed. Toxic in contact with skin. Irritating to eyes,

Inhalation breathing stops, provide artificial respiration. If breathing is difficult, give oxygen.

Get medical attention if symptoms persist.

Immediately flush with plenty of water for at least 15 minutes. If easy to do, Skin contact

remove contact lenses. Get medical attention.

Immediately flush with plenty of water for at least 15 minutes. If easy to do, Eye contact

remove contact lenses. Get medical attention.

Most important symptoms/effects, acute and delayed

respiratory system and skin.

Indication of immediate medical attention and

special treatment

needed

: Symptoms may be delayed. Treat symptomatically.

5. FIRE FIGHTING MEASURES:

General information : Flammable liquid and vapor.

Suitable (and unsuitable) extinguishing media



MATERIAL SAFETY DATA SHEET

Version:01

Pg. 3 of 9

PRODUCT NAME: PROPAN-2-OL (ISO PROPYL ALCOHOL) CAS Number: 67-63-0

Suitable extinguishing

media

Water spray, foam, dry powder or carbon dioxide.

Unsuitable extinguishing

media

: Avoid water in straight hose stream; will scatter and spread fire.

Specific hazards arising from the chemical

Vapors may cause a flash fire or ignite explosively. Vapors may travel considerable distance to a source of ignition and flash back. Prevent buildup of vapors or gases to

explosive concentrations. Vapor from the solvent may accumulate in container headspace resulting in flammability hazard. Heat may cause the containers to explode.

Special protective equipment and precautions for firefighters

Special firefighting

procedures

Use water spray to keep fire-exposed containers cool. Water may be ineffective in : fighting the fire. Fight fire from a protected location. Move containers from fire

area if you can do so without risk.

Special protective equipment for fire-

fighters

Firefighters must use standard protective equipment including flame retardant coat, helmet with face shield, gloves, rubber boots, and in enclosed spaces, SCBA.

6. ACCIDENTAL RELEASE MEASURES:

Personal precautions, protective equipment and emergency procedures Methods and material for containment and cleaning up

ELIMINATE all ignition sources (no smoking, flares, sparks or flames in immediate area). Avoid breathing mists or vapors. Keep upwind. Ventilate closed spaces before entering them. Do not touch damaged containers or spilled material unless wearing appropriate protective clothing. Keep unauthorized personnel away.

Eliminate all ignition sources if safe to do so. Use only non-sparking tools. Take precautionary measures against static discharges. Stop leak if possible without any risk. Absorb spill with vermiculite or other inert material, then place in a container for chemical waste. Clean surface thoroughly to remove residual contamination.

Dike far ahead of larger spill for later recovery and disposal.

Notification Procedures

Prevent entry into waterways, sewer, basements or confined areas. Inform

authorities if large amounts are involved.

Environmental precautions

Do not contaminate water sources or sewer. Prevent further leakage or spillage if safe to do so. Avoid discharge into drains, water courses or onto the ground.

HANDLING AND STORAGE:

Precautions for safe handling

Do not handle until all safety precautions have been read and understood. DO NOT handle, store or open near an open flame, sources of heat or sources of ignition. Protect material from direct sunlight. Take precautionary measures against static discharges. Ground/bond container and receiving equipment. Use explosion-proof electrical/ventilating/lighting/equipment. Use only non-sparking tools. Wear protective gloves/protective clothing/eye

protection/ face protection. Avoid contact with eyes, skin, and clothing. Do not breathe mist or vapor. Use only with adequate ventilation. Wash hands thoroughly after handling.



MATERIAL SAFETY DATA SHEET

Pg. 4 of 9 Version :01

PRODUCT NAME: PROPAN-2-OL (ISO PROPYL ALCOHOL) CAS Number: 67-63-0

Conditions for safe storage, including any incompatibilities

Keep away from food, drink and animal feeding stuffs. Keep container tightly closed in a dry, well-ventilated place. Ground container and transfer equipment to eliminate static electric sparks. Comply with all national, state, and local codes pertaining to the storage, handling, dispensing, and disposal of flammable liquids.

8. EXPOSURE CONTROLS PERSONAL PROTECTION:

Control	parameters	
Control	parameters	

Occupational exposure

limits

Chemical identity Type Exposure Limit values Source

ISOPROPYL ALCOHOL TWA 200 ppm US. ACGIH Threshold Limit Values

(2011)

STEL 400 ppm US. ACGIH Threshold Limit Values

(2011)

REL 400 ppm 980 mg/m³ US. NIOSH: Pocket Guide to

Chemical Hazards (2010)

STEL 500 ppm 1,225 mg/m³ US. NIOSH: Pocket Guide to

Chemical Hazards (2010)

PEL 400 ppm 980 mg/m³ US. OSHA Table Z-1 Limits for Air

Contaminants (29 CFR 1910.1000)

 $(02\ 2006)$

TWA 400 ppm 980 mg/m³ US. OSHA Table Z-1-A (29 CFR

1910.1000)(1989)

STEL 500 ppm 1,225 mg/m³ US. OSHA Table Z-1-A (29 CFR

1910.1000) (1989)

Appropriate engineering

controls : No data available

Individual protection measures, such as personal protective equipment

Good general ventilation (typically 10 air changes per hour) should be used. Ventilation rates should be matched to conditions. If applicable, use process enclosures, local exhaust ventilation, or other engineering controls to maintain

General information : airborne levels below recommended exposure limits. If exposure limits have not

been established, maintain airborne levels to an acceptable level. An eye wash and safety shower must be available in the immediate work area. Use explosion-proof

ventilation equipment.

Eye/face protection . Wear safety glasses with side shields (or goggles).

Hand protection . Chemical resistant gloves.

Other . Wear suitable protective clothing.

Respiratory protection . In case of inadequate ventilation use suitable respirator. Chemical



Hygiene measures

ADVENT CHEMBIO PRIVATE LIMITED

MATERIAL SAFETY DATA SHEET

Version:01

Pg. 5 of 9

PRODUCT NAME: PROPAN-2-OL (ISO PROPYL ALCOHOL) CAS Number: 67-63-0

respirator with organic vapor cartridge.

Always observe good personal hygiene measures, such as washing after handling the material and before eating, drinking, and/or smoking. Routinely wash work

clothing and protective equipment to remove contaminants. Provide eyewash

station and safety shower. Avoid contact with eyes, skin, and clothing.

9. PHYSICAL AND CHEMICAL PROPERTIES:

Appearance : Clear, colorless liquid

Odor : Alcohol type

Solubility : Miscible in water.

Formula : C_3H_8O

Molecular Weight : 60.10 g/mol

Specific Gravity : 0.785 g/cm3 at 25°C

pH : No information found.

% Volatiles by volume @

21C (70F)

: 100

Boiling Point : 82°C

Melting Point : -89.5°C

Flash Point : 12 °C

Vapor Density (Air=1) : 2.1

Vapor Pressure (mm Hg) : 44 @ 25°C

Evaporation Rate

(BuAc=1) : 3.0

10. STABILITY AND REACTIVITY:

Reactivity : No dangerous reaction known under conditions of normal use.

Chemical stability : Material is stable under normal conditions..

Possibility of hazardous

reactions

: Hazardous polymerization does not occur.

Conditions to avoid : Heat, sparks, flames. Sunlight.

Incompatible materials

Strong oxidizing agents. Acetaldehyde. Acids. Chlorine. Ethylene Oxide

Hydrogen peroxide (H2O2) Sulfuric acid. Isocyanates. Aluminum.

Hazardous

decomposition products

: Thermal decomposition may release oxides of carbon.



MATERIAL SAFETY DATA SHEET

Version:01

Pg. 6 of 9

PRODUCT NAME: PROPAN-2-OL (ISO PROPYL ALCOHOL) CAS Number: 67-63-0

11. TOXICOLOGICAL INFORMATION:

Information on likely routes of exposure

Ingestion : Irritating. May cause nausea, stomach pain and vomiting.

Inhalation May cause irritation to the mucous membranes and upper respiratory tract. May

cause central nervous system effects

Skin contact Causes mild skin irritation

Eye contact Causes serious eye irritation.

Information on toxicological effects

Acute toxicity (list all possible routes of exposure)

Oral Product : LD 50 (Rat): 5,045 mg/kg

Dermal Product : LD 50 (Rabbit): 12,800 mg/kg

Inhalation Product No data available.

Repeated dose toxicity

Product

No data available.

Skin corrosion/irritation

Product

: Prolonged or repeated skin contact may cause drying, cracking, or irritation

Serious eye damage/eye

irritation Product

: Irritating to eyes.

Respiratory or skin

sensitization Product

Not a skin sensitizer.

Carcinogenicity Product

: This substance has no evidence of carcinogenic properties

IARC Monographs on the

Evaluation of

Carcinogenic Risks to

Humans

US. National Toxicology

Program (NTP) Report on : No carcinogenic components identified.

: No carcinogenic components identified.

: No carcinogenic components identified.

Carcinogens

US. OSHA Specifically

Regulated Substances

(29 CFR 1910.1001-1050

Germ cell mutagenicity

In vitro Product : No data available.

Reproductive toxicity

Product

No components toxic to reproduction.

Specific target organ

toxicity - single exposure

Not known.



Pg. 7 of 9

MATERIAL SAFETY DATA SHEET

Version:01

CAS Number: 67-63-0 PRODUCT NAME: PROPAN-2-OL (ISO PROPYL ALCOHOL)

Product

Specific target organ

toxicity - repeated

None known.

exposure Product

Aspiration hazard **Product**

May be harmful if swallowed and enters airways.

Other effects

: None known.

12. ECOLOGICAL INFORMATION:

Ecotoxicity

Acute hazards to the aquatic environment

Fish Product

Aquatic invertebrates

Product

: LC 50 (Water flea (Daphnia magna), 24 h): 10,000 mg/l.

: LC 50 (Western mosquitofish (Gambusia affinis), 96 h): > 1,400 mg/l.

Chronic hazards to the aquatic environment

Fish Product : No data available.

Aquatic invertebrates

Product

: No data available.

Toxicity to Aquatic

Plants Product:

No data available.

Persistence and degradability

Biodegradation Product

: Expected to be readily biodegradable.

BOD/COD ratio Product

No data available.

Bioaccumulative potential

Bioconcentration factor

(BCF) Product

: No data available on bioaccumulation.

Partition coefficient n-

octanol / water (log

: No data available.

Kow) Product

Specified substance(s)

ACETONITRILE Mobility in soil : Log Kow: 0.05

: The product is partly soluble in water. May spread in the aquatic environment.

Other adverse effects The product components are not classified as environmentally hazardous. However,

: this does not exclude the possibility that large or frequent spills can have a harmful

or damaging effect on the environment.



MATERIAL SAFETY DATA SHEET

Pg. 8 of 9 Version :01

PRODUCT NAME: PROPAN-2-OL (ISO PROPYL ALCOHOL) CAS Number: 67-63-0

13. DISPOSAL CONSIDERATION:

Disposal instructions

Discharge, treatment, or disposal may be subject to national, state, or local laws. Disposal recommendations are based on uncontaminated material.

Contaminated packaging

Since emptied containers retain product residue, follow label warnings even after

container is emptied.

14. TRANSPORT INFORMATION:


DOT	UN No. UN 1219	UN proper shipping name Isopropyl Alcohol	Hazard Class(es) 3	Packaging group II	Marine Pollutant No
IMDG	UN 1219	Isopropyl Alcohol	3	П	No
IATA	UN 1219	Isopropyl Alcohol	3	II	No

15. REGULATORY INFORMATION:

This safety datasheet complies with the requirements of Regulation (EC) No. 1907/2006. Safety, health and environmental regulations/legislation specific for the substance or mixture No Data Available.

16. OTHER INFORMATION:

NFPA Hazard ID



Hazard rating: 0 - Minimal; 1 - Slight; 2 - Moderate; 3 - Serious; 4 - Severe

Issue Date : 02/09/2023

Version : 01

Disclaimer: This Material Safety Data Sheet (MSDS) is for guidance and is based upon information and tests believed to be reliable. ADVENT CHEMBIO PRIVATE LIMITED makes no guarantee of the accuracy or completeness of the data and shall not be liable for any damages relating thereto. The data is offered solely for your consideration, investigation, and verification. The data should not be confused with local, state, federal or insurance mandates, regulations, or requirements and CONSTITUTE NO WARRANTY. Any use of this data and information must be determined by the technical instructor in accordance with applicable local, state or federal



MATERIAL SAFETY DATA SHEET

Pg. 9 of 9

Version:01

PRODUCT NAME: PROPAN-2-OL (ISO PROPYL ALCOHOL) CAS Number: 67-63-0

laws and regulations. The conditions or methods of handling, storage, use and disposal of the product(s) described are beyond the control of ADVENT CHEMBIO PRIVATE LIMITED and may be beyond our knowledge. FOR THIS AND OTHER REASONS, WE DO NOT ASSUME RESPONSIBILITY AND EXPRESSLY DISCLAIM LIABILITY FOR LOSS, DAMAGE OR EXPENSE ARISING OUT OF OR IN ANY WAY CONNECTED WITH THE HANDLING, STORAGE, USE OR DISPOSAL OF THIS PRODUCT(S).