

Pg. 1 of 7

# **MATERIAL SAFETY DATA SHEET**

Version Number:- 02

PRODUCT NAME: SELENIUM POWDER CAS Number: 7782-49-2

1. IDENTIFICATION:

Product Code : 93345

Company Name : ADVENT CHEMBIO PRIVATE LIMITED

W-279, MIDC, TTC INDUSTRIAL AREA, THANE-BELAPUR ROAD, RABALE,

Address : NAVI MUMBAI - 400 701, MAHARASHTRA, INDIA.

E-mail : sales@adventchembio.com

**WEBSITE** : <u>www.adventchembio.com</u>

**Company Phone Number** : +91 77770 84837

### 2. HAZARDS IDENTIFICATION:

Hazard classification

**Health hazards** 

Acute toxicity : Category 3

Acute toxicity : Category 3

Specific target organ

toxicity - repeated : Category 2

exposure, Oral

Hazard symbol

Signal word

Long-term (chronic) aquatic

hazard

Category 4

Labels elements :

**~** 

**Hazard statement** Toxic if swallowed or if inhaled.

: May cause damage to organs through prolonged or repeated exposure.

May cause long lasting harmful effects to aquatic life.

**Precautionary statement** 

**Prevention** : Obtain special instructions before use.

Danger

Do not breathe dust/ fume/ gas/ mist/ vapors/ spray. Do not handle until all safety

precautions have been read and understood.

Wear protective gloves/ protective clothing/ eye protection/ face protection. Keep away from heat/ sparks/ open flames/ hot surfaces. No smoking.

Keep container tightly closed. Ground/bond container and receiving equipment.

Response : IF ON SKIN (or hair): Take off immediately all contaminated clothing. Rinse skin with water/

shower.

IF IN EYES: Rinse cautiously with water for several minutes. Remove contact lenses, if

present and easy to do. Continue rinsing.

IF INHALED: Remove person to fresh air and keep comfortable for breathing.



Pg. 2 of 7

# **MATERIAL SAFETY DATA SHEET**

Version Number:- 02

**PRODUCT NAME: SELENIUM POWDER** 

IF SWALLOWED: Immediately call a poison center or doctor/physician.

, , ,

Storage : Store in a dry & well-ventilated place. Keep container tightly closed. Containers which are

opened must be carefully resealed and kept upright to prevent leakage.

Disposal : Dispose of contents/container to an appropriate treatment and disposal facility in

accordance with applicable laws and regulations, and product characteristics at time of

CAS Number: 7782-49-2

disposal.

Other hazards which do not result in GHS classification

This substance/mixture contains no components considered to be either persistent, bioaccumulative and toxic (PBT), or very persistent and very bioaccumulative (vPvB) at

levels of 0.1% or higher.

### 3. COMPOSITION/INFORMATION ON INGRADIENTS:

Ingredient	CAS Number	Percent	Hazardous
Selenium Powder	7782-49-2	NLT 99.5%	Yes

#### 4. FIRST AID MEASURES:

General information : Get medical advice/attention if you feel unwell. Show this safety data sheet to the doctor in

attendance.

**Ingestion** . Call a physician or poison control center immediately. Rinse mouth. Do not induce vomiting.

If vomiting occurs, keep head low so that stomach content doesn't get into the lungs.

Move to fresh air. Call a physician or poison control center immediately. If breathing stops,

**Inhalation** : provide artificial respiration. If breathing is difficult, give oxygen.

Get medical attention if symptoms persist.

**Skin contact** : Immediately flush with plenty of water for at least 15 minutes. Get medical attention.

Eye contact Immediately flush with plenty of water for at least 15 minutes. If easy to do, remove contact

lenses. Get medical attention.

Most important

symptoms/effects, acute

and delayed

Indication of immediate

medical attention and

special treatment needed

: The most important known symptoms and effects are described in the labelling.

: No data available.

#### 5. FIRE FIGHTING MEASURES:

General information .

### Suitable (and unsuitable) extinguishing media

Suitable extinguishing

media

Use extinguishing measures that are appropriate to local circumstances and the surrounding environment.

Unsuitable extinguishing

media

: For this substance/mixture no limitations of extinguishing agents are given.

Specific hazards arising from the chemical

Vapors may cause a flash fire or ignite explosively. Vapors may travel considerable distance to a source of ignition and flash back. Prevent buildup of vapors or gases to explosive concentrations. Vapor from the solvent may accumulate in container headspace resulting in



Pg. 3 of 7

# **MATERIAL SAFETY DATA SHEET**

Version Number:- 02

PRODUCT NAME: SELENIUM POWDER

CAS Number: 7782-49-2

flammability hazard. Heat may cause the containers to explode.

Special protective equipment and precautions for firefighters

Special firefighting

Special protective

Fight fire from a protected location. Move containers from fire area if you can do so without

procedures

Firefighters must use standard protective equipment including flame retardant coat, helmet

with face shield, gloves, rubber boots, and in enclosed spaces, SCBA.

#### **ACCIDENTAL RELEASE MEASURES:**

Personal precautions, protective equipment and emergency procedures

equipment for fire-fighters

ELIMINATE all ignition sources (no smoking, flares, sparks or flames in immediate area). Avoid breathing mists or vapors. Keep upwind. Ventilate closed spaces before entering them. Do not touch damaged containers or spilled material unless wearing appropriate

protective clothing. Keep unauthorized personnel away.

Methods and material for

Eliminate all ignition sources if safe to do so. Use only non-sparking tools. Take precautionary measures against static discharges. Stop leak if possible without any risk.

containment and cleaning up

Absorb spill with vermiculite or other inert material, then place in a container for chemical waste. Clean surface thoroughly to remove residual contamination. Dike far ahead of larger spill for later recovery and disposal.

**Notification Procedures** 

Prevent entry into waterways, sewer, basements or confined areas. Inform authorities if

large amounts are involved.

**Environmental precautions** 

Do not contaminate water sources or sewer. Prevent further leakage or spillage if safe to do

so. Avoid discharge into drains, water courses or onto the ground.

### **HANDLING AND STORAGE:**

Precautions for safe handling

Do not handle until all safety precautions have been read and understood. Do not handle, store or open near an open flame, sources of heat or sources of ignition. Protect material from direct sunlight. Take precautionary measures against static discharges. Ground/bond container receiving equipment. explosion-proof electrical/ventilating/lighting/equipment. Use only non-sparking tools. Wear protective gloves/protective clothing/eye protection/ face protection. Avoid contact with eyes, skin, and clothing. Do not breathe mist or vapor. Use only with adequate ventilation. Wash hands thoroughly after handling.

Conditions for safe storage,

including any incompatibilities Keep away from food, drink and animal feeding stuffs. Keep container tightly closed in a dry, well-ventilated place.

8. EXPOSURE CONTROLS PERSONAL PROTECTION:

Appropriate engineering

controls

: No data available.

Individual protection measures, such as personal protective equipment

**General information** 

rates should be matched to conditions. If applicable, use process enclosures, local exhaust ventilation, or other engineering controls to maintain airborne levels below recommended exposure limits. If exposure limits have not been established, maintain airborne levels to an

Good general ventilation (typically 10 air changes per hour) should be used. Ventilation



Pg. 4 of 7

# **MATERIAL SAFETY DATA SHEET**

Version Number:- 02

### PRODUCT NAME: SELENIUM POWDER

acceptable level. An eye wash and safety shower must be available in the immediate work

CAS Number: 7782-49-2

area. Use explosion-proof ventilation equipment.

**Eye/face protection** . Wear safety glasses with side shields (or goggles).

**Hand protection** . Chemical resistant gloves.

Other . Wear suitable protective clothing.

Respiratory protection In case of inadequate ventilation use suitable respirator. Chemical respirator with organic

vapor cartridge.

Always observe good personal hygiene measures, such as washing after handling the material and before eating, drinking, and/or smoking. Routinely wash work clothing and

protective equipment to remove contaminants. Provide eyewash station and safety shower.

Avoid contact with eyes, skin, and clothing.

### 9. PHYSICAL AND CHEMICAL PROPERTIES:

**Appearance** : Grey to black powder.

Odor : No data available

**Solubility** : Insoluble in water.

Formula : Se

Molecular Weight : 78.96 g/mol

**Density** : 4.81 g/cm3 at 25 °C

pH : No data available

% Volatiles by volume @

Hygiene measures

21C (70F)

: No data available

Boiling Point : 684.9 °C

Melting Point : 217 °C

Flash Point : Not applicable

Vapor Density (Air=1) : 4.8

Vapor Pressure (mm Hg) : > 0,001 hPa at 20 °C

Evaporation Rate (BuAc=1) : No data available

### **10. STABILITY AND REACTIVITY:**

**Reactivity**: No data available.

**Chemical stability** : Material is stable under ambient conditions.

Risk of explosion with: alkali amides Metals Oxygen amides cadmium Potassium sodium

**Possibility of hazardous** nitrogen oxides Tin nitrogen trichloride

reactions Risk of ignition or formation of inflammable gases or vapours with: carbides peroxi

compounds halogen-halogen compounds halogen oxides Fluorine lithium silicide barium



Pg. 5 of 7

# **MATERIAL SAFETY DATA SHEET**

Version Number:- 02

PRODUCT NAME: SELENIUM POWDER

peroxide Uranium.

Generates dangerous gases or fumes in contact with: hydrochloric acid sulfuric acid

Exothermic reaction with: powdered aluminium Beryllium bromates chromium (VI) oxide chlorates Nickel Oxidizing agents phosphorus platinum Nitric acid silver oxide Zinc Alkali

CAS Number: 7782-49-2

metals.

Conditions to avoid No data available.

Incompatible materials No data available.

**Hazardous decomposition** 

In the event of fire: see section 5 products

### 11. TOXICOLOGICAL INFORMATION:

Information on toxicological effects

Acute toxicity (list all possible routes of exposure)

**Oral Product** : Expert judgment - 100,1 mg/kg

**Dermal Product** No data available.

**Inhalation Product** No data available.

Repeated dose toxicity

**Product** 

No data available.

Skin corrosion/irritation

Product

No skin irritation

Serious eye damage/eye

irritation Product

: No eye irritation

Respiratory or skin sensitization Product

Not a skin sensitizer.

**Carcinogenicity Product** 

: This substance has no evidence of carcinogenic properties

IARC Monographs on the

**Evaluation of Carcinogenic Risks to Humans** 

: No carcinogenic components identified.

**US. National Toxicology** 

Program (NTP) Report on

: No carcinogenic components identified.

Carcinogens

**US. OSHA Specifically** 

Regulated Substances (29

CFR 1910.1001-1050

Germ cell mutagenicity

: No carcinogenic components identified.

No data available.

: Not known.

Reproductive toxicity

**Product** 

No components toxic to reproduction.

Specific target organ

toxicity - single exposure

Product



Pg. 6 of 7

# **MATERIAL SAFETY DATA SHEET**

Version Number:- 02

PRODUCT NAME: SELENIUM POWDER

Specific target organ

toxicity - repeated

: May cause damage to organs through prolonged or repeated exposure.

CAS Number: 7782-49-2

exposure Product

**Aspiration hazard Product** 

No data available.

Other effects None known.

### 12. ECOLOGICAL INFORMATION:

**Ecotoxicity** 

Acute hazards to the aquatic environment

Fish Product : Semi-static test LC50 - Oncorhynchus mykiss (rainbow trout) - > 100 mg/l - 96 h

**Aquatic invertebrates** 

**Product** 

Static test EC50 - Daphnia magna (Water flea) - > 100 mg/l - 48 h

Toxicity to algae Static test ErC50 - Pseudokirchneriella subcapitata (algae) - > 100 mg/l - 72 h

Toxicity to bacteria Static test EC50 - activated sludge - > 3.200 mg/l - 3 h

Chronic hazards to the aquatic environment

Fish Product No data available.

Aquatic invertebrates

**Product** 

Semi-static test NOEC - Daphnia magna (Water flea) - >= 100 mg/l - 21 d

**Toxicity to Aquatic Plants** 

Product:

: No data available.

Persistence and degradability

**Biodegradation Product** 

The methods for determining the biological degradability are not applicable to inorganic

substances.

**BOD/COD** ratio Product

: No data available.

Bioaccumulative potential

**Bioconcentration factor** 

(BCF) Product

No data available on bioaccumulation.

Partition coefficient n-

octanol / water (log Kow)

No data available.

Product

Mobility in soil

No data available.

Other adverse effects

Discharge into the environment must be avoided.

# 13. DISPOSAL CONSIDERATION:

**Disposal instructions** : Discharge, treatment, or disposal may be subject to national, state, or local laws. Disposal

recommendations are based on uncontaminated material.

Since emptied containers retain product residue, follow label warnings even after container Contaminated packaging



Pg. 7 of 7

# **MATERIAL SAFETY DATA SHEET**

Version Number:- 02

PRODUCT NAME: SELENIUM POWDER

CAS Number: 7782-49-2

is emptied.


14. TF	RA	١NS	PΟ	RT	INFC	RN	ΛA.	TION:
--------	----	-----	----	----	------	----	-----	-------

ADR/RID	UN No. UN 3288	UN proper shipping name Selenium powder	Hazard Class(es) 6.1	Packaging group III	Marine Pollutant No
IMDG	UN 3288	Selenium powder	6.1	III	No
IATA	UN 3288	Selenium powder	6.1	III	No

### **15. REGULATORY INFORMATION:**

This safety datasheet complies with the requirements of Regulation (EC) No. 1907/2006. Safety, health and environmental regulations/legislation specific for the substance or mixture No Data Available.

### 16. OTHER INFORMATION:



Hazard rating: 0 - Minimal; 1 - Slight; 2 - Moderate; 3 - Serious; 4 - Severe

Issue Date : 25/06/2025

Version Number : 02

Disclaimer: This Material Safety Data Sheet (MSDS) is for guidance and is based upon information and tests believed to be reliable. ADVENT CHEMBIO PRIVATE LIMITED makes no guarantee of the accuracy or completeness of the data and shall not be liable for any damages relating thereto. The data is offered solely for your consideration, investigation, and verification. The data should not be confused with local, state, federal or insurance mandates, regulations, or requirements and CONSTITUTE NO WARRANTY. Any use of this data and information must be determined by the technical instructor in accordance with applicable local, state or federal laws and regulations. The conditions or methods of handling, storage, use and disposal of the product(s) described are beyond the control of ADVENT CHEMBIO PRIVATE LIMITED and may be beyond our knowledge. FOR THIS AND OTHER REASONS, WE DO NOT ASSUME RESPONSIBILITY AND EXPRESSLY DISCLAIM LIABILITY FOR LOSS, DAMAGE OR EXPENSE ARISING OUT OF OR IN ANY WAY CONNECTED WITH THE HANDLING, STORAGE, USE OR DISPOSAL OF THIS PRODUCT(S).