

MATERIAL SAFETY DATA SHEET

CAS Number: 108-05-4

Pg. 1 of 8

Version:01

PRODUCT NAME: VINYL ACETATE

1. IDENTIFICATION:

Product Code : 90998, 98333

Company Name : ADVENT CHEMBIO PRIVATE LIMITED

Address W-279, MIDC, TTC INDUSTRIAL AREA, THANE-BELAPUR ROAD, RABALE,

NAVI MUMBAI - 400 701.

E-mail : sales@adventchembio.com

WEBSITE : <u>www.adventchembio.com</u>

Company Phone Number : 022-27690837

2. HAZARDS IDENTIFICATION:

Hazard classification

Physical hazards

Flammable liquids : Category 2

Health hazards

Acute toxicity, Inhalation : Category 4

Carcinogenicity : Category 2

Specific target organ

toxicity – Single exposure, : Category 3

Oral

Long-term (chronic) aquatic

hazard

Category 3

Labels elements :

Hazard symbol :

Signal word : Danger

Hazard statement Highly flammable liquid and vapor.

Harmful if inhaled.

: Harmful to aquatic life with long lasting effects.

Suspected of causing cancer. May cause respiratory irritation.

Precautionary statement

Prevention: Obtain special instructions before use.

Do not breathe dust/ fume/ gas/ mist/ vapors/ spray. Do not handle until all safety

precautions have been read and understood.

Wear protective gloves/ protective clothing/ eye protection/ face protection. Keep away from heat/ sparks/ open flames/ hot surfaces. No smoking.

Keep container tightly closed. Ground/bond container and receiving equipment.



MATERIAL SAFETY DATA SHEET

Pg. 2 of 8 Version :01

PRODUCT NAME: VINYL ACETATE CAS Number: 108-05-4

Use explosion-proof electrical/ventilating/lighting/equipment.

Use only non-sparking tools. Take precautionary measures against static discharge.

Response : IF exposed or concerned: Get medical advice/ attention.

IF ON SKIN (or hair): Take off immediately all contaminated clothing. Rinse skin with water/

shower.

IF IN EYES: Rinse cautiously with water for several minutes. Remove contact lenses, if

present and easy to do. Continue rinsing.

IF INHALED: Remove person to fresh air and keep comfortable for breathing.

Storage : Store in a dry & well-ventilated place. Keep container tightly closed. Containers which are

opened must be carefully resealed and kept upright to prevent leakage.

Disposal : Dispose of contents/container to an appropriate treatment and disposal facility in

accordance with applicable laws and regulations, and product characteristics at time of

disposal.

Other hazards which do not : result in GHS classification

This substance/mixture contains no components considered to be either persistent, bioaccumulative and toxic (PBT), or very persistent and very bioaccumulative (vPvB) at

levels of 0.1% or higher.

3. COMPOSITION/INFORMATION ON INGRADIENTS:

Ingredient	CAS Number	Percent	Hazardous
Vinyl Acetate	108-05-4	NLT 99.0%	Yes

4. FIRST AID MEASURES:

General information : Get medical advice/attention if you feel unwell. Show this safety data sheet to the doctor in

attendance.

Ingestion Call a physician or poison control center immediately. Rinse mouth. Do NOT induce

: vomiting. If vomiting occurs, keep head low so that stomach content doesn't get into the

lungs.

Move to fresh air. Call a physician or poison control center immediately. If breathing stops,

Inhalation : provide artificial respiration. If breathing is difficult, give oxygen.

Get medical attention if symptoms persist.

Skin contact Immediately flush with plenty of water for at least 15 minutes. If easy to do, remove contact

lenses. Get medical attention.

Eye contact Immediately flush with plenty of water for at least 15 minutes. If easy to do, remove contact

lenses. Get medical attention.

Most important symptoms/effects, acute

and delayed

Indication of immediate medical attention and special treatment needed

The most important known symptoms and effects are described in the labelling (see section

2.)

: No data available.



MATERIAL SAFETY DATA SHEET

Version:01

Pg. 3 of 8

PRODUCT NAME: VINYL ACETATE CAS Number: 108-05-4

FIRE FIGHTING MEASURES:

General information : Flammable liquid and vapor.

Suitable (and unsuitable) extinguishing media

Suitable extinguishing

media

Foam, dry powder or carbon dioxide.

Unsuitable extinguishing

media

For this substance/mixture no limitations of extinguishing agents are given.

Specific hazards arising from the chemical

Vapors may cause a flash fire or ignite explosively. Vapors may travel considerable distance to a source of ignition and flash back. Prevent buildup of vapors or gases to explosive concentrations. Vapor from the solvent may accumulate in container headspace resulting in

flammability hazard. Heat may cause the containers to explode.

Special protective equipment and precautions for firefighters

Special firefighting

procedures

: Move containers from fire area if you can do so without risk.

Special protective

Firefighters must use standard protective equipment including flame retardant coat, helmet

with face shield, gloves, rubber boots, and in enclosed spaces, SCBA.

ACCIDENTAL RELEASE MEASURES:

Personal precautions, protective equipment and emergency procedures

equipment for fire-fighters

ELIMINATE all ignition sources (no smoking, flares, sparks or flames in immediate area). Avoid breathing mists or vapors. Keep upwind. Ventilate closed spaces before entering them. Do not touch damaged containers or spilled material unless wearing appropriate protective clothing. Keep unauthorized personnel away.

Methods and material for containment and cleaning

up

Eliminate all ignition sources if safe to do so. Use only non-sparking tools. Take precautionary measures against static discharges. Stop leak if possible without any risk.

Absorb spill with vermiculite or other inert material, then place in a container for chemical waste. Clean surface thoroughly to remove residual contamination. Dike far ahead of larger

spill for later recovery and disposal.

Notification Procedures

Prevent entry into waterways, sewer, basements or confined areas. Inform authorities if large amounts are involved.

Environmental precautions

Do not contaminate water sources or sewer. Prevent further leakage or spillage if safe to do

so. Avoid discharge into drains, water courses or onto the ground.

HANDLING AND STORAGE:

Precautions for safe handling

Do not handle until all safety precautions have been read and understood. DO NOT handle, store or open near an open flame, sources of heat or sources of ignition. Protect material from direct sunlight. Take precautionary measures against static discharges. Ground/bond receiving explosion-proof container and equipment. Use electrical/ventilating/lighting/equipment. Use only non-sparking tools. Wear protective gloves/protective clothing/eye

Protection / face protection. Avoid contact with eyes, skin, and clothing. Do not breathe mist or vapor. Use only with adequate ventilation. Wash hands thoroughly after handling.

Conditions for safe storage,

including any

Keep away from food, drink and animal feeding stuffs. Keep container tightly closed in a dry, well-ventilated place. Ground container and transfer equipment to eliminate static electric



MATERIAL SAFETY DATA SHEET

Pg. 4 of 8 Version :01

PRODUCT NAME: VINYL ACETATE CAS Number: 108-05-4

dispensing, and disposal of flammable liquids.

8. EXPOSURE CONTROLS PERSONAL PROTECTION:

Control parameters

incompatibilities

Appropriate engineering

controls : No data available

Individual protection measures, such as personal protective equipment

Good general ventilation (typically 10 air changes per hour) should be used. Ventilation rates should be matched to conditions. If applicable, use process enclosures, local exhaust

sparks. Comply with all national, state, and local codes pertaining to the storage, handling,

General information ventilation, or other engineering controls to maintain airborne levels below recommended

exposure limits. If exposure limits have not been established, maintain airborne levels to an acceptable level. An eye wash and safety shower must be available in the immediate work

area. Use explosion-proof ventilation equipment.

Eye/face protection . Wear safety glasses with side shields (or goggles).

Hand protection . Chemical resistant gloves.

Other . Wear suitable protective clothing.

Respiratory protection In case of inadequate ventilation use suitable respirator. Chemical

Respirator with organic vapor cartridge.

Always observe good personal hygiene measures, such as washing after handling the material and before eating, drinking, and/or smoking. Routinely wash work clothing and

Hygiene measures protective equipment to remove contaminants. Provide eyewash station and safety shower.

Avoid contact with eyes, skin, and clothing.

9. PHYSICAL AND CHEMICAL PROPERTIES:

Appearance : Clear, colorless liquid

Odor : Fruity

Solubility : No data available.

Molecular Weight : 86.09 g/mol

Density : 0.932 - 0.935 g/ml

pH : No data available.

% Volatiles by volume @

21C (70F)

No data available.

Boiling Point : 72.0 - 73.0°C

Melting Point : -93,2 °C



Pg. 5 of 8

MATERIAL SAFETY DATA SHEET

Version:01

PRODUCT NAME: VINYL ACETATE

Flash Point : -8 °C

Vapor Density (Air=1) : No data available.

Vapor Pressure (mm Hg) : 113 hPa at 20 °C

Evaporation Rate (BuAc=1) : No data available.

10. STABILITY AND REACTIVITY:

Reactivity : Vapors may form explosive mixture with air

Chemical stability

Material is stable under ambient conditions.Contains the following stabilizer(s):

hydroquinone (0, 0018 %)

Exothermic reaction with: Aldehydes, aluminium oxide, strong alkalis, toluene,

CAS Number: 108-05-4

Possibility of hazardous Acetaldehyde, Strong acids, bases, Amines, Ammonia, Oxidizing agents, silica gel.

reactions Risk of explosion with: polymerisation initiators, hydrogen peroxide, Oxygen, peroxi

compounds, Ozone.

Conditions to avoid : Warming.

Incompatible materials : No data available.

Hazardous decomposition

products : In the event of fire: see section 5

11. TOXICOLOGICAL INFORMATION:

Information on likely routes of exposure

Ingestion : No data available.

Inhalation : No data available.

Skin contact : No data available.

Eye contact : No data available.

Information on toxicological effects

Acute toxicity (list all possible routes of exposure)

Oral Product : LD 50 Rat - 2.900 mg/kg

Dermal Product : LD 50 Rabbit - male - 7.440 mg/kg

Inhalation Product LC 50 Rat - 4 h - 11,4 mg/l - vapor

Repeated dose toxicity

Product

: No data available.

Skin corrosion/irritation

No data available.

Product

Serious eye damage/eye

irritation Product

: No data available.

Respiratory or skin sensitization Product

: Not a skin sensitizer.



Pg. 6 of 8

Version:01

MATERIAL SAFETY DATA SHEET

CAS Number: 108-05-4

PRODUCT NAME: VINYL ACETATE

Carcinogenicity Product Suspected of causing cancer.

IARC Monographs on the

Evaluation of Carcinogenic

Risks to Humans

US. National Toxicology

Program (NTP) Report on

Carcinogens

US. OSHA Specifically

Regulated Substances (29

CFR 1910.1001-1050 Germ cell mutagenicity No carcinogenic components identified.

: No carcinogenic components identified.

: No carcinogenic components identified.

In vitro Product No data available.

Reproductive toxicity

Product

No components toxic to reproduction.

: May cause respiratory irritation. - Respiratory system

Specific target organ

toxicity - single exposure

Product

Specific target organ

toxicity - repeated

No data available.

exposure Product

Aspiration hazard Product

No data available.

Other effects No data available.

12. ECOLOGICAL INFORMATION:

Ecotoxicity

Fish Product

Acute hazards to the aquatic environment

: NOEC - Pimephales promelas (fathead minnow) - 0,55 mg/l

Aquatic invertebrates

Product

: EC50 - Daphnia magna (Water flea) - 12,6 mg/l

: ErC50 - Pseudokirchneriella subcapitata - 12,7 mg/l Toxicity to algae

Chronic hazards to the aquatic environment

Fish Product No data available.

Aquatic invertebrates

No data available.

Product

Toxicity to Aquatic Plants

No data available.

Product:

Persistence and degradability

: Readily biodegradable.

BOD/COD ratio Product

Biodegradation Product

No data available.



Pg. 7 of 8

MATERIAL SAFETY DATA SHEET

CAS Number: 108-05-4

Version:01

PRODUCT NAME: VINYL ACETATE

Bioconcentration factor

Bioaccumulative potential

(BCF) Product

Mobility in soil

: No data available on bioaccumulation.

Partition coefficient n-

octanol / water (log Kow)

Product

: No data available.

No data available.

Other adverse effects

Discharge into the environment must be avoided.

13. DISPOSAL CONSIDERATION:

Disposal instructions: Discharge, treatment, or disposal may be subject to national, state, or local laws. Disposal

recommendations are based on uncontaminated material.

Contaminated packaging Since emptied containers retain product residue, follow label warnings even after container

is emptied.

14. TRANSPORT INFORMATION:

DOT	UN No. UN 1301	UN proper shipping name Vinyl Acetate	Hazard Class(es) 3	Packaging group II	Marine Pollutant No
IMDG	UN 1301	Vinyl Acetate	3	II	No
IATA	UN 1301	Vinyl Acetate	3	II	No

15. REGULATORY INFORMATION:

This safety datasheet complies with the requirements of Regulation (EC) No. 1907/2006. Safety, health and environmental regulations/legislation specific for the substance or mixture No Data Available.



16. OTHER INFORMATION:

ADVENT CHEMBIO PRIVATE LIMITED

Pg. 8 of 8

MATERIAL SAFETY DATA SHEET

Special hazard.

CAS Number: 108-05-4

Version:01

PRODUCT NAME: VINYL ACETATE

NFPA Hazard ID

: 2 0 Flammability Health Reactivity

Hazard rating: 0 - Minimal; 1 - Slight; 2 - Moderate; 3 - Serious; 4 - Severe

Issue Date : 26/07/2023

Version : 01

Disclaimer: This Material Safety Data Sheet (MSDS) is for guidance and is based upon information and tests believed to be reliable. ADVENT CHEMBIO PRIVATE LIMITED makes no guarantee of the accuracy or completeness of the data and shall not be liable for any damages relating thereto. The data is offered solely for your consideration, investigation, and verification. The data should not be confused with local, state, federal or insurance mandates, regulations, or requirements and CONSTITUTE NO WARRANTY. Any use of this data and information must be determined by the technical instructor in accordance with applicable local, state or federal laws and regulations. The conditions or methods of handling, storage, use and disposal of the product(s) described are beyond the control of ADVENT CHEMBIO PRIVATE LIMITED and may be beyond our knowledge. FOR THIS AND OTHER REASONS, WE DO NOT ASSUME RESPONSIBILITY AND EXPRESSLY DISCLAIM LIABILITY FOR LOSS, DAMAGE OR EXPENSE ARISING OUT OF OR IN ANY WAY CONNECTED WITH THE HANDLING, STORAGE, USE OR DISPOSAL OF THIS PRODUCT(S).