

Pg. 1 of 7

MATERIAL SAFETY DATA SHEET

Version :01

PRODUCT NAME: ETHYL ACETOACETATE

CAS Number: 141-97-9

| 1. IDENTIFICATION: | | |
|----------------------|--|------------|
| Product Code | 1946, 98242 | |
| Company Name | DVENT CHEMBIO PRIVATE LIMITED | |
| Address | /-279, MIDC, TTC INDUSTRIAL AREA, THANE-BELAPUR ROA AVI MUMBAI - 400 701. | D, RABALE, |
| E-mail | ales@adventchembio.com | |
| WEBSITE | ww.adventchembio.com | |
| Company Phone Number | 22-27690837 | |

2. HAZARDS IDENTIFICATION:

| Hazard classification | | |
|--|---|-----|
| Physical hazards | Not a hazardous substance or mixture | |
| Health hazards | Not a hazardous substance or mixture | |
| Labels elements | Not a hazardous substance or mixture | |
| Hazard symbol | Not a hazardous substance or mixture | |
| Signal word | Not a hazardous substance or mixture | |
| Hazard statement | Not a hazardous substance or mixture | |
| Precautionary statement | | |
| Prevention | Obtain special instructions before use. Wear protective gloves/ protective clothing/ eye protection/ face protection. Keep away from heat/ sparks/ open flames/ hot surfaces. No smoking. Keep container tightly closed. Ground/ bond container and receiving equipment. | |
| Response | IF exposed or concerned: Get medical advice/ attention. IF ON SKIN (or hair): Rinse skin with water/ shower. IF IN EYES:. Remove contact lenses, if present and easy to do. Continue rinsing. | |
| Storage | Store in a dry & well-ventilated place. Keep container tightly closed. Containers which a opened must be carefully resealed and kept upright to prevent leakage. | are |
| Disposal | Dispose of contents/container to an appropriate treatment and disposal facility accordance with applicable laws and regulations, and product characteristics at time disposal. | |
| Other hazards which do not result in GHS classification | This substance/mixture contains no components considered to be either persister bioaccumulative and toxic (PBT), or very persistent and very bioaccumulative (vPvB) levels of 0.1% or higher. | |

| 3. COMPOSITION/ INFORMATION ON INGRADIENTS: | | | | | | |
|---|------------|-----------|-----------|--|--|--|
| Ingredient | CAS Number | Percent | Hazardous | | | |
| Ethyl Acetoacetate | 141-97-9 | NLT 98.0% | No | | | |



4. FIRST AID MEASURES:

ADVENT CHEMBIO PRIVATE LIMITED

Pg. 2 of 7

MATERIAL SAFETY DATA SHEET

Version :01

PRODUCT NAME: ETHYL ACETOACETATE

CAS Number: 141-97-9

| General information | : Get medical advice/attention if you feel unwell. Show this safety data sheet to the doctor in attendance. |
|--|--|
| Ingestion | Rinse mouth. Do NOT induce vomiting. If vomiting occurs, keep head low so that stomach content doesn't get into the lungs. |
| Inhalation | Move to fresh air If breathing stops, provide artificial respiration. If breathing is difficult,give oxygen.Get medical attention if symptoms persist. |
| Skin contact | : Flush with plenty of water for at least 15 minutes. If easy to do, remove contact lenses. |
| Eye contact | : Flush with plenty of water for at least 15 minutes. If easy to do, remove contact lenses. |
| Most important symptoms/effects, acute and delayed | : Not a hazardous substance or mixture |
| Indication of immediate medical attention and special treatment needed | : Not a hazardous substance or mixture |

5. FIRE FIGHTING MEASURES:

| General information | : No data available. |
|--|--|
| Suitable (and unsuitable) ext | inguishing media |
| Suitable extinguishing media | : Water spray, foam, dry powder or carbon dioxide. |
| Unsuitable extinguishing media | : Avoid water in straight hose stream; will scatter and spread fire. |
| Specific hazards arising from the chemical | Vapors may cause a flash fire or ignite explosively. Vapors may travel considerable distance to a source of ignition and flash back. Prevent buildup of vapors or gases to explosive concentrations. Vapor from the solvent may accumulate in container headspace resulting in flammability hazard. Heat may cause the containers to explode. |
| Special protective equipmen | t and precautions for firefighters |
| Special firefighting procedures | Use water spray to keep fire-exposed containers cool. Water may be ineffective in fighting the fire. Fight fire from a protected location. Move containers from fire area if you can do so without risk. |
| Special protective equipment for fire-fighters | Firefighters must use standard protective equipment including flame retardant coat, helmet with face shield, gloves, rubber boots, and in enclosed spaces, SCBA. |
| 6. ACCIDENTAL RELEASE M | EASURES: |

Personal precautions,
protective equipment and
emergency proceduresELIMINATE all ignition sources (no smoking, flares, sparks or flames in immediate area).Methods and material for
containment and cleaningEliminate all ignition sources if safe to do so. Use only non-sparking tools. Take
precautionary measures against static discharges. Stop leak if possible without any risk.



Pg. 3 of 7

MATERIAL SAFETY DATA SHEET

Version :01

PRODUCT NAME: ETHYL ACETOACETATE

CAS Number: 141-97-9

| up Notification Procedures Environmental precautions | Absorb spill with vermiculite or other inert material, then place in a container for chemical waste. Clean surface thoroughly to remove residual contamination. Dike far ahead of larger spill for later recovery and disposal. Prevent entry into waterways, sewer, basements or confined areas. Inform authorities if large amounts are involved. Do not contaminate water sources or sewer. Prevent further leakage or spillage if safe to do so. Avoid discharge into drains, water courses or onto the ground. |
|--|--|
| 7. HANDLING AND STORAG | E: |
| Precautions for safe handling Conditions for safe storage, including any incompatibilities | Do not handle until all safety precautions have been read and understood. DO NOT handle, store or open near an open flame, sources of heat or sources of ignition. Protect material from direct sunlight. Take precautionary measures against static discharges. Ground/bond container and receiving equipment. Use explosion-proof electrical/ventilating/lighting/equipment. Use only non-sparking tools. Wear protective gloves/protective clothing/eye Protection / face protection. Avoid contact with eyes, skin, and clothing. Do not breathe mist or vapor. Use only with adequate ventilation. Wash hands thoroughly after handling. Keep away from food, drink and animal feeding stuffs. Keep container tightly closed in a dry, well-ventilated place. Ground container and transfer equipment to eliminate static electric sparks. Comply with all national, state, and local codes pertaining to the storage, handling, dispensing, and disposal of flammable liquids. |

| Control parameters | |
|----------------------------|--|
| Appropriate engineering | : No data available |
| controls | |
| Individual protection meas | ures, such as personal protective equipment |
| General information | Good general ventilation (typically 10 air changes per hour) should be used. Ventilation rates should be matched to conditions. If applicable, use process enclosures, local exhaust ventilation, or other engineering controls to maintain airborne levels below recommended exposure limits. If exposure limits have not been established, maintain airborne levels to an acceptable level. An eye wash and safety shower must be available in the immediate work area. Use explosion-proof ventilation equipment. |
| Eye/face protection | . Wear safety glasses with side shields (or goggles). |
| Hand protection | Chemical resistant gloves. |
| Other | . Wear suitable protective clothing. |
| Respiratory protection | In case of inadequate ventilation use suitable respirator. Chemical respirator with organic vapor cartridge. Always observe good personal hygiene measures, such as washing after handling the |
| Hygiene measures | material and before eating, drinking, and/or smoking. Routinely wash work clothing and protective equipment to remove contaminants. Provide eyewash station and safety shower Avoid contact with eyes, skin, and clothing. |



Pg. 4 of 7

MATERIAL SAFETY DATA SHEET

Version :01

PRODUCT NAME: ETHYL ACETOACETATE

CAS Number: 141-97-9

| 9. PHYSICAL AND CHEMICA | AL PE | ROPERTIES: |
|--------------------------------------|-------|--|
| Appearance | : | Clear, colorless liquid |
| Odor | : | Characteristic, ester-like |
| Solubility | : | Miscible in water. |
| Formula | : | С6Н10О3 |
| Molecular Weight | : | 130.14 g/mol |
| Specific Gravity | : | 1.022 - 1.027 g/cm3 at 20°C |
| рН | : | 4,0 at 110 g/l at 20 °C |
| % Volatiles by volume @ 21C (70F) | : | No data available. |
| Boiling Point | : | 181°C |
| Melting Point | : | -43°C |
| Flash Point | : | 73,5 °C |
| Vapor Density (Air=1) | : | 4.49 |
| Vapor Pressure (mm Hg) | : | 0,26 hPa at 20 °C - |
| Evaporation Rate (BuAc=1) | : | No data available. |
| | | |
| 10. STABILITY AND REACTIV | ITY: | |
| Reactivity | : | Forms explosive mixtures with air on intense heating. A range from approx. 15 Kelvin below the flash point is to be rated as critical. |

| Chemical stability | : | Material is stable under ambient conditions |
|---------------------------------------|---|--|
| Possibility of hazardous reactions | : | Violent reactions possible with: Strong oxidizing agents Strong acids Strong bases |
| Conditions to avoid | : | Heat, sparks, flames. Sunlight. |
| Incompatible materials | : | No data available. |
| Hazardous decomposition products | : | In the event of fire: see section 5 |

11. TOXICOLOGICAL INFORMATION:

| Information on likely routes of exposure | | | | |
|--|---|--------------------|--|--|
| Ingestion | : | No data available. | | |
| Inhalation | : | No data available. | | |
| Skin contact | : | No data available. | | |
| Eye contact | : | No data available. | | |



Pg. 5 of 7

MATERIAL SAFETY DATA SHEET

Version :01

PRODUCT NAME: ETHYL ACETOACETATE

Information on toxicological effects

CAS Number: 141-97-9

| Acute toxicity (list all possible routes of exposure) | | | | | |
|---|-----|--|--|--|--|
| Oral Product | : | LD 50 Rat - female - 10.800 mg/kg | | | |
| Dermal Product | : | LD 50 Rat - male and female - > 2.000 mg/kg | | | |
| Inhalation Product | : | LD 50 Rabbit - male and female - 4 h - > 49,2 mg/l - vapor | | | |
| Repeated dose toxicity Product | : | No data available. | | | |
| Skin corrosion/irritation Product | : | No data available. | | | |
| Serious eye damage/eye irritation Product | : | No data available. | | | |
| Respiratory or skin sensitization Product | : | Not a skin sensitizer. | | | |
| Carcinogenicity Product | : | This substance has no evidence of carcinogenic properties | | | |
| IARC Monographs on the Evaluation of Carcinogenic Risks to Humans | : | No carcinogenic components identified. | | | |
| US. National Toxicology Program (NTP) Report on Carcinogens | : | No carcinogenic components identified. | | | |
| US. OSHA Specifically Regulated Substances (29 CFR 1910.1001-1050 Germ cell mutagenicity | : | No carcinogenic components identified. | | | |
| In vitro Product | : | No data available. | | | |
| Reproductive toxicity Product | : | No components toxic to reproduction. | | | |
| Specific target organ toxicity - single exposure | : | Not known. | | | |
| Product Specific target organ toxicity - repeated exposure Product | : | None known. | | | |
| Aspiration hazard Product | : | No data available. | | | |
| Other effects | : | No data available. | | | |
| 12. ECOLOGICAL INFORMAT | ION | : | | | |

Ecotoxicity Acute hazards to the aquatic environment

Fish Product

: LC50 - Danio rerio (zebra fish) - > 100 mg/l



Pg. 6 of 7

MATERIAL SAFETY DATA SHEET

Version :01

PRODUCT NAME: ETHYL ACETOACETATE

CAS Number: 141-97-9

| Aquatic invertebrates Product | : | EC50 - Daphnia magna (Water flea) - > 100 mg/l | | | | | |
|--|--|--|----------------------------|---------------------|---------------------|---------------------|--|
| Chronic hazards to the aqua | tic en | vironment | | | | | |
| Fish Product | : | No data ava | No data available. | | | | |
| Aquatic invertebrates Product | : | No data ava | ilable. | | | | |
| Toxicity to Aquatic Plants Product: | : | No data ava | No data available. | | | | |
| Persistence and degradabili | ty | | | | | | |
| Biodegradation Product | : | 66 % - Read | ly biodegradable. | | | | |
| BOD/COD ratio Product | : | No data ava | ilable. | | | | |
| Bioaccumulative potential | | | | | | | |
| Bioconcentration factor (BCF) Product | : | No data ava | ilable on bioaccumulatior | ı. | | | |
| Partition coefficient n- octanol / water (log Kow) Broduct | : | No data available. | | | | | |
| Product Mobility in soil : No data available. | | | | | | | |
| Other adverse effects | • | | | assified as enviro | nmentally hazardous | However this | |
| other adverse enects | : | The product components are not classified as environmentally hazardous. However, this does not exclude the possibility that large or frequent spills can have a harmful or damaging effect on the environment. | | | | | |
| | | | | | | | |
| 13. DISPOSAL CONSIDERAT | | | | | | | |
| Disposal instructions | : | : Discharge, treatment, or disposal may be subject to national, state, or local laws. Disposal recommendations are based on uncontaminated material. | | | | | |
| Contaminated packaging | : | Since emptied containers retain product residue, follow label warnings even after container is emptied. | | | | | |
| 14. TRANSPORT INFORMAT | | | | | | | |
| 14. TRANSPORT INFORMAT | ION. | | | | | | |
| DOT | UN | l No. | UN proper shipping name | Hazard Class(es) | Packaging group | Marine Pollutant | |
| IMDG | Ethyl Acetoacetate Not dangerous goods Ethyl Acetoacetate Not dangerous goods | | | | | | |
| ΙΑΤΑ | | Ethyl Acetoacetate Not dangerous goods | | | | | |
| | | | | | | | |
| | | | | | | | |
| | | | | | | | |
| | | | | | | | |
| | | | | | | | |



Pg. 7 of 7

MATERIAL SAFETY DATA SHEET

Version :01

PRODUCT NAME: ETHYL ACETOACETATE


CAS Number: 141-97-9

15. REGULATORY INFORMATION:

This safety datasheet complies with the requirements of Regulation (EC) No. 1907/2006. Safety, health and environmental regulations/legislation specific for the substance or mixture No Data Available.

16. OTHER INFORMATION:

NFPA Hazard ID



| Issue Date | : | 13/04/2023 |
|------------|---|------------|
| Version | : | 01 |

Disclaimer: This Material Safety Data Sheet (MSDS) is for guidance and is based upon information and tests believed to be reliable. ADVENT CHEMBIO PRIVATE LIMITED makes no guarantee of the accuracy or completeness of the data and shall not be liable for any damages relating thereto. The data is offered solely for your consideration, investigation, and verification. The data should not be confused with local, state, federal or insurance mandates, regulations, or requirements and CONSTITUTE NO WARRANTY. Any use of this data and information must be determined by the technical instructor in accordance with applicable local, state or federal laws and regulations. The conditions or methods of handling, storage, use and disposal of the product(s) described are beyond the control of ADVENT CHEMBIO PRIVATE LIMITED and may be beyond our knowledge. FOR THIS AND OTHER REASONS, WE DO NOT ASSUME RESPONSIBILITY AND EXPRESSLY DISCLAIM LIABILITY FOR LOSS, DAMAGE OR EXPENSE ARISING OUT OF OR IN ANY WAY CONNECTED WITH THE HANDLING, STORAGE, USE OR DISPOSAL OF THIS PRODUCT(S).