

ADVENT CHEMBIO PRIVATE LIMITED

Pg. 1 of 8

MATERIAL SAFETY DATA SHEET

Version :02

PRODUCT NAME: 1,1,1,3,3,3-HEXAMETHYLDISILAZANE (HMDS) CAS Number: 999-97-3

1. IDENTIFICATION:		
Product Code	99021, 99041, 98382	
Company Name	ADVENT CHEMBIO PRIVATE LIMITED	
Address	W-279, MIDC, TTC INDUSTRIAL AREA, THANE-BELAPUR ROAD, RABALE, NAVI MUMBAI - 400 701, MAHARASHTRA, INDIA.	
E-mail	sales@adventchembio.com	
WEBSITE	www.adventchembio.com	
Company Phone Number	<u>+91 77770 84837</u>	

2. HAZARDS IDENTIFICATION:

Hazard classification Physical hazards Flammable liquids : Category 2 Health hazards Acute toxicity, Oral : Category 3 Acute toxicity, Inhalation : Category 3 Acute toxicity, Inhalation : Category 3 Acute toxicity, Inhalation : Category 3 Long-term (chronic) aquatic hazard : Category 3 Labels elements : Hazard symbol : Hazard statement Highly flammable liquid and vapor. Harmful to aquatic life with long lasting effects. Precautionary statement : Prevention : Obtain special instructions before use. Do not breathe dust/ fume/ gas/ mist/ vapors/ spray. Do not handle until all safety precautions have been read and understood. Wear protective gloves/ protective clothing/ eye protection. Keep away from heat/ sparks/ open flames/ hot surfaces. No smoking. Keep container tighty closed. Ground/ bond container and receiving equipment. Use only non-sparking tools. Take precautionary measures against static discharge.			
Fammable liquids:Category 2Health hazards::Acute toxicity, Oral::Category 4Acute toxicity, Dermal:::Acute toxicity, Inhalation:::Acute toxicity, Inhalation:::Indext toxicity, Inhalation:::Acute toxicity, Inhalation:::Indext toxicity, Inhalation:::Hazard::::Hazard symbol::::Indext to xicity::::Hazard symbol::::Precautionary statement::::Precautionary statement::::Prevention:::::Prevention:::::Wear protective gloves/ protective clothing/ eye protection/ face protection. Keep away from head y sparks/ open flames/ hos uffaces. No smoking. Keep container tightly closed. Ground/ bond container and receiving equipment. Use explosion proof electrical/ ventilating/lighting/ equipment. Use explosion proof electrical/ ventilating/lighting/ equipment.:	Hazard classification		
Health hazardsAcute toxicity, Oral:Acute toxicity, Dermal:Acute toxicity, Dermal:Category 3Acute toxicity, Inhalation:Category 4Long-term (chronic) aquatic:hazard:Labels elements:Hazard symbol:Hazard symbol:Hazard statement:Highly flammable liquid and vapor. Harmful if swallowed or if inhaled. Toxic in contact with skin. Harmful to aquatic life with long lasting effects.Precautionary statement:Prevention:So not breathe dust/ fume/ gas/ mist/ vapors/ spray. Do not handle until all safety precautions have been read and understood. Wear protective gloves/ protective clothing/ eye protection/ face protection. Keep container tightly closed. Ground/ bond container and receiving equipment. Use explosion-proof electrical/ventiling/ lighting/ equipment. Use explosion-proof electrical/ventiling/ lighting/ equipment. Use explosion-proof electrical/ventiling/ lighting/ equipment.	Physical hazards		
Acute toxicity, Oral:Category 4Acute toxicity, Dermal:Category 3Acute toxicity, Inhalation:Category 4Long-term (chronic) aquata ia:Category 3Azard:Category 3Labels elements:·Hazard symbol:·:DangerHazard statement:·Hazard statement:·:Highly flammable liquid and vapor. Harmful if swallowed or if inhaled. Toxic in contact with skin. Harmful if swallowed or if inhaled. Toxic in contact with skin. Harmful if swallowed or if inhaled. Toxic in contact with skin. Harmful is special instructions before use. Do not breathe dust/ fume/ gas/ mist/ vapors/ spray. Do not handle until all safety precautions have been read and understood. Wear protection/ face protection. Keep owar from heat/s spraks/ open flames/ hot surfaces. No smoking. Keep container tighty closed. Ground/ bond container and receiving equipment. Use explosion-prof electrical/ ventilating/ lighting/ equipment.	Flammable liquids	:	Category 2
Acute toxicity, Dermal:Category 3Acute toxicity, Inhalation:Category 4Long-term (chronic) aquatic hazard:Category 3Labels elements::Hazard symbol::Hazard symbol::Hazard symbol::Hazard statement::Hazard statement::Precautionary statement::Precoutionary statement::Prevention::Obtain special instructions before use. Do not breathe dust/ fume/ gas/ mist/ vapors/ spray. Do not handle until all safety precautions have been read and understood. Wear protective clothing/ eye protection/ face protection. Keep away from heat/ sparks/ open flames/ hot surfaces. No smoking. Keep container tightly closed. Ground/ bond container and receiving equipment. Use explosion-proof electrical/ ventilating/ lighting/ equipment.	Health hazards		
Acute toxicity, Inhalation:Category 4Long-term (chronic) aquatic hazard:Category 3Labels elements::Hazard symbol::Hazard symbol::Signal word:DangerHazard statementHighly flammable liquid and vapor. Harmful if swallowed or if inhaled. Toxic in contact with skin. Harmful to aquatic life with long lasting effects.Precautionary statement:Obtain special instructions before use. Do not breathe dust/ fume/ gas/ mist/ vapors/ spray. Do not handle until all safety precautions have been read and understood. Wear protective gloves/ protective clothing/ eye protection/ face protection. Keep away from head/ sparks/ open flames/ hot surfaces. No smoking. Keep container tightly closed. Ground/ bond container and receiving equipment. Use explosion-proof electrical/ ventilating/ lighting/ equipment.	Acute toxicity, Oral	:	Category 4
Long-term (chronic) aquatic hazard:Category 3Labels elements::Hazard symbol::Signal word:DangerHazard statementHighly flammable liquid and vapor. Harmful if swallowed or if inhaled. Toxic in contact with skin. Harmful to aquatic life with long lasting effects.Precautionary statement:Prevention:Obtain special instructions before use. Do not breathe dust/ fume/ gas/ mist/ vapors/ spray. Do not handle until all safety precautions have been read and understood. Wear protective clothing/ eye protection/ face protection. Keep away from heat/ sparks/ open flames/ hot surfaces. No smoking. Keep container tightly closed. Ground/ bond container and receiving equipment. Use explosion-proof electrical/ ventilating/ lighting/ equipment.	Acute toxicity, Dermal	:	Category 3
hazard:Category 3Labels elements:Hazard symbol:Signal word:DangerHazard statementHighly flammable liquid and vapor. Harmful if swallowed or if inhaled. Toxic in contact with skin. Harmful to aquatic life with long lasting effects.Precautionary statement:Prevention:Obtain special instructions before use. Do not breathe dust/ fume/ gas/ mist/ vapors/ spray. Do not handle until all safety precautions have been read and understood. Wear protective gloves/ protective clothing/ eye protection/ face protection. Keep away from heat/ sparks/ open flames/ hot surfaces. No smoking. Keep container tightly closed. Ground/ bond container and receiving equipment. Use explosion-proof electrical/ ventilating/ lighting/ equipment.	Acute toxicity, Inhalation	:	Category 4
Hazard symbol::Signal word:DangerHazard statementHighly flammable liquid and vapor. Harmful if swallowed or if inhaled. Toxic in contact with skin. Harmful to aquatic life with long lasting effects.Precautionary statement:Precoutionary statement:Prevention:Signal word:Use of the precaution have been read and understood. Wear protective gloves/ protective clothing/ eye protection/ face protection. Keep container tightly closed. Ground/ bond container and receiving equipment. Use explosion-proof electrical/ ventilating/ lighting/ equipment.		:	Category 3
Signal word: DangerHazard statementHighly flammable liquid and vapor. Harmful if swallowed or if inhaled. Toxic in contact with skin. Harmful to aquatic life with long lasting effects.Precautionary statement:Prevention: Obtain special instructions before use. Do not breathe dust/ fume/ gas/ mist/ vapors/ spray. Do not handle until all safety precautions have been read and understood. Wear protective gloves/ protective clothing/ eye protection/ face protection. Keep away from heat/ sparks/ open flames/ hot surfaces. No smoking. Keep container tightly closed. Ground/ bond container and receiving equipment. Use explosion-proof electrical/ ventilating/ lighting/ equipment.	Labels elements	:	
Hazard statementHighly flammable liquid and vapor. Harmful if swallowed or if inhaled. Toxic in contact with skin. Harmful to aquatic life with long lasting effects.Precautionary statementImage: Content of the system o	Hazard symbol	:	
Harmful if swallowed or if inhaled.Toxic in contact with skin. Harmful to aquatic life with long lasting effects.Precautionary statementPrevention: Obtain special instructions before use. Do not breathe dust/ fume/ gas/ mist/ vapors/ spray. Do not handle until all safety precautions have been read and understood. Wear protective gloves/ protective clothing/ eye protection/ face protection. Keep away from heat/ sparks/ open flames/ hot surfaces. No smoking. Keep container tightly closed. Ground/ bond container and receiving equipment. Use explosion-proof electrical/ ventilating/ lighting/ equipment.	Signal word	:	Danger
Prevention: Obtain special instructions before use. Do not breathe dust/ fume/ gas/ mist/ vapors/ spray. Do not handle until all safety precautions have been read and understood. Wear protective gloves/ protective clothing/ eye protection/ face protection. Keep away from heat/ sparks/ open flames/ hot surfaces. No smoking. Keep container tightly closed. Ground/ bond container and receiving equipment. Use explosion-proof electrical/ ventilating/ lighting/ equipment.	Hazard statement	:	Harmful if swallowed or if inhaled. Toxic in contact with skin.
Do not breathe dust/ fume/ gas/ mist/ vapors/ spray. Do not handle until all safety precautions have been read and understood. Wear protective gloves/ protective clothing/ eye protection/ face protection. Keep away from heat/ sparks/ open flames/ hot surfaces. No smoking. Keep container tightly closed. Ground/ bond container and receiving equipment. Use explosion-proof electrical/ ventilating/ lighting/ equipment.	Precautionary statement		
	Prevention	:	Do not breathe dust/ fume/ gas/ mist/ vapors/ spray. Do not handle until all safety precautions have been read and understood. Wear protective gloves/ protective clothing/ eye protection/ face protection. Keep away from heat/ sparks/ open flames/ hot surfaces. No smoking. Keep container tightly closed. Ground/ bond container and receiving equipment. Use explosion-proof electrical/ ventilating/ lighting/ equipment.



Pg. 2 of 8

MATERIAL SAFETY DATA SHEET

Version :02

PRODUCT NAME: 1,1,1,3,3,3-HEXAMETHYLDISILAZANE (HMDS) CAS Number: 999-97-3

Response		 IF exposed or concerned: Get medical advice/ attention. IF ON SKIN (or hair): Take off immediately all contaminated clothing. Rinse skin with water/ shower. IF IN EYES: Rinse cautiously with water for several minutes. Remove contact lenses, if present and easy to do. Continue rinsing.
		IF INHALED: Remove person to fresh air and keep comfortable for breathing. IF SWALLOWED: Immediately call a POISON CENTER or doctor/physician.
Storage	:	Store in a dry & well-ventilated place. Keep container tightly closed. Containers which are opened must be carefully resealed and kept upright to prevent leakage.
Disposal	:	Dispose of contents/container to an appropriate treatment and disposal facility in accordance with applicable laws and regulations, and product characteristics at time of disposal.
Other hazards which do not result in GHS classification	:	This substance/mixture contains no components considered to be either persistent, bioaccumulative and toxic (PBT), or very persistent and very bioaccumulative (vPvB) at levels of 0.1% or higher.

3. COMPOSITION/ INFORMATION ON INGRADIENTS:					
Ingredient	CAS Number	Percent	Hazardous		
1,1,1,3,3,3- HEXAMETHYLDISILAZANE (HMDS)	999-97-3	NLT 98.0%	Yes		

4. FIRST AID MEASURES:

General information	: Get medical advice/attention if you feel unwell. Show this safety data sheet to the doctor in attendance.
Ingestion	 Call a physician or poison control center immediately. Rinse mouth. Do NOT induce vomiting. If vomiting occurs, keep head low so that stomach content doesn't get into the lungs. Move to fresh air. Call a physician or poison control center immediately. If breathing stops,
Inhalation	 provide artificial respiration. If breathing is difficult, give oxygen. Get medical attention if symptoms persist.
Skin contact	Immediately flush with plenty of water for at least 15 minutes. If easy to do, remove contact lenses. Get medical attention.
Eye contact	Immediately flush with plenty of water for at least 15 minutes. If easy to do, remove contact lenses. Get medical attention.
Most important symptoms/effects, acute and delayed	: The most important known symptoms and effects are described in the labelling.
Indication of immediate medical attention and special treatment needed	: No data available.



up

ADVENT CHEMBIO PRIVATE LIMITED

Pg. 3 of 8

MATERIAL SAFETY DATA SHEET

Version :02

PRODUCT NAME: 1,1,1,3,3,3-HEXAMETHYLDISILAZANE (HMDS) CAS Number: 999-97-3

5. FIRE FIGHTING MEASUR	ES:	
General information	:	Flammable liquid and vapor.
Suitable (and unsuitable) ex	tingui	shing media
Suitable extinguishing media	:	Dry powder or carbon dioxide.
Unsuitable extinguishing media	:	Foam Water
Specific hazards arising from the chemical Special protective equipmen	:	Carbon oxides Nitrogen oxides (NOx) silicon oxides Flash back possible over considerable distance. Container explosion may occur under fire conditions. Combustible. Pay attention to flashback. Vapors are heavier than air and may spread along floors. Development of hazardous combustion gases or vapors possible in the event of fire. Forms explosive mixtures with air at ambient temperatures. precautions for firefighters
Special firefighting procedures	:	Move containers from fire area if you can do so without risk.
Special protective equipment for fire-fighters	•	Firefighters must use standard protective equipment including flame retardant coat, helmet with face shield, gloves, rubber boots, and in enclosed spaces, SCBA.
6. ACCIDENTAL RELEASE N	EASU	JRES:
Personal precautions, protective equipment and emergency procedures	:	ELIMINATE all ignition sources (no smoking, flares, sparks or flames in immediate area). Avoid breathing mists or vapors. Keep upwind. Ventilate closed spaces before entering them. Do not touch damaged containers or spilled material unless wearing appropriate protective clothing. Keep unauthorized personnel away.
Methods and material for containment and cleaning		Eliminate all ignition sources if safe to do so. Use only non-sparking tools. Take precautionary measures against static discharges. Stop leak if possible without any risk.

ontainment and cleaning		precautionary measures against static discharges. Stop leak it possible without any risk.
0	:	Absorb spill with vermiculite or other inert material, then place in a container for chemical
		waste. Clean surface thoroughly to remove residual contamination. Dike far ahead of larger
		spill for later recovery and disposal.
otification Procedures		Prevent entry into waterways, sewer, basements or confined areas. Inform authorities if

Notification ProceduresPrevent entry into waterways, sewer, basements or confined areas. Inform authorities if
large amounts are involved.Environmental precautionsDo not contaminate water sources or sewer. Prevent further leakage or spillage if safe to do

so. Avoid discharge into drains, water courses or onto the ground.

7. HANDLING AND STORAGE:						
Precautions for safe handling :	store or oper	near an op	pen flame, sourc	es of heat or sourc	es of ignition	od. DO NOT handle, on. Protect material arges. Ground/bond explosion-proof



Pg. 4 of 8

MATERIAL SAFETY DATA SHEET

Version :02

PRODUCT NAME: 1,1,1,3,3,3-HEXAMETHYLDISILAZANE (HMDS) CAS Number: 999-97-3

	electrical/ventilating/lighting/equipment. Use only non-sparking tools. Wear protective gloves/protective clothing/eye
	protection/ face protection. Avoid contact with eyes, skin, and clothing. Do not breathe mist or vapor. Use only with adequate ventilation. Wash hands thoroughly after handling.
Conditions for safe storage, including any incompatibilities	 Keep away from food, drink and animal feeding stuffs. Keep container tightly closed in a dry, well-ventilated place. Ground container and transfer equipment to eliminate static electric sparks. Comply with all national, state, and local codes pertaining to the storage, handling,
	dispensing, and disposal of flammable liquids.

8. EXPOSURE CONTROLS	PERSONAL PROTECTION:
Control parameters	
Appropriate engineering controls	: No data available
Individual protection meas	ures, such as personal protective equipment
General information Eye/face protection	 Good general ventilation (typically 10 air changes per hour) should be used. Ventilation rates should be matched to conditions. If applicable, use process enclosures, local exhaust ventilation, or other engineering controls to maintain airborne levels below recommended exposure limits. If exposure limits have not been established, maintain airborne levels to an acceptable level. An eye wash and safety shower must be available in the immediate work area. Use explosion-proof ventilation equipment. Wear safety glasses with side shields (or goggles).
Hand protection	Chemical resistant gloves.
Other	. Wear suitable protective clothing.
Respiratory protection Hygiene measures	 Recommended Filter type: Filter type K The entrepreneur has to ensure that maintenance, cleaning and testing of respiratory protective devices are carried out according to the instructions of the producer. These measures have to be properly documented. Always observe good personal hygiene measures, such as washing after handling the material and before eating, drinking, and/or smoking. Routinely wash work clothing and protective equipment to remove contaminants. Provide eyewash station and safety shower. Avoid contact with eyes, skin, and clothing.
9. PHYSICAL AND CHEMI	

Appearance	: Clear, colorless liquid	
Odor	: No data available.	
Solubility	: Insoluble in water.	
Formula	: C ₆ H ₁₉ NSi ₂	
Molecular Weight	: 161.39 g/mol	
Density	: 0.774 g/cm3 at 25°C	



Pg. 5 of 8

MATERIAL SAFETY DATA SHEET

Version :02

PRODUCT NAME: 1,1,1,3,3,3-HEXAMETHYLDISILAZANE (HMDS) CAS Number: 999-97-3

рН	:	> 7.0
% Volatiles by volume @ 21C (70F)	:	No data available.
Boiling Point	:	125°C
Melting Point	:	-76,2 °C at 1.013 hPa
Flash Point	:	11.4 °C
Vapor Density (Air=1)	:	No data available.
Vapor Pressure (mm Hg)	:	19 @ 20°C
Evaporation Rate (BuAc=1)	:	No data available.

10. STABILITY AND REACTIVITY:

Reactivity	:	Vapors may form explosive mixture with air.
Chemical stability	:	Material is stable under ambient conditions
Possibility of hazardous reactions	:	No data available.
Conditions to avoid	:	Ammonia is formed upon contact with water or humid air. Warming.
Incompatible materials	:	No data available
Hazardous decomposition products	:	In the event of fire: see section 5

11. TOXICOLOGICAL INFORMATION: Acute toxicity (list all possible routes of exposure)

Oral Product	:	LD 50 (Rat): 851 mg/kg
Dermal Product	:	LD 50 (Rabbit): 547 mg/kg
Inhalation Product	:	LC 50 (Rat): 10 mg/l
Repeated dose toxicity Product	:	No data available.
Skin corrosion/irritation Product	:	No skin irritation
Serious eye damage/eye irritation Product	:	No eye irritation
Respiratory or skin sensitization Product	:	No data available.
Carcinogenicity Product	:	No data available.
IARC Monographs on the Evaluation of Carcinogenic Risks to Humans	:	No data available.



Pg. 6 of 8

MATERIAL SAFETY DATA SHEET

Version :02

PRODUCT NAME: 1,1,1,3,3,3-HEXAMETHYLDISILAZANE (HMDS) CAS Number: 999-97-3

US. National Toxicology Program (NTP) Report on Carcinogens US. OSHA Specifically Regulated Substances (29 CFR 1910.1001-1050 Germ cell mutagenicity	:	No data available. No data available.
In vitro Product	:	No data available.
Reproductive toxicity Product	:	No data available.
Specific target organ toxicity - single exposure Product	:	No data available.
Specific target organ toxicity - repeated exposure Product	:	No data available.
Aspiration hazard Product	:	No data available.
Other effects	:	No data available.

12. ECOLOGICAL INFORMATION:

Ecotoxicity

Acute hazards to the aquation	: envi	ronment
Fish Product	:	Semi-static test LC50 - Danio rerio (zebra fish) - 88 mg/l - 96 h
Aquatic invertebrates Product	:	Static test EC50 - Daphnia magna (Water flea) - 80 mg/l - 48 h
Chronic hazards to the aqua	tic en	vironment
Fish Product	:	No data available.
Aquatic invertebrates Product	:	No data available.
Toxicity to Aquatic Plants Product:	:	No data available.
Persistence and degradabilit	ÿ	
Biodegradation Product	:	Not readily biodegradable.
BOD/COD ratio Product	:	No data available.
Bioaccumulative potential		
Bioconcentration factor (BCF) Product	:	No data available on bioaccumulation.
Partition coefficient n- octanol / water (log Kow)	:	No data available.



Pg. 7 of 8

MATERIAL SAFETY DATA SHEET

Version :02

PRODUCT NAME: 1,1,1,3,3,3-HEXAMETHYLDISILAZANE (HMDS) CAS Number: 999-97-3

Product								
Mobility in soil	: No data a	available.						
Other adverse effects	: No data a	No data available.						
13. DISPOSAL CONSIDER	ATION:							
Disposal instructions	recomme	recommendations are based on uncontaminated material.						
Contaminated packaging	Since em is emptie	ptied containers retain produced.	ct residue, follow l	abel warnings eve	n after contain			
14. TRANSPORT INFORM								
	UN No.	UN proper shipping	Hazard	Packaging	Marine			
		name	Class(es)	group	Pollutant			
		1,1,1,3,3,3-	3 (6.1, 8)	11	No			
DOT	UN 3286	HEXAMETHYLDISILAZANE (HMDS)	5 (0.1, 5)		NO			
DOT IMDG	UN 3286 UN 3286	HEXAMETHYLDISILAZANE	3 (6.1, 8)	II	No			

15. REGULATORY INFORMATION:

This safety datasheet complies with the requirements of Regulation (EC) No. 1907/2006. Safety, health and environmental regulations/legislation specific for the substance or mixture No Data Available.




Pg. 8 of 8

MATERIAL SAFETY DATA SHEET

Version :02

PRODUCT NAME: 1,1,1,3,3,3-HEXAMETHYLDISILAZANE (HMDS) CAS Number: 999-97-3



Disclaimer: This Material Safety Data Sheet (MSDS) is for guidance and is based upon information and tests believed to be reliable. ADVENT CHEMBIO PRIVATE LIMITED makes no guarantee of the accuracy or completeness of the data and shall not be liable for any damages relating thereto. The data is offered solely for your consideration, investigation, and verification. The data should not be confused with local, state, federal or insurance mandates, regulations, or requirements and CONSTITUTE NO WARRANTY. Any use of this data and information must be determined by the technical instructor in accordance with applicable local, state or federal laws and regulations. The conditions or methods of handling, storage, use and disposal of the product(s) described are beyond the control of ADVENT CHEMBIO PRIVATE LIMITED and may be beyond our knowledge. FOR THIS AND OTHER REASONS, WE DO NOT ASSUME RESPONSIBILITY AND EXPRESSLY DISCLAIM LIABILITY FOR LOSS, DAMAGE OR EXPENSE ARISING OUT OF OR IN ANY WAY CONNECTED WITH THE HANDLING, STORAGE, USE OR DISPOSAL OF THIS PRODUCT(S).