

Pg. 1 of 8

MATERIAL SAFETY DATA SHEET

Version :01

PRODUCT NAME: 1,1,1,3,3,3-HEXAMETHYLDISILAZANE (HMDS) CAS Number: 999-97-3

1. IDENTIFICATION:		
Product Code	: 99021, 99041, 98382	
Company Name	: ADVENT CHEMBIO PRIVATE LIMITED	
Address	W-279, MIDC, TTC INDUSTRIAL AREA, THANE-BELAPUR ROAD, RABALE, NAVI MUMBAI - 400 701.	
E-mail	: <u>sales@adventchembio.com</u>	
WEBSITE	: <u>www.adventchembio.com</u>	
Company Phone Number	: 022-27690837	

2. HAZARDS IDENTIFICATION:

Hazard classification		
Physical hazards		
Flammable liquids	:	Category 2
Health hazards		
Acute toxicity, Oral	:	Category 4
Acute toxicity, Dermal	:	Category 3
Acute toxicity, Inhalation	:	Category 4
Long-term (chronic) aquatic hazard	:	Category 3
Labels elements	:	
Hazard symbol	:	
Signal word	:	Danger
Hazard statement	:	Highly flammable liquid and vapor. Harmful if swallowed or if inhaled. Toxic in contact with skin. Harmful to aquatic life with long lasting effects.
Precautionary statement		
Prevention	:	Obtain special instructions before use. Do not breathe dust/ fume/ gas/ mist/ vapors/ spray. Do not handle until all safety precautions have been read and understood. Wear protective gloves/ protective clothing/ eye protection/ face protection. Keep away from heat/ sparks/ open flames/ hot surfaces. No smoking. Keep container tightly closed. Ground/ bond container and receiving equipment. Use explosion-proof electrical/ ventilating/ lighting/ equipment. Use only non-sparking tools. Take precautionary measures against static discharge.



Pg. 2 of 8

MATERIAL SAFETY DATA SHEET

Version :01

PRODUCT NAME: 1,1,1,3,3,3-HEXAMETHYLDISILAZANE (HMDS) CAS Number: 999-97-3

Response	:	IF exposed or concerned: Get medical advice/ attention. IF ON SKIN (or hair): Take off immediately all contaminated clothing. Rinse skin with water/
		shower.
		IF IN EYES: Rinse cautiously with water for several minutes. Remove contact lenses, if present and easy to do. Continue rinsing.
		IF INHALED: Remove person to fresh air and keep comfortable for breathing.
		IF SWALLOWED: Immediately call a POISON CENTER or doctor/physician.
Storage	:	Store in a dry & well-ventilated place. Keep container tightly closed. Containers which are opened must be carefully resealed and kept upright to prevent leakage.
Disposal	:	Dispose of contents/container to an appropriate treatment and disposal facility in accordance with applicable laws and regulations, and product characteristics at time of disposal.
Other hazards which do not result in GHS classification	:	This substance/mixture contains no components considered to be either persistent, bioaccumulative and toxic (PBT), or very persistent and very bioaccumulative (vPvB) at levels of 0.1% or higher.

3. COMPOSITION/ INFORMATION ON INGRADIENTS:			
Ingredient	CAS Number	Percent	Hazardous
1,1,1,3,3,3- HEXAMETHYLDISILAZANE (HMDS)	999-97-3	NLT 98.0%	Yes

4. FIRST AID MEASURES:

General information	: Get medical advice/attention if you feel unwell. Show this safety data sheet to the doctor in attendance.
Ingestion	 Call a physician or poison control center immediately. Rinse mouth. Do NOT induce vomiting. If vomiting occurs, keep head low so that stomach content doesn't get into the lungs. Move to fresh air. Call a physician or poison control center immediately. If breathing stops,
Inhalation	 provide artificial respiration. If breathing is difficult, give oxygen. Get medical attention if symptoms persist.
Skin contact	Immediately flush with plenty of water for at least 15 minutes. If easy to do, remove contact lenses. Get medical attention.
Eye contact	Immediately flush with plenty of water for at least 15 minutes. If easy to do, remove contact lenses. Get medical attention.
Most important symptoms/effects, acute and delayed	: The most important known symptoms and effects are described in the labelling.
Indication of immediate medical attention and special treatment needed	: No data available.



Pg. 3 of 8

MATERIAL SAFETY DATA SHEET

Version :01

PRODUCT NAME: 1,1,1,3,3,3-HEXAMETHYLDISILAZANE (HMDS) CAS Number: 999-97-3

5. FIRE FIGHTING MEASUR	сς.	
5. FIRE FIGHTING MEASUR	E3:	
General information	:	Flammable liquid and vapor.
Suitable (and unsuitable) ext	ing	uishing media
Suitable extinguishing media	:	Dry powder or carbon dioxide.
Unsuitable extinguishing media	:	Foam Water
Specific hazards arising from the chemical	:	Carbon oxides Nitrogen oxides (NOx) silicon oxides Flash back possible over considerable distance. Container explosion may occur under fire conditions. Combustible. Pay attention to flashback. Vapors are heavier than air and may spread along floors. Development of hazardous combustion gases or vapors possible in the event of fire. Forms explosive mixtures with air at ambient temperatures.
Special protective equipmen	t an	nd precautions for firefighters
Special firefighting procedures	:	Move containers from fire area if you can do so without risk.
Special protective equipment for fire-fighters	:	Firefighters must use standard protective equipment including flame retardant coat, helmet with face shield, gloves, rubber boots, and in enclosed spaces, SCBA.
6. ACCIDENTAL RELEASE M	EAS	SURES:
Personal precautions,		ELIMINATE all ignition sources (no smoking, flares, sparks or flames in immediate area).

Personal precautions, protective equipment and emergency procedures	 ELIMINATE all ignition sources (no smoking, flares, sparks or flames in immediate area). Avoid breathing mists or vapors. Keep upwind. Ventilate closed spaces before entering them. Do not touch damaged containers or spilled material unless wearing appropriate protective clothing. Keep unauthorized personnel away.
Methods and material for containment and cleaning up	 Eliminate all ignition sources if safe to do so. Use only non-sparking tools. Take precautionary measures against static discharges. Stop leak if possible without any risk. Absorb spill with vermiculite or other inert material, then place in a container for chemical waste. Clean surface thoroughly to remove residual contamination. Dike far ahead of larger spill for later recovery and disposal.
Notification Procedures	Prevent entry into waterways, sewer, basements or confined areas. Inform authorities if large amounts are involved.
Environmental precautions	Do not contaminate water sources or sewer. Prevent further leakage or spillage if safe to do so. Avoid discharge into drains, water courses or onto the ground.

7. HANDLING AND STORAGE: Precautions for safe handling Do not handle until all safety precautions have been read and understood. DO NOT handle, store or open near an open flame, sources of heat or sources of ignition. Protect material from direct sunlight. Take precautionary measures against static discharges. Ground/bond container and receiving equipment. Use explosion-proof



Pg. 4 of 8

Version :01

MATERIAL SAFETY DATA SHEET

PRODUCT NAME: 1,1,1,3,3,3-HEXAMETHYLDISILAZANE (HMDS) CAS Number: 999-97-3

	electrical/ventilating/lighting/equipment. Use only non-sparking tools. Wear protective gloves/protective clothing/eye protection/ face protection. Avoid contact with eyes, skin, and clothing. Do not breathe mist
Conditions for safe storage, including any incompatibilities	 or vapor. Use only with adequate ventilation. Wash hands thoroughly after handling. Keep away from food, drink and animal feeding stuffs. Keep container tightly closed in a dry, well-ventilated place. Ground container and transfer equipment to eliminate static electric sparks. Comply with all national, state, and local codes pertaining to the storage, handling, dispensing, and disposal of flammable liquids.

8. EXPOSURE CONTROLS	PERSONAL PROTECTION:
Control parameters	
Appropriate engineering controls	: No data available
Individual protection meas	ures, such as personal protective equipment
General information Eye/face protection	 Good general ventilation (typically 10 air changes per hour) should be used. Ventilation rates should be matched to conditions. If applicable, use process enclosures, local exhaust ventilation, or other engineering controls to maintain airborne levels below recommended exposure limits. If exposure limits have not been established, maintain airborne levels to an acceptable level. An eye wash and safety shower must be available in the immediate work area. Use explosion-proof ventilation equipment. Wear safety glasses with side shields (or goggles).
Hand protection	Chemical resistant gloves.
Other	Wear suitable protective clothing.
Respiratory protection Hygiene measures	Recommended Filter type: Filter type K The entrepreneur has to ensure that maintenance, cleaning and testing of respiratory protective devices are carried out according to the instructions of the producer. These measures have to be properly documented. Always observe good personal hygiene measures, such as washing after handling the material and before eating, drinking, and/or smoking. Routinely wash work clothing and protective equipment to remove contaminants. Provide eyewash station and safety shower. Avoid contact with eyes, skin, and clothing.

Appearance	: Clear, colorless liquid	
Odor	: No data available.	
Solubility	: Insoluble in water.	
Formula	: C ₆ H ₁₉ NSi ₂	
Molecular Weight	: 161.39 g/mol	
Density	: 0.774 g/cm3 at 25°C	



Pg. 5 of 8

MATERIAL SAFETY DATA SHEET

Version :01

PRODUCT NAME: 1,1,1,3,3,3-HEXAMETHYLDISILAZANE (HMDS) CAS Number: 999-97-3

рН	:	> 7.0
% Volatiles by volume @ 21C (70F)	:	No data available.
Boiling Point	:	125°C
Melting Point	:	-76,2 °C at 1.013 hPa
Flash Point	:	11.4 °C
Vapor Density (Air=1)	:	No data available.
Vapor Pressure (mm Hg)	:	19 @ 20°C
Evaporation Rate (BuAc=1)	:	No data available.

10. STABILITY AND REACTIVITY:

Reactivity	:	Vapors may form explosive mixture with air.
Chemical stability	:	Material is stable under ambient conditions
Possibility of hazardous reactions	:	No data available.
Conditions to avoid	:	Ammonia is formed upon contact with water or humid air. Warming.
Incompatible materials	:	No data available
Hazardous decomposition products	:	In the event of fire: see section 5

11. TOXICOLOGICAL INFORMATION: Acute toxicity (list all possible routes of exposure)

Oral Product	:	LD 50 (Rat): 851 mg/kg		
Dermal Product	:	LD 50 (Rabbit): 547 mg/kg		
Inhalation Product	:	LC 50 (Rat): 10 mg/l		
Repeated dose toxicity Product	:	No data available.		
Skin corrosion/irritation Product	:	No skin irritation		
Serious eye damage/eye irritation Product	:	No eye irritation		
Respiratory or skin sensitization Product	:	No data available.		
Carcinogenicity Product	:	No data available.		
IARC Monographs on the Evaluation of Carcinogenic Risks to Humans	:	No data available.		



Pg. 6 of 8

MATERIAL SAFETY DATA SHEET

Version :01

PRODUCT NAME: 1,1,1,3,3,3-HEXAMETHYLDISILAZANE (HMDS) CAS Number: 999-97-3

US. National Toxicology		
Program (NTP) Report on	:	No data available.
Carcinogens		
US. OSHA Specifically		
Regulated Substances (29	:	No data available.
CFR 1910.1001-1050		
Germ cell mutagenicity		
In state Due duet		
In vitro Product	:	No data available.
Reproductive toxicity		
Product	:	No data available.
Specific target organ		
toxicity - single exposure	:	No data available.
Product		
Specific target organ		
toxicity - repeated	:	No data available.
exposure Product		
Aspiration hazard Product		No data available.
	•	
Other effects	:	No data available.

12. ECOLOGICAL INFORMATION:

Ecotoxicity

Acute hazards to the aquatic environment						
:	Semi-static test LC50 - Danio rerio (zebra fish) - 88 mg/l - 96 h					
:	Static test EC50 - Daphnia magna (Water flea) - 80 mg/l - 48 h					
Chronic hazards to the aquatic environment						
:	No data available.					
:	No data available.					
:	No data available.					
Persistence and degradability						
:	Not readily biodegradable.					
:	No data available.					
:	No data available on bioaccumulation.					
:	No data available.					
	: ce : :					



Pg. 7 of 8

MATERIAL SAFETY DATA SHEET

Version :01

PRODUCT NAME: 1,1,1,3,3,3-HEXAMETHYLDISILAZANE (HMDS) CAS Number: 999-97-3

Product								
Mobility in soil	: No data a	No data available.						
Other adverse effects	: No data a	No data available.						
13. DISPOSAL CONSIDERA	TION:							
Disposal instructions	recomme	e, treatment, or disposal may b endations are based on unconta	minated materia	Ι.	-			
Contaminated packaging	•	Since emptied containers retain product residue, follow label warnings even after container is emptied.						
14. TRANSPORT INFORM								
	UN No.	UN proper shipping name	Hazard Class(es)	Packaging	Marine Pollutant			
DOT	UN 1992	1,1,1,3,3,3- HEXAMETHYLDISILAZANE (HMDS)	3 (6.1)	group II	No			
IMDG	UN 1992	1,1,1,3,3,3- HEXAMETHYLDISILAZANE (HMDS)	3 (6.1)	II	No			
					No			

15. REGULATORY INFORMATION:

This safety datasheet complies with the requirements of Regulation (EC) No. 1907/2006. Safety, health and environmental regulations/legislation specific for the substance or mixture No Data Available.




Pg. 8 of 8

MATERIAL SAFETY DATA SHEET

Version :01

PRODUCT NAME: 1,1,1,3,3,3-HEXAMETHYLDISILAZANE (HMDS) CAS Number: 999-97-3



Disclaimer: This Material Safety Data Sheet (MSDS) is for guidance and is based upon information and tests believed to be reliable. ADVENT CHEMBIO PRIVATE LIMITED makes no guarantee of the accuracy or completeness of the data and shall not be liable for any damages relating thereto. The data is offered solely for your consideration, investigation, and verification. The data should not be confused with local, state, federal or insurance mandates, regulations, or requirements and CONSTITUTE NO WARRANTY. Any use of this data and information must be determined by the technical instructor in accordance with applicable local, state or federal laws and regulations. The conditions or methods of handling, storage, use and disposal of the product(s) described are beyond the control of ADVENT CHEMBIO PRIVATE LIMITED and may be beyond our knowledge. FOR THIS AND OTHER REASONS, WE DO NOT ASSUME RESPONSIBILITY AND EXPRESSLY DISCLAIM LIABILITY FOR LOSS, DAMAGE OR EXPENSE ARISING OUT OF OR IN ANY WAY CONNECTED WITH THE HANDLING, STORAGE, USE OR DISPOSAL OF THIS PRODUCT(S).