

## **MATERIAL SAFETY DATA SHEET**

Pg. 1 of 8 Version:01

PRODUCT NAME: SODIUM METHOXIDE CAS Number: 124-41-4

1. IDENTIFICATION:

**Product Code** : 93216

**Company Name** : ADVENT CHEMBIO PRIVATE LIMITED

W-279, MIDC, TTC INDUSTRIAL AREA, THANE-BELAPUR ROAD, RABALE,

Address NAVI MUMBAI - 400 701.

sales@adventchembio.com E-mail

WEBSITE www.adventchembio.com

**Company Phone Number** : 022-27690837

#### 2. HAZARDS IDENTIFICATION:

Hazard classification

Physical hazards

Flammable solids : Category 1

**Corrosive to Metals** Category 1

Self-heating substances

Category 1 and mixtures

**Health hazards** 

Hazard symbol

Signal word

Acute toxicity, Oral : Category 4

Skin corrosion Sub Category 1A

**Labels elements** 

**Hazard statement** Flammable solid.

> Self-heating; may catch fire. May be corrosive to metals.

Harmful if swallowed.

Causes severe skin burns and eye damage.

**Precautionary statement** 

Prevention : Obtain special instructions before use.

: Danger

Do not breathe dust/ fume/ gas/ mist/ vapors/ spray. Do not handle until all safety

precautions have been read and understood.

Wear protective gloves/ protective clothing/ eye protection/ face protection. Keep away from heat/sparks/open flames/hot surfaces. No smoking.

Keep container tightly closed. Ground/bond container and receiving equipment.



# MATERIAL SAFETY DATA SHEET

Version :01

Pg. 2 of 8

PRODUCT NAME: SODIUM METHOXIDE

Use explosion-proof electrical/ventilating/lighting/equipment.

Use only non-sparking tools. Take precautionary measures against static discharge.

**Response** : IF exposed or concerned: Get medical advice/ attention.

IF ON SKIN (or hair): Take off immediately all contaminated clothing. Rinse skin with water/

CAS Number: 124-41-4

shower.

IF IN EYES: Rinse cautiously with water for several minutes. Remove contact lenses, if

present and easy to do. Continue rinsing.

IF INHALED: Remove person to fresh air and keep comfortable for breathing. IF SWALLOWED: Immediately call a POISON CENTER or doctor/physician.

Storage : Store in a dry & well-ventilated place. Keep container tightly closed. Containers which are

opened must be carefully resealed and kept upright to prevent leakage.

Disposal : Dispose of contents/container to an appropriate treatment and disposal facility in

accordance with applicable laws and regulations, and product characteristics at time of

disposal.

Other hazards which do not : result in GHS classification

This substance/mixture contains no components considered to be either persistent, bioaccumulative and toxic (PBT), or very persistent and very bioaccumulative (vPvB) at

levels of 0.1% or higher.

### 3. COMPOSITION/ INFORMATION ON INGRADIENTS:

Ingredient	CAS Number	Percent	Hazardous
Sodium Methoxide	124-41-4	NLT 98.0%	Yes

#### 4. FIRST AID MEASURES:

General information : Get medical advice/attention if you feel unwell. Show this safety data sheet to the doctor in

attendance.

Ingestion Call a physician or poison control center immediately. Rinse mouth. Do NOT induce

: vomiting. If vomiting occurs, keep head low so that stomach content doesn't get into the

lungs.

Move to fresh air. Call a physician or poison control center immediately. If breathing stops,

**Inhalation** : provide artificial respiration. If breathing is difficult, give oxygen.

Get medical attention if symptoms persist.

**Skin contact** Immediately flush with plenty of water for at least 15 minutes. If easy to do, remove contact

lenses. Get medical attention.

**Eye contact** Immediately flush with plenty of water for at least 15 minutes. If easy to do, remove contact

lenses. Get medical attention.

Most important

symptoms/effects, acute

and delayed

Indication of immediate

medical attention and special treatment needed

: The most important known symptoms and effects are described in the labelling 2.

: No data available.

## 5. FIRE FIGHTING MEASURES:

**General information** : No data available.



Pg. 3 of 8

Version:01

## **MATERIAL SAFETY DATA SHEET**

CAS Number: 124-41-4

## PRODUCT NAME: SODIUM METHOXIDE

Suitable (and unsuitable) extinguishing media

Suitable extinguishing

media

Water spray, foam, dry powder or carbon dioxide.

Unsuitable extinguishing media

Specific hazards arising from the chemical

: Avoid water in straight hose stream; will scatter and spread fire.

Vapors may cause a flash fire or ignite explosively. Vapors may travel considerable distance to a source of ignition and flash back. Prevent buildup of vapors or gases to explosive

concentrations. Vapor from the solvent may accumulate in container headspace resulting in

flammability hazard. Heat may cause the containers to explode.

Special protective equipment and precautions for firefighters

Special firefighting

procedures

Use water spray to keep fire-exposed containers cool. Water may be ineffective in fighting the fire. Fight fire from a protected location. Move containers from fire area if you can do so

without risk.

Special protective

equipment for fire-fighters

Firefighters must use standard protective equipment including flame retardant coat, helmet

with face shield, gloves, rubber boots, and in enclosed spaces, SCBA.

#### **ACCIDENTAL RELEASE MEASURES:**

Personal precautions, protective equipment and emergency procedures

ELIMINATE all ignition sources (no smoking, flares, sparks or flames in immediate area). Avoid breathing mists or vapors. Keep upwind. Ventilate closed spaces before entering them. Do not touch damaged containers or spilled material unless wearing appropriate protective clothing. Keep unauthorized personnel away.

Methods and material for containment and cleaning

up

Eliminate all ignition sources if safe to do so. Use only non-sparking tools. Take precautionary measures against static discharges. Stop leak if possible without any risk.

Absorb spill with vermiculite or other inert material, then place in a container for chemical waste. Clean surface thoroughly to remove residual contamination. Dike far ahead of larger spill for later recovery and disposal.

**Notification Procedures** 

Prevent entry into waterways, sewer, basements or confined areas. Inform authorities if

large amounts are involved.

**Environmental precautions** 

Do not contaminate water sources or sewer. Prevent further leakage or spillage if safe to do so. Avoid discharge into drains, water courses or onto the ground.

#### **HANDLING AND STORAGE:**

Precautions for safe handling

Do not handle until all safety precautions have been read and understood. DO NOT handle, store or open near an open flame, sources of heat or sources of ignition. Protect material from direct sunlight. Take precautionary measures against static discharges. Ground/bond container and receiving equipment. Use explosion-proof electrical/ventilating/lighting/equipment. Use only non-sparking tools. Wear protective gloves/protective clothing/eye

Protection / face protection. Avoid contact with eyes, skin, and clothing. Do not breathe mist or vapor. Use only with adequate ventilation. Wash hands thoroughly after handling. Keep away from food, drink and animal feeding stuffs. Keep container tightly closed in a dry,

Conditions for safe storage, including any

incompatibilities

well-ventilated place.



Pg. 4 of 8

Version:01

## **MATERIAL SAFETY DATA SHEET**

CAS Number: 124-41-4

#### PRODUCT NAME: SODIUM METHOXIDE

#### 8. EXPOSURE CONTROLS PERSONAL PROTECTION:

**Control parameters** 

Predicted No Effect

Concentration (PNEC)

Compartment	Value		
Fresh water	154 mg/l		
Sea water	15,4 mg/l		
Aquatic intermittent release	1540 mg/l		
Fresh water sediment	570,4 mg/kg		
Sea sediment	57,04 mg/kg		
Soil	23,5 mg/kg		

Appropriate engineering

controls : No data available.

Individual protection measures, such as personal protective equipment

Good general ventilation (typically 10 air changes per hour) should be used. Ventilation rates should be matched to conditions. If applicable, use process enclosures, local exhaust

General information ventilation, or other engineering controls to maintain airborne levels below recommended

exposure limits. If exposure limits have not been established, maintain airborne levels to an acceptable level. An eye wash and safety shower must be available in the immediate work

area. Use explosion-proof ventilation equipment.

**Eye/face protection**.: Wear safety glasses with side shields (or goggles).

**Hand protection** . Chemical resistant gloves.

Other . Wear suitable protective clothing.

**Respiratory protection** In case of inadequate ventilation use suitable respirator. Chemical

respirator with organic vapor cartridge.

Always observe good personal hygiene measures, such as washing after handling the material and before eating, drinking, and/or smoking. Routinely wash work clothing and

 $protective\ equipment\ to\ remove\ contaminants.\ Provide\ eyewash\ station\ and\ safety\ shower.$ 

Avoid contact with eyes, skin, and clothing.

## 9. PHYSICAL AND CHEMICAL PROPERTIES:

**Appearance** : White powder.

Odor : Odorless

**Solubility** : No data available.

Formula : NaOCH<sub>3</sub>

Molecular Weight : 54.02 g/mol

Specific Gravity : 0.970 g/cm3 at 25°C

**pH** : 12,8 at 10 g/l at 20 °C

% Volatiles by volume @

Hygiene measures

21C (70F)

: No data available.



#### **MATERIAL SAFETY DATA SHEET**

Pg. 5 of 8 Version :01

#### PRODUCT NAME: SODIUM METHOXIDE

Boiling Point : > 350 °C at ca.1.013,25 hPa

Melting Point : > 350 °C at ca.1.013,25 hPa

Flash Point : 33 °C

Vapor Density (Air=1) : 1.87

Vapor Pressure (mm Hg) : 130 hPa at 25 °C

Evaporation Rate (BuAc=1) : No data available.

#### **10. STABILITY AND REACTIVITY:**

Self-heating; may catch fire. The following applies in general to flammable organic

Reactivity : substances and mixtures: in correspondingly fine distribution, when whirled up a dust

explosion potential may generally be assumed. Reacts violently with water.

**Chemical stability** : Material is stable under ambient conditions..

Possibility of hazardous

reactions

can decompose violently in contact with: Water Risk of ignition or formation of inflammable gases or vapors with: Aluminum Zinc Acids Exothermic reaction with: Oxidizing agents Risk

CAS Number: 124-41-4

of explosion with: Methanol with Chloroform

Conditions to avoid : Heat, sparks, flames. Sunlight.

Incompatible materials : No data available.

**Hazardous decomposition** 

products

In the event of fire: see section 5

#### 11. TOXICOLOGICAL INFORMATION:

#### Information on likely routes of exposure

Ingestion : No data available.

Inhalation : No data available.

Skin contact : Causes mild skin irritation

Eye contact : Causes serious eye irritation.

Information on toxicological effects

Acute toxicity (list all possible routes of exposure)

Oral Product : LD 50 Rat - male and female - 1.687 mg/kg

Dermal Product : LD 50 - Rat - male and female - > 2.000 mg/kg

**Inhalation Product** . No data available.

Repeated dose toxicity

Product

No data available.

Skin corrosion/irritation

Product

Prolonged or repeated skin contact may cause drying, cracking, or irritation



Pg. 6 of 8

## **MATERIAL SAFETY DATA SHEET**

CAS Number: 124-41-4

Version:01

#### PRODUCT NAME: SODIUM METHOXIDE

Serious eye damage/eye

irritation Product

: Irritating to eyes.

Respiratory or skin

Not a skin sensitizer.

sensitization Product **Carcinogenicity Product** 

This substance has no evidence of carcinogenic properties

IARC Monographs on the

**Evaluation of Carcinogenic** 

: No carcinogenic components identified.

**Risks to Humans** 

**US. National Toxicology** 

Program (NTP) Report on

No carcinogenic components identified.

Carcinogens

**US. OSHA Specifically** 

Regulated Substances (29

CFR 1910.1001-1050 Germ cell mutagenicity : No carcinogenic components identified.

In vitro Product

No data available.

Reproductive toxicity

**Product** 

No components toxic to reproduction.

Specific target organ

toxicity - single exposure

**Product** 

Not known.

Specific target organ

toxicity - repeated

None known.

exposure Product

**Aspiration hazard Product** 

No data available.

Other effects

None known.

## 12. ECOLOGICAL INFORMATION:

**Ecotoxicity** 

Acute hazards to the aquatic environment

**Fish Product** 

: LC50 - Lepomis macrochirus (Bluegill) - 15.400 mg/l

Aquatic invertebrates **Product** 

: EC50 - Daphnia magna (Water flea) - > 10.000 mg/l

Chronic hazards to the aquatic environment

**Fish Product** 

No data available.

Aquatic invertebrates

No data available.

Product **Product:** 

**Toxicity to Aquatic Plants** 

: No data available.

Persistence and degradability



## **MATERIAL SAFETY DATA SHEET**

CAS Number: 124-41-4

Pg. 7 of 8 Version:01

**PRODUCT NAME: SODIUM METHOXIDE** 

**Biodegradation Product** 

: 95 % - Readily biodegradable.

**BOD/COD** ratio Product

: No data available.

Bioaccumulative potential

**Bioconcentration factor** 

(BCF) Product

No data available on bioaccumulation.

Mobility in soil

Partition coefficient noctanol / water (log Kow)

Product

: No data available.

Other adverse effects

No data available. No data available.

#### 13. DISPOSAL CONSIDERATION:

**Disposal instructions** : Discharge, treatment, or disposal may be subject to national, state, or local laws. Disposal

recommendations are based on uncontaminated material.

**Contaminated packaging** Since emptied containers retain product residue, follow label warnings even after container

is emptied.

#### 14. TRANSPORT INFORMATION:

DOT	UN No. UN 1431	UN proper shipping name Sodium Methoxide	Hazard Class(es) 4.2 (8)	Packaging group II	Marine Pollutant No
IMDG	UN 1431	Sodium Methoxide	4.2 (8)	II	No
IATA	UN 1431	Sodium Methoxide	4.2 (8)	II	No

#### 15. REGULATORY INFORMATION:

This safety datasheet complies with the requirements of Regulation (EC) No. 1907/2006. Safety, health and environmental regulations/legislation specific for the substance or mixture No Data Available.



**MATERIAL SAFETY DATA SHEET** 


Version :01

Pg. 8 of 8

#### PRODUCT NAME: SODIUM METHOXIDE

CAS Number: 124-41-4

#### **16. OTHER INFORMATION:**



Hazard rating: 0 - Minimal; 1 - Slight; 2 - Moderate; 3 - Serious; 4 - Severe

Issue Date : 15/04/2023

Version : 01

Disclaimer: This Material Safety Data Sheet (MSDS) is for guidance and is based upon information and tests believed to be reliable. ADVENT CHEMBIO PRIVATE LIMITED makes no guarantee of the accuracy or completeness of the data and shall not be liable for any damages relating thereto. The data is offered solely for your consideration, investigation, and verification. The data should not be confused with local, state, federal or insurance mandates, regulations, or requirements and CONSTITUTE NO WARRANTY. Any use of this data and information must be determined by the technical instructor in accordance with applicable local, state or federal laws and regulations. The conditions or methods of handling, storage, use and disposal of the product(s) described are beyond the control of ADVENT CHEMBIO PRIVATE LIMITED and may be beyond our knowledge. FOR THIS AND OTHER REASONS, WE DO NOT ASSUME RESPONSIBILITY AND EXPRESSLY DISCLAIM LIABILITY FOR LOSS, DAMAGE OR EXPENSE ARISING OUT OF OR IN ANY WAY CONNECTED WITH THE HANDLING, STORAGE, USE OR DISPOSAL OF THIS PRODUCT(S).