# 

# ADVENT CHEMBIO PRIVATE LIMITED

Pg. 1 of 7

# MATERIAL SAFETY DATA SHEET

Version Number:- 02

# **PRODUCT NAME: ALUMINIUM CHLORIDE, HEXAHYDRATE** CAS Number: 7784-13-6

1. IDENTIFICATION:	
Product Code	: 93313, 96084
Company Name	: ADVENT CHEMBIO PRIVATE LIMITED
Address	W-279, MIDC, TTC INDUSTRIAL AREA, THANE-BELAPUR ROAD, RABALE, NAVI MUMBAI - 400 701, MAHARASHTRA, INDIA.
E-mail	: <u>sales@adventchembio.com</u>
WEBSITE	: <u>www.adventchembio.com</u>
Company Phone Number	: <u>+91 77770 84837</u>

#### 2. HAZARDS IDENTIFICATION:

Hazard classification	
Health hazards	
Skin corrosion	: Sub-category 1B
Serious eye damage	: Category 1
Specific target organ toxicity - repeated exposure, Lungs	: Category 1
Labels elements	:
Hazard symbol	
Signal word	: Danger
Hazard statement	Causes severe skin burns and eye damage. : Causes damage to organs (Lungs) through prolonged or repeated exposure.
Precautionary statement	
Prevention	<ul> <li>Obtain special instructions before use.</li> <li>Do not breathe dust/ fume/ gas/ mist/ vapors/ spray. Do not handle until all safety precautions have been read and understood.</li> <li>Wear protective gloves/ protective clothing/ eye protection/ face protection.</li> <li>Keep away from heat/ sparks/ open flames/ hot surfaces. No smoking.</li> <li>Keep container tightly closed. Ground/ bond container and receiving equipment.</li> <li>Use explosion-proof electrical/ ventilating/ lighting/ equipment.</li> <li>Use only non-sparking tools. Take precautionary measures against static discharge.</li> <li>IF exposed or concerned: Get medical advice/ attention.</li> <li>IF ON SKIN (or hair): Take off immediately all contaminated clothing. Rinse skin with water/ shower.</li> <li>IF IN EYES: Rinse cautiously with water for several minutes. Remove contact lenses, if present and easy to do. Continue rinsing.</li> <li>IF INHALED: Remove person to fresh air and keep comfortable for breathing.</li> </ul>



Pg. 2 of 7

# MATERIAL SAFETY DATA SHEET

Version Number:- 02

## PRODUCT NAME: ALUMINIUM CHLORIDE, HEXAHYDRATE CAS N

CAS Number: 7784-13-6

Storage	:	Store in a dry & well-ventilated place. Keep container tightly closed. Containers which are opened must be carefully resealed and kept upright to prevent leakage.
Disposal	:	Dispose of contents/container to an appropriate treatment and disposal facility in accordance with applicable laws and regulations, and product characteristics at time of disposal.
Other hazards which do not result in GHS classification	:	This substance/mixture contains no components considered to be either persistent, bioaccumulative and toxic (PBT), or very persistent and very bioaccumulative (vPvB) at levels of 0.1% or higher.

3. COMPOSITION/ INFORMATION ON INGRADIENTS:			
Ingredient	CAS Number	Percent	Hazardous
Aluminium Chloride,Hexahydrate	7784-13-6	NLT 97.0%	Yes

# 4. FIRST AID MEASURES:

General information	:	Get medical advice/attention if you feel unwell. Show this safety data sheet to the doctor in attendance.
Ingestion	:	Call a physician or poison control center immediately. Rinse mouth. Do not induce vomiting. If vomiting occurs, keep head low so that stomach content doesn't get into the lungs. Move to fresh air. Call a physician or poison control center immediately. If breathing stops,
Inhalation	:	provide artificial respiration. If breathing is difficult, give oxygen. Get medical attention if symptoms persist.
Skin contact	:	Immediately flush with plenty of water for at least 15 minutes. Get medical attention.
Eye contact	:	Immediately flush with plenty of water for at least 15 minutes. If easy to do, remove contact lenses. Get medical attention.
Most important symptoms/effects, acute and delayed	:	The most important known symptoms and effects are described in the labelling.
Indication of immediate medical attention and special treatment needed	:	No data available.

#### 5. FIRE FIGHTING MEASURES:

**General information** 

Suitable (and unsuitable) extinguishing media

Suitable extinguishing media	:	Use water spray, alcohol-resistant foam, dry chemical or carbon dioxide.
Unsuitable extinguishing media	:	No data available.
Specific hazards arising from the chemical	:	Vapors may cause a flash fire or ignite explosively. Vapors may travel considerable distance to a source of ignition and flash back. Prevent buildup of vapors or gases to explosive concentrations. Vapor from the solvent may accumulate in container headspace resulting in flammability hazard. Heat may cause the containers to explode.



Pg. 3 of 7

# **MATERIAL SAFETY DATA SHEET**

Version Number:- 02

#### PRODUCT NAME: ALUMINIUM CHLORIDE, HEXAHYDRATE CA

۱S	Number:	7784-13-6
----	---------	-----------

Special protective equipment and precautions for firefighters	
Special firefighting procedures	Fight fire from a protected location. Move containers from fire area if you can do so without risk.
Special protective equipment for fire-fighters	Firefighters must use standard protective equipment including flame retardant coat, helmet with face shield, gloves, rubber boots, and in enclosed spaces, SCBA.

#### 6. ACCIDENTAL RELEASE MEASURES:

Personal precautions, protective equipment and emergency procedures	:	ELIMINATE all ignition sources (no smoking, flares, sparks or flames in immediate area). Avoid breathing mists or vapors. Keep upwind. Ventilate closed spaces before entering them. Do not touch damaged containers or spilled material unless wearing appropriate protective clothing. Keep unauthorized personnel away.
Methods and material for containment and cleaning up	:	Eliminate all ignition sources if safe to do so. Use only non-sparking tools. Take precautionary measures against static discharges. Stop leak if possible without any risk. Absorb spill with vermiculite or other inert material, then place in a container for chemical waste. Clean surface thoroughly to remove residual contamination. Dike far ahead of larger spill for later recovery and disposal.
Notification Procedures	:	Prevent entry into waterways, sewer, basements or confined areas. Inform authorities if large amounts are involved.
Environmental precautions	:	Do not contaminate water sources or sewer. Prevent further leakage or spillage if safe to do so. Avoid discharge into drains, water courses or onto the ground.

#### HANDLING AND STORAGE: 7.

Precautions for safe handling	Do not handle until all safety precautions have been read and understood. Do not handle, store or open near an open flame, sources of heat or sources of ignition. Protect material from direct sunlight. Take precautionary measures against static discharges. Ground/bond : container and receiving equipment. Use explosion-proof electrical/ventilating/lighting/equipment. Use only non-sparking tools. Wear protective gloves/protective clothing/eye protection/ face protection. Avoid contact with eyes, skin, and clothing. Do not breathe mist or vapor. Use only with adequate ventilation. Wash hands thoroughly after handling.
Conditions for safe storage,	
including any incompatibilities	: Keep away from food, drink and animal feeding stuffs. Keep container tightly closed in a dry, well-ventilated place.

8. EXPOSURE CONTROLS PERSONAL PROTECTION: Appropriate engineering

#### : No data available. controls

#### Individual protection measures, such as personal protective equipment

Good general ventilation (typically 10 air changes per hour) should be used. Ventilation rates should be matched to conditions. If applicable, use process enclosures, local exhaust ventilation, or other engineering controls to maintain airborne levels below recommended **General information** : exposure limits. If exposure limits have not been established, maintain airborne levels to an acceptable level. An eye wash and safety shower must be available in the immediate work area. Use explosion-proof ventilation equipment.



Pg. 4 of 7

# **MATERIAL SAFETY DATA SHEET**

Version Number:- 02

# PRODUCT NAME: ALUMINIUM CHLORIDE, HEXAHYDRATE CAS Number: 7784-13-6

Eye/face protection	Wear safety glasses with side shields (or goggles).
Hand protection	Chemical resistant gloves.
Other	Wear suitable protective clothing.
Respiratory protection	In case of inadequate ventilation use suitable respirator. Chemical respirator with organic vapor cartridge.
Hygiene measures	Always observe good personal hygiene measures, such as washing after handling the material and before eating, drinking, and/or smoking. Routinely wash work clothing and protective equipment to remove contaminants. Provide eyewash station and safety shower. Avoid contact with eyes, skin, and clothing.

## 9. PHYSICAL AND CHEMICAL PROPERTIES:

Appearance	:	White to off white powder.
Odor	:	Odorless
Solubility	:	No data available.
Formula	:	AICI <sub>3.6</sub> H <sub>2</sub> O
Molecular Weight	:	241.43 g/mol
Density	:	2.398 g/cm3 at 20 °C
рН	:	2.5 at 50 g/l at 20 °C
% Volatiles by volume @ 21C (70F)	:	No data available.
Boiling Point	:	No data available.
Melting Point	:	100°C
Flash Point	:	Not applicable
Vapor Density (Air=1)	:	No data available.
Vapor Pressure (mm Hg)	:	1,3332 hPa at 100 °C
Evaporation Rate (BuAc=1)	:	No data available.

#### **10. STABILITY AND REACTIVITY:**

Reactivity	:	No data available.
Chemical stability	:	Material is stable under ambient conditions.
Possibility of hazardous reactions	:	No data available.
Conditions to avoid	:	No data available.
Incompatible materials	:	Metals.

# 

Hazardous decomposition

products

# ADVENT CHEMBIO PRIVATE LIMITED

Pg. 5 of 7

#### **MATERIAL SAFETY DATA SHEET**

Version Number:- 02

PRODUCT NAME: ALUMINIUM CHLORIDE, HEXAHYDRATE CAS Number:

In the event of fire: see section 5

CAS Number: 7784-13-6

**11. TOXICOLOGICAL INFORMATION:** Information on toxicological effects Acute toxicity (list all possible routes of exposure) **Oral Product** : LD 50 (Rat): 3.311 mg/kg **Dermal Product** LD 50 (Rabbit): 2.000 mg/kg : Inhalation Product No data available. **Repeated dose toxicity** No data available. : Product Skin corrosion/irritation : Corrosive. Product Serious eye damage/eye Causes serious eye damage. : irritation Product Respiratory or skin No data available. : sensitization Product Carcinogenicity Product : This substance has no evidence of carcinogenic properties IARC Monographs on the Evaluation of Carcinogenic : No carcinogenic components identified. **Risks to Humans** US. National Toxicology Program (NTP) Report on : No carcinogenic components identified. Carcinogens US. OSHA Specifically : No carcinogenic components identified. Regulated Substances (29 CFR 1910.1001-1050 Germ cell mutagenicity : No data available. **Reproductive toxicity** No components toxic to reproduction. : Product Specific target organ toxicity - single exposure : Corrosive to the respiratory tract. Product Specific target organ toxicity - repeated Causes damage to organs through prolonged or repeated exposure. - Lungs : exposure Product Aspiration hazard Product No data available. : **Other effects** : None known.



Pg. 6 of 7

# **MATERIAL SAFETY DATA SHEET**

Version Number:- 02

# PRODUCT NAME: ALUMINIUM CHLORIDE, HEXAHYDRATE CAS Number: 7784-13-6

#### 12. ECOLOGICAL INFORMATION:

Ecotoxicity Acute hazards to the aquation	c en	vironment
Fish Product	:	LC50 - Oncorhynchus mykiss (rainbow trout) - 36,6 mg/l - 96 h
Aquatic invertebrates Product	:	EC50 - Daphnia magna (Water flea) - 27,3 mg/l - 48 h
Chronic hazards to the aqua	tic e	nvironment
Fish Product	:	No data available.
Aquatic invertebrates Product	:	No data available.
Toxicity to Aquatic Plants Product:	:	No data available.
Persistence and degradabilit	ty	
<b>Biodegradation Product</b>	:	The methods for determining biodegradability are not applicable to inorganic substances.
BOD/COD ratio Product	:	No data available.
Bioaccumulative potential		
Bioconcentration factor (BCF) Product	:	No data available on bioaccumulation.
Partition coefficient n- octanol / water (log Kow) Product	:	No data available.
Mobility in soil	:	No data available.
Other adverse effects	:	May be harmful to aquatic organisms due to the shift of the pH. Avoid release to the environment. Biological effects: Harmful effect due to pH shift. Forms corrosive mixtures with water even if diluted. The following may develop after reaction of the product with water: Hydrogen chloride gas Discharge into the environment must be avoided.

#### 13. DISPOSAL CONSIDERATION:

Disposal instructions	:	Discharge, treatment, or disposal may be subject to national, state, or local laws. Disposal recommendations are based on uncontaminated material.
Contaminated packaging	:	Since emptied containers retain product residue, follow label warnings even after container is emptied.



Pg. 7 of 7

## MATERIAL SAFETY DATA SHEET

Version Number:- 02


### PRODUCT NAME: ALUMINIUM CHLORIDE, HEXAHYDRATE CAS Number: 7784-13-6

	UN No.	UN proper shipping name	Hazard Class(es)	Packaging group	Marine Pollutant
ADR/RID	UN 3260	Aluminium Chloride Hexahydrate	8	II	No
MDG	UN 3260	Aluminium Chloride Hexahydrate	8	II	No
ATA	UN 3260	Aluminium Chloride Hexahydrate	8	Ш	No

#### **15. REGULATORY INFORMATION:**

This safety datasheet complies with the requirements of Regulation (EC) No. 1907/2006. Safety, health and environmental regulations/legislation specific for the substance or mixture No Data Available.

### **16. OTHER INFORMATION:**



Disclaimer: This Material Safety Data Sheet (MSDS) is for guidance and is based upon information and tests believed to be reliable. ADVENT CHEMBIO PRIVATE LIMITED makes no guarantee of the accuracy or completeness of the data and shall not be liable for any damages relating thereto. The data is offered solely for your consideration, investigation, and verification. The data should not be confused with local, state, federal or insurance mandates, regulations, or requirements and CONSTITUTE NO WARRANTY. Any use of this data and information must be determined by the technical instructor in accordance with applicable local, state or federal laws and regulations. The conditions or methods of handling, storage, use and disposal of the product(s) described are beyond the control of ADVENT CHEMBIO PRIVATE LIMITED and may be beyond our knowledge. FOR THIS AND OTHER REASONS, WE DO NOT ASSUME RESPONSIBILITY AND EXPRESSLY DISCLAIM LIABILITY FOR LOSS, DAMAGE OR EXPENSE ARISING OUT OF OR IN ANY WAY CONNECTED WITH THE HANDLING, STORAGE, USE OR DISPOSAL OF THIS PRODUCT(S).