



MATERIAL SAFETY DATA SHEET

Version Number:- 02

PRODUCT NAME: BENZYL ACETATE

CAS Number: 140-11-4

1. IDENTIFICATION:

Product Code : 93444

Company Name : ADVENT CHEMBIO PRIVATE LIMITED

Address : W-279, MIDC, TTC INDUSTRIAL AREA, THANE-BELAPUR ROAD, RABALE,
NAVI MUMBAI - 400 701, MAHARASHTRA, INDIA.

E-mail : sales@adventchembio.com

WEBSITE : www.adventchembio.com

Company Phone Number : +91 77770 84837

2. HAZARDS IDENTIFICATION:**Hazard classification****Health hazards**

Long-term (chronic) aquatic hazard : Category 3

Labels elements : No hazard pictogram, no signal word, no hazard statement, no precautionary statement required.

Signal word : Not a hazardous substance or mixture according to Regulation.

Hazard statement : Harmful to aquatic life with long lasting effects.

Precautionary statement

Prevention : Obtain special instructions before use.
Do not breathe dust/ fume/ gas/ mist/ vapors/ spray. Do not handle until all safety precautions have been read and understood.
Wear protective gloves/ protective clothing/ eye protection/ face protection.
Keep away from heat/ sparks/ open flames/ hot surfaces. No smoking.
Keep container tightly closed. Ground/ bond container and receiving equipment.
Use explosion-proof electrical/ ventilating/ lighting/ equipment.
Use only non-sparking tools. Take precautionary measures against static discharge.

Response : IF exposed or concerned: Get medical advice/ attention.
IF ON SKIN (or hair): Take off immediately all contaminated clothing. Rinse skin with water/ shower.
IF IN EYES: Rinse cautiously with water for several minutes. Remove contact lenses, if present and easy to do. Continue rinsing.
IF INHALED: Remove person to fresh air and keep comfortable for breathing.
IF SWALLOWED: Immediately call a poison center or doctor/physician.

Storage : Store in a dry & well-ventilated place. Keep container tightly closed. Containers which are opened must be carefully resealed and kept upright to prevent leakage.

Disposal : Dispose of contents/container to an appropriate treatment and disposal facility in accordance with applicable laws and regulations, and product characteristics at time of disposal.

Other hazards which do not result in GHS classification : Static accumulating flammable liquid can become electrostatically charged even in bonded and grounded equipment. Sparks may ignite liquid and vapor. May cause flash fire or explosion.



MATERIAL SAFETY DATA SHEET

Version Number:- 02

PRODUCT NAME: BENZYL ACETATE

CAS Number: 140-11-4

3. COMPOSITION/ INFORMATION ON INGRADIENTS:

Ingredient	CAS Number	Percent	Hazardous
Benzyl Acetate	140-11-4	NLT 95.0%	No

4. FIRST AID MEASURES:

General information	: Get medical advice/attention if you feel unwell. Show this safety data sheet to the doctor in attendance.
Ingestion	: Call a physician or poison control center immediately. Rinse mouth. Do not induce vomiting. If vomiting occurs, keep head low so that stomach content doesn't get into the lungs. Move to fresh air. Call a physician or poison control center immediately. If breathing stops, provide artificial respiration. If breathing is difficult, give oxygen. Get medical attention if symptoms persist.
Inhalation	: Immediately flush with plenty of water for at least 15 minutes. Get medical attention.
Skin contact	: Immediately flush with plenty of water for at least 15 minutes. If easy to do, remove contact lenses. Get medical attention.
Eye contact	: The most important known symptoms and effects are described in the labelling.
Most important symptoms/effects, acute and delayed	: No data available.
Indication of immediate medical attention and special treatment needed	

5. FIRE FIGHTING MEASURES:

General information	: No data available.
----------------------------	----------------------

Suitable (and unsuitable) extinguishing media

Suitable extinguishing media	: Water Foam Carbon dioxide (CO2) Dry powder.
Unsuitable extinguishing media	: For this substance/mixture no limitations of extinguishing agents are given.
Specific hazards arising from the chemical	: Vapors may cause a flash fire or ignite explosively. Vapors may travel considerable distance to a source of ignition and flash back. Prevent buildup of vapors or gases to explosive concentrations. Vapor from the solvent may accumulate in container headspace resulting in flammability hazard. Heat may cause the containers to explode.

Special protective equipment and precautions for firefighters

Special firefighting procedures	: Carbon oxides Sulphur oxides Hydrogen chloride gas Combustible. Development of hazardous combustion gases or vapours possible in the event of fire.
Special protective equipment for fire-fighters	: Firefighters must use standard protective equipment including flame retardant coat, helmet with face shield, gloves, rubber boots, and in enclosed spaces, SCBA



MATERIAL SAFETY DATA SHEET

Version Number:- 02

PRODUCT NAME: BENZYL ACETATE

CAS Number: 140-11-4

6. ACCIDENTAL RELEASE MEASURES:

Personal precautions, protective equipment and emergency procedures	:	Advice for non-emergency personnel: Avoid inhalation of dusts. Avoid substance contact. Ensure adequate ventilation. Evacuate the danger area, observe emergency procedures, consult an expert.
Methods and material for containment and cleaning up	:	Eliminate all ignition sources if safe to do so. Use only non-sparking tools. Take precautionary measures against static discharges. Stop leak if possible without any risk. Absorb spill with vermiculite or other inert material, then place in a container for chemical waste. Clean surface thoroughly to remove residual contamination. Dike far ahead of larger spill for later recovery and disposal.
Notification Procedures	:	Prevent entry into waterways, sewer, basements or confined areas. Inform authorities if large amounts are involved.
Environmental precautions	:	Do not contaminate water sources or sewer. Prevent further leakage or spillage if safe to do so. Avoid discharge into drains, water courses or onto the ground.

7. HANDLING AND STORAGE:

Precautions for safe handling	:	Do not handle until all safety precautions have been read and understood. Do not handle, store or open near an open flame, sources of heat or sources of ignition. Protect material from direct sunlight. Take precautionary measures against static discharges. Ground/bond container and receiving equipment. Use explosion-proof electrical/ventilating/lighting/equipment. Use only non-sparking tools. Wear protective gloves/protective clothing/eye protection/ face protection. Avoid contact with eyes, skin, and clothing. Do not breathe mist or vapor. Use only with adequate ventilation. Wash hands thoroughly after handling.
Conditions for safe storage, including any incompatibilities	:	Keep away from food, drink and animal feeding stuffs. Keep container tightly closed in a dry, well-ventilated place. Ground container and transfer equipment to eliminate static electric sparks.

8. EXPOSURE CONTROLS PERSONAL PROTECTION:**Appropriate engineering controls**

:	No data available
---	-------------------

Individual protection measures, such as personal protective equipment

General information	:	Good general ventilation (typically 10 air changes per hour) should be used. Ventilation rates should be matched to conditions. If applicable, use process enclosures, local exhaust ventilation, or other engineering controls to maintain airborne levels below recommended exposure limits. If exposure limits have not been established, maintain airborne levels to an acceptable level. An eye wash and safety shower must be available in the immediate work area. Use explosion-proof ventilation equipment.
Eye/face protection	:	Wear safety glasses with side shields (or goggles).
Hand protection	:	Chemical resistant gloves.
Other	:	Wear suitable protective clothing.



MATERIAL SAFETY DATA SHEET

Version Number:- 02

PRODUCT NAME: BENZYL ACETATE

CAS Number: 140-11-4

Respiratory protection	:	In case of inadequate ventilation use suitable respirator. Chemical respirator with organic vapor cartridge.
Hygiene measures	:	Always observe good personal hygiene measures, such as washing after handling the material and before eating, drinking, and/or smoking. Routinely wash work clothing and protective equipment to remove contaminants. Provide eyewash station and safety shower. Avoid contact with eyes, skin, and clothing.

9. PHYSICAL AND CHEMICAL PROPERTIES:

Appearance	:	Clear, colourless liquid.
Odor	:	No data available.
Solubility	:	No data available.
Formula	:	C ₉ H ₁₀ O ₂
Molecular Weight	:	150.17 g/mol
Density	:	1.05 at 25 °C
pH	:	No data available.
% Volatiles by volume @ 21C (70F)	:	No data available.
Boiling Point	:	206 °C - lit.
Melting Point	:	-51 °C - lit.
Flash Point	:	95 °C - closed cup
Vapor Density (Air=1)	:	No data available.
Vapor Pressure (mm Hg)	:	31 hPa at 110 °C
Evaporation Rate (BuAc=1)	:	No data available.

10. STABILITY AND REACTIVITY:

Reactivity	:	Forms explosive mixtures with air on intense heating. A range from approx. 15 Kelvin below the flash point is to be rated as critical.
Chemical stability	:	Material is stable under ambient conditions.
Possibility of hazardous reactions	:	The constituents may react with: Strong oxidizing agents.
Conditions to avoid	:	Strong heating.
Incompatible materials	:	No data available.
Hazardous decomposition products	:	In the event of fire: see section 5



MATERIAL SAFETY DATA SHEET

Version Number:- 02

PRODUCT NAME: BENZYL ACETATE

CAS Number: 140-11-4

11. TOXICOLOGICAL INFORMATION:

Information on toxicological effects

Acute toxicity (list all possible routes of exposure)

Oral Product	LD50 Oral - Rat - 2.490 mg/kg Remarks: Behavioral:Somnolence (general depressed activity). (RTECS)
	: Inhalation: No data available LD50 Dermal - Rabbit - > 5.000 mg/kg Remarks: (ECHA)
Dermal Product	: No data available.
Inhalation Product	: No data available.
Repeated dose toxicity Product	: No data available.
Skin corrosion/irritation Product	Skin - Rabbit : Result: No skin irritation - 4 h (Regulation (EC) No. 440/2008, Annex, B.4)
Serious eye damage/eye irritation Product	Eyes - Rabbit : Result: No eye irritation (Directive 67/548/EEC, Annex V, B.5.)
Respiratory or skin sensitization Product	Maximisation Test - Guinea pig : Result: negative (OECD Test Guideline 406)
Carcinogenicity Product	: No data available.
IARC Monographs on the Evaluation of Carcinogenic Risks to Humans	: No data available.
US. National Toxicology Program (NTP) Report on Carcinogens	: No data available.
US. OSHA Specifically Regulated Substances (29 CFR 1910.1001-1050)	: No data available.
Germ cell mutagenicity	Test Type: Ames test Test system: S. typhimurium Metabolic activation: with and without metabolic activation Result: negative Remarks: (ECHA) Test Type: Mutagenicity (mammal cell test): chromosome aberration. Test system: Chinese hamster lung cells : Metabolic activation: with and without metabolic activation Method: OECD Test Guideline 473 Result: negative Test Type: unscheduled DNA synthesis assay Species: Rat Cell type: Liver cells Application Route: Oral



MATERIAL SAFETY DATA SHEET

Version Number:- 02

PRODUCT NAME: BENZYL ACETATE

CAS Number: 140-11-4

	Result: negative
	Remarks: (ECHA)
Reproductive toxicity Product	: No data available.
Specific target organ toxicity - single exposure Product	: No data available.
Specific target organ toxicity - repeated exposure Product	: No data available.
Aspiration hazard Product	: No data available.
Other effects	: No data available.

12. ECOLOGICAL INFORMATION:

Ecotoxicity

Acute hazards to the aquatic environment

Fish Product	: flow-through test LC50 - Oryzias latipes (Orange-red killifish) - 4 mg/l - 96 h Remarks: (ECHA)
Aquatic invertebrates Product	: semi-static test EC50 - Daphnia magna (Water flea) - 17 mg/l - 48 h (OECD Test Guideline 202)

Chronic hazards to the aquatic environment

Fish Product	: flow-through test NOEC - Oryzias latipes (Orange-red killifish) - 0,92 mg/l - 28 d (US-EPA)
Aquatic invertebrates Product	: No data available.
Toxicity to Aquatic Plants Product:	: static test ErC50 - Desmodesmus subspicatus (green algae) - 110 mg/l - 72 h (OECD Test Guideline 201)

Persistence and degradability

Biodegradation Product	aerobic - Exposure time 28 d
	: Result: 100 % - Readily biodegradable. (OECD Test Guideline 301B)

BOD/COD ratio Product	: No data available.
-----------------------	----------------------

Bioaccumulative potential

Bioconcentration factor (BCF) Product	: No data available on bioaccumulation.
---------------------------------------	---

Partition coefficient n-octanol / water (log Kow) Product	: No data available.
---	----------------------

Mobility in soil	: No data available.
------------------	----------------------

Other adverse effects	The product components are not classified as environmentally hazardous. However, this does not exclude the possibility that large or frequent spills can have a harmful or damaging effect on the environment.
-----------------------	--



MATERIAL SAFETY DATA SHEET

Version Number:- 02

PRODUCT NAME: BENZYL ACETATE

CAS Number: 140-11-4

13. DISPOSAL CONSIDERATION:

Disposal instructions : Discharge, treatment, or disposal may be subject to national, state, or local laws. Disposal recommendations are based on uncontaminated material.

Contaminated packaging : Since emptied containers retain product residue, follow label warnings even after container is emptied.

14. TRANSPORT INFORMATION:

	UN No.	UN proper shipping name	Hazard Class(es)	Packaging group	Marine Pollutant
ADR/RID	NA	Benzyl Acetate	NA	Not dangerous goods	NA
IMDG	NA	Benzyl Acetate	NA	Not dangerous goods	NA
IATA	NA	Benzyl Acetate	NA	Not dangerous goods	NA

15. REGULATORY INFORMATION:

This safety datasheet complies with the requirements of Regulation (EC) No. 1907/2006.
Safety, health and environmental regulations/legislation specific for the substance or mixture
No Data Available

MATERIAL SAFETY DATA SHEET


Version Number:- 02

PRODUCT NAME: BENZYL ACETATE

CAS Number: 140-11-4

16. OTHER INFORMATION:

NFPA Hazard ID



Hazard rating: 0 - Minimal; 1 - Slight; 2 - Moderate; 3 - Serious; 4 - Severe

Issue Date : 25/05/2026

Version Number : 02

Disclaimer: This Material Safety Data Sheet (MSDS) is for guidance and is based upon information and tests believed to be reliable. ADVENT CHEMBIO PRIVATE LIMITED makes no guarantee of the accuracy or completeness of the data and shall not be liable for any damages relating thereto. The data is offered solely for your consideration, investigation, and verification. The data should not be confused with local, state, federal or insurance mandates, regulations, or requirements and CONSTITUTE NO WARRANTY. Any use of this data and information must be determined by the technical instructor in accordance with applicable local, state or federal laws and regulations. The conditions or methods of handling, storage, use and disposal of the product(s) described are beyond the control of ADVENT CHEMBIO PRIVATE LIMITED and may be beyond our knowledge. FOR THIS AND OTHER REASONS, WE DO NOT ASSUME RESPONSIBILITY AND EXPRESSLY DISCLAIM LIABILITY FOR LOSS, DAMAGE OR EXPENSE ARISING OUT OF OR IN ANY WAY CONNECTED WITH THE HANDLING, STORAGE, USE OR DISPOSAL OF THIS PRODUCT(S).